

ATTACHMENT D - Data Dictionary for the College Universe

WCCC Reporting Database

Version 1.10

Effective Date: 07.10.2014

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CfGeneralLedger	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueGeneralLedger	varchar	10	n/a	n/a	Sourced from the GEN.LDGR.ID Colleague field. It is the General Ledger File Suite ID and primarily the fiscal year.
	FiscalYear	varchar	30	n/a	n/a	Fiscal Year (or file suite)
	GeneralLedgerStatus	varchar	7	n/a	n/a	Sourced from the GEN.LDGR.STATUS Colleague field. It is the status of the general ledger suite.
	FiscalYearStartMonth	varchar	30	n/a	n/a	Set to "07".
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date this record was last changed, in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	OdsCfGeneralLedgerId	varchar	45	n/a	n/a	
	DateDimensionID	int	4	10	n/a	
CfGeneralLedgerAccounts	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueGenLdgrAccountsId	varchar	30	n/a	n/a	The full GL account
	GenLedgClassificationType	varchar	12	n/a	n/a	Sourced from the GL.ACCTS > GL.CLASS.TYPE Colleague computed column. The general ledger classification type - either asset, liability, fund balance, revenue, or expense.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CfGeneralLedgerAccounts	FundBalanceAccount	varchar	30	n/a	n/a	Sourced from the GL.FUND.BAL.ACCT Colleague field. It's the fund balance account for rev/exp accounts.
	InactiveAccountFlag	varchar	7	n/a	n/a	Sourced from the GL.ACCTS > GL.INACTIVE Colleague field. The inactive account flag - "I" means the Account is inactive - "A" means the account has been reactivated. Nothing in the field always has been active.
	GenLedgRebateTaxCode	varchar	7	n/a	n/a	Sourced from the GL.ACCTS > GL.ITM.TAX.CODE Colleague field. The rebate tax code associated with this general ledger entry. The rebate tax code associated with the general ledger entry will determine the rebate and refund percentages used in the system tax calculations.
	GenLedgRebateTaxCodeDscrptn	varchar	30	n/a	n/a	Sourced from the AP.TAXES > AP.TAX.DESC Colleague field (per GL.ACCTS > GL.ITM.TAX.CODE). The description of the rebate tax code associated with this general ledger entry.
	NetAssetClassCode	varchar	7	n/a	n/a	Sourced from the GL.ACCTS > GL.NET.ASSET.CLASS.CODE Colleague field. The net asset class code assigned to this general ledger account.
	NetAssetClassDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the GL.ACCTS > GL.NET.ASSET.CLASS.CODE Colleague field. The description of the net asset class code assigned to this general ledger account.
	PreviousGenLedgAccountNumber	varchar	30	n/a	n/a	Sourced from the GL.ACCTS > GL.PREV.ACCT Colleague field. A user defined field showing what this general ledger account was. The previous general ledger account number is entered here for reference purposes.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CfGeneralLedgerAccounts	AlternateAccountLookupTag	varchar	7	n/a	n/a	Sourced from the GL.ACCTS > GL.TAG Colleague field. This can be used in account lookup in place of the actual account number. A combination of up to five alphanumeric characters is assigned to a user-specified set of general ledger account numbers to create a GL account tag.
	FundDescription	varchar	58	n/a	n/a	Sourced from the FD.DESCS > FD.DESCRPTION Colleague field (per 1'st & 2'nd digits of GL.ACCTS > GL.ACCTS.ID). The description of the fund account component.
	FundWithDescription	varchar	100	n/a	n/a	Sourced from the 1'st & 2'nd digits of the GL.ACCTS > GL.ACCTS.ID Colleague field, and the corresponding FD.DESCS > FD.DESCRPTION Colleague field. The fund account component concatenated to the fund account component description.
	ProgramDescription	varchar	58	n/a	n/a	Sourced from the SO.DESCS > SO.DESCRPTION Colleague field (per 4'th & 5'th digits of GL.ACCTS > GL.ACCTS.ID). The description of the source account components.
	ProgramWithDescription	varchar	100	n/a	n/a	Sourced from the 4'th and 5'th digits of the GL.ACCTS > GL.ACCTS.ID Colleague field, and the corresponding SO.DESCS > SO.DESCRPTION Colleague field. The source account components concatenated to the description of the source account components.
	LocationDescription	varchar	58	n/a	n/a	Sourced from the LO.DESCS > LO.DESCRPTION Colleague field (per 7'th and 8'th digits of GL.ACCTS > GL.ACCTS.ID). The description of the location account components.
	LocationWithDescription	varchar	100	n/a	n/a	Sourced from the 7'th and 8'th digits of the GL.ACCTS > GL.ACCTS.ID Colleague field, and the corresponding LO.DESCS > LO.DESCRPTION Colleague field. The location account components concatenated to the description of the location account components.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CfGeneralLedgerAccounts	FunctionDescription	varchar	58	n/a	n/a	Sourced from the UN.DESCS > UN.DESCRPTION Colleague field (per 13'th digit of GL.ACCTS > GL.ACCTS.ID). The description of the unit account component.
	FunctionWithDescription	varchar	100	n/a	n/a	Sourced from the 13'th digit of the GL.ACCTS > GL.ACCTS.ID Colleague field, and the corresponding UN.DESCS > UN.DESCRPTION Colleague field. The unit account component concatenated to the description of the unit account component.
	DivisionDescription	varchar	58	n/a	n/a	Sourced from the UN.DESCS > UN.DESCRPTION Colleague field (per 13'th & 14'th digits of GL.ACCTS > GL.ACCTS.ID). The description of the unit account component.
	DivisionWithDescription	varchar	100	n/a	n/a	Sourced from the 13'th and 14'th digits of the GL.ACCTS > GL.ACCTS.ID Colleague field, and the corresponding UN.DESCS > UN.DESCRPTION Colleague field. The unit account component concatenated to the description of the unit account component.
	DepartmentDescription	varchar	58	n/a	n/a	Sourced from the UN.DESCS > UN.DESCRPTION Colleague field (per 13'th thru 17'th digits of GL.ACCTS > GL.ACCTS.ID). The description of the unit account component.
	DepartmentWithDescription	varchar	100	n/a	n/a	Sourced from the 13'th thru 17'th digits of the GL.ACCTS > GL.ACCTS.ID Colleague field, and the corresponding UN.DESCS > UN.DESCRPTION Colleague field. The unit account component concatenated to the description of the unit account component.
	ObjectClassDescription	varchar	58	n/a	n/a	Sourced from the OB.DESCS > OB.DESCRPTION Colleague field (per 19'th digit of GL.ACCTS > GL.ACCTS.ID). The description of the object piece/component.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CfGeneralLedgerAccounts	ObjectClassWithDescription	varchar	100	n/a	n/a	Sourced from the 19'th digit of the GL.ACCTS > GL.ACCTS.ID Colleague field, and the corresponding OB.DESCS > OB.DESCRPTION Colleague field. The object piece/component concatenated to the description of the object piece/component.
	CategoryCodeDescription	varchar	58	n/a	n/a	The description of the 19th through 21st digits of the GL number
	CategoryWithDescription	varchar	100	n/a	n/a	Sourced from the 19'th thru 21'st digits of the GL.ACCTS > GL.ACCTS.ID Colleague field, and the corresponding OB.DESCS > OB.DESCRPTION Colleague field. The object piece/component concatenated to the description of the object piece/component.
	ObjectCodeDescription	varchar	58	n/a	n/a	The description of 19th through 23rd digits of the GL number
	ObjectWithDescription	varchar	100	n/a	n/a	Sourced from the 19'th thru 23'rd digits of the GL.ACCTS > GL.ACCTS.ID Colleague field, and the corresponding OB.DESCS > OB.DESCRPTION Colleague field. The object piece/component concatenated to the description of the object piece/component.
	Fund	varchar	7	n/a	n/a	Sourced from the 1'st & 2'nd digits of the GL.ACCTS > GL.ACCTS.ID Colleague field.
	Program	varchar	7	n/a	n/a	Sourced from the 4'th & 5'th digits of the GL.ACCTS > GL.ACCTS.ID Colleague field.
	LocationCode	varchar	7	n/a	n/a	The 7th & 8th digit of the GL number
	DivisionCode	varchar	7	n/a	n/a	The 13th & 14th digits of the GL number
	Department	varchar	7	n/a	n/a	Sourced from the 13'th thru 17'th digits of the GL.ACCTS > GL.ACCTS.ID Colleague field.
	ObjectClass	varchar	7	n/a	n/a	Sourced from the 19'th digit of the GL.ACCTS > GL.ACCTS.ID Colleague field.
	CategoryCode	varchar	7	n/a	n/a	The 19th through 21st digits of the GL number

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CfGeneralLedgerAccounts	ObjectCode	varchar	7	n/a	n/a	The 19th through 23rd digits of the GL number
	W67Function	varchar	7	n/a	n/a	Sourced from the 13'th digit of the GL.ACCTS > GL.ACCTS.ID Colleague field.
	FunctionActionCode1	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the 13'th digit of the GL.ACCTS > GL.ACCTS.ID Colleague field, using the W67_FUNCTION_MAP valcode lookup table.
	FunctionCode	varchar	30	n/a	n/a	The 13th digit of the GL number with Common Codes
	FundTypeActionCode1	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the 1'st and 2'nd digits of the GL.ACCTS > GL.ACCTS.ID Colleague field, using the W67_FUND_TYPE_MAP valcode lookup table.
	FundCode	varchar	30	n/a	n/a	The first two digit of the GL number with Common Codes
	DistrictActionCode1	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the 7'th and 8'th digits of the GL.ACCTS > GL.ACCTS.ID Colleague field, using the W67_DISTRICT_MAP valcode lookup table.
	ClassType	varchar	12	n/a	n/a	The GL Classification. Either Asset, Liability, Fund Balance, Revenue, or Expense; based on the GL Class Definition defined on GLCD.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	General Ledger Account Authorization Date added, in Colleague
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Stamped with the date changed, in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	OdsCfGeneralLedgerAccountsId	varchar	61	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
CfGeneralLedgerAccountsHistory						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CfGeneralLedgerAccountsHistory	ColleagueGenLdgrAccountsHistId	varchar	30	n/a	n/a	The full GL account
	MultiValuePosition	decimal	n/a	10	0	CRS_TERMS_OFFERED is sourced from Colleague's multi-valued CRS_TERMS_OFFERED field. POS is the position number (position in list) of the value from CRS_TERMS_OFFERED that corresponds to the CRS_TERMS_OFFERED value.
	FiscalYear	varchar	30	n/a	n/a	Fiscal Year (or file suite)
	BudgetOfficerCode	varchar	10	n/a	n/a	Sourced from the GL.BUDGET.OFFICER Colleague field. The identification code of the GL account number Budget Officer.
	BudgetOfficerTitle	varchar	50	n/a	n/a	Sourced from the BO.TITLE Colleague field. The title for the Budget Officer ID.
	GeneralLedgerStatus	varchar	7	n/a	n/a	Sourced from the GL.LEDGER.STATUS Colleague field. Status of the GL Ledger for this Account Number.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	General ledger account authorization date added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date changed, in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsCfGeneralLedgerAccountsHistoryId	varchar	100	n/a	n/a	
CfGeneralLedgerSummaryFiscalYear						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CompoundId	varchar	40	n/a	n/a	Formula in DataOrchestrator is this: ConCat(GLS.ID,"*<Instance String>"; Sample display: 11_00_01_00_00000_18021*2003
	FiscalYear	varchar	30	n/a	n/a	Fiscal Year (or file suite)
	ColleagueGeneralLedgerSummaryFiscalYearId	varchar	30	n/a	n/a	Colleague ID of the GLS.FYR Colleague file.
	EncumbrancesOpeningBalance	decimal	n/a	15	2	Encumbrances - Opening Balance

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CfGeneralLedgerSummaryFiscalYear	EstimatedOpeningBalance	decimal	n/a	15	2	System generated opening balance to be used when the previous year has not been closed. Soft figures.
	FiscalYearOpeningAccountBalance	decimal	n/a	38	2	Fiscal year opening account balance
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this item was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the last change was made to this record, in Colleague.
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsCfGeneralLedgerSummaryFiscalYearId	varchar	75	n/a	n/a	
CfGenLedgerSummaryMonthlyActuals						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CompoundId	varchar	40	n/a	n/a	Formula in Data Orchestrator is this: ConCat(GLS.ID,"**<Instance String>"); Sample display is this: 11_00_01_00_00000_18021*2002
	MultiValuePosition	decimal	n/a	10	0	Position number of the MCREDITS and MDEBITS values - the position number of these values in the corresponding multivalued lists in Colleague.
	FiscalYear	varchar	30	n/a	n/a	Fiscal Year (or file suite)
	ColleagueGeneralLedgerSummaryFiscalYearId	varchar	30	n/a	n/a	Colleague ID of the GLS.FYR Colleague file.
	TotalCreditsByFiscalPeriod	decimal	n/a	38	2	Total Credits by fiscal period
	TotalDebitsByFiscalPeriod	decimal	n/a	38	2	Total debits by fiscal period
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this item was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the last change was made to this record, in Colleague.
	OdsCfGenLedgerSummaryMonthlyActualsId	varchar	105	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CfGenLedgSummaryMonthlyAlocBudget						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CompoundId	varchar	40	n/a	n/a	Formula in DataOrchestrator is this: ConCat(GLS.ID,"*<Instance String>"); Display example: 11_00_01_00_00000_18021*2010
	MultiValuePosition	decimal	n/a	10	0	Position number of the B_ALOC_MCREDITS and B_ALOC_MDEBITS values - the position number of these values in the corresponding multivalued lists in Colleague.
	FiscalYear	varchar	30	n/a	n/a	Fiscal Year (or file suite)
	ColleagueGeneralLedgerSummaryFiscalYearId	varchar	30	n/a	n/a	Colleague ID of the GLS.FYR Colleague file.
	AllocatedBudgetPeriodicCreditAmounts	decimal	n/a	38	2	Sourced from the B.ALOC.MCREDITS Colleague field; Allocated Budget - Periodic Credit Amounts.
	AllocatedBudgetPeriodicDebitAmounts	decimal	n/a	38	2	Sourced from the B.ALOC.MDEBITS Colleague field; Allocated Budget - Periodic Debit Amounts.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this item was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the last change was made to this record, in Colleague.
	OdsCfGenLedgSummaryMonthlyAlocBudgetId	varchar	105	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
CfGenLedgSummaryMonthlyApprBudget						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CompoundId	varchar	40	n/a	n/a	Formula in DataOrchestrator is this: ConCat(GLS.ID,"*<Instance String>"); Display example: 11_00_01_00_00000_18033*2008

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CfGenLedgSummaryMonthlyApprBudget	MultiValuePosition	decimal	n/a	10	0	Position number of the B_APPR_MCREDITS and B_APPR_MDEBITS values - the position number of these values in the corresponding multivalued lists in Colleague.
	FiscalYear	varchar	30	n/a	n/a	Fiscal Year (or file suite)
	ColleagueGeneralLedgerSummaryFiscalYearId	varchar	30	n/a	n/a	Colleague ID of the GLS.FYR Colleague file.
	ApprovdAdjstmtOrigBudgtPeriodicCredAmt	decimal	n/a	38	2	Sourced from the B.APPR.MCREDITS Colleague field; Approved Adjustments to Orig. Budget - Periodic Credit Amount.
	ApprovdAdjstmtOrigBudgtPeriodicDbtAmt	decimal	n/a	38	2	Sourced from the B.APPR.MDEBITS Colleague field; Approved Adjustments to Orig. Budget - Periodic Debit Amount.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this item was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the last change was made to this record, in Colleague.
	OdsCfGenLedgSummaryMonthlyApprBudgetId	varchar	105	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
CfGenLedgSummaryMonthlyContBudget						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CompoundId	varchar	40	n/a	n/a	Formula in DataOrchestrator is this: ConCat(GLS.ID,"*<Instance String>"); Example display: 11_00_01_00_00000_18021*2006
	MultiValuePosition	decimal	n/a	10	0	Position number of the B_CONT_MCREDITS and B_CONT_MDEBITS values - the position number of these values in the corresponding multivalued lists in Colleague.
	FiscalYear	varchar	30	n/a	n/a	Fiscal Year (or file suite)
	ColleagueGeneralLedgerSummaryFiscalYearId	varchar	30	n/a	n/a	Colleague ID of the GLS.FYR Colleague file.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CfGenLedgSummaryMonthlyContBudget	ContingencyBdgtPeriodicCreditAmts	decimal	n/a	38	2	Sourced from the B.CONT.MCREDITS Colleague field; Contingency Budget - Periodic Credit Amounts.
	ContingencyBdgtPeriodicDebitAmts	decimal	n/a	38	2	Sourced from the B.CONT.MDEBITS Colleague field; Contingency Budget - Periodic Debit Amounts.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this item was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the last change was made to this record, in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsCfGenLedgSummaryMonthlyContBudgetId	varchar	105	n/a	n/a	
CfGenLedgSummaryMonthlyEncumbrances						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CompoundId	varchar	40	n/a	n/a	Formula in DataOrchestrator is this: ConCat(GLS.ID,"*<Instance String>"); Example display: 11_00_01_00_00000_18021*2007
	MultiValuePosition	decimal	n/a	10	0	Position number of the MENCUMBRANCES and MENCUMBRANCES_RELIEVED values - the position number of these values in the corresponding multivalued lists in Colleague.
	FiscalYear	varchar	30	n/a	n/a	Fiscal Year (or file suite)
	ColleagueGeneralLedgerSummaryFiscalYearId	varchar	30	n/a	n/a	Colleague ID of the GLS.FYR Colleague file.
	PeriodicEncumbAmountByFiscPeriod	numeric	17	38	n/a	Periodic Encumbrance Amount by Fiscal Period
	EncumbranceReliefAmtsByFiscPeriod	numeric	17	38	n/a	Encumbrance relief amounts by fiscal period
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this item was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the last change was made to this record, in Colleague.
	InstitutionID	tinyint	1	3	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CfGenLedgSummaryMonthlyEncumbrances	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsCfGenLedgSummaryMonthlyEncumbrancesId	varchar	150	n/a	n/a	
CfGenLedgSummaryMonthlyOrigBudget						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CompoundId	varchar	40	n/a	n/a	Formula in DataOrchestrator is this: ConCat(GLS.ID,"*<Instance String>"); Example display: 11_00_01_00_00000_18021*2005
	MultiValuePosition	decimal	n/a	10	0	Position number of the B_ORIG_APPROVED_DIST_AMT values - the position number of these values in the corresponding multivalued list in Colleague.
	FiscalYear	varchar	30	n/a	n/a	Fiscal Year (or file suite)
	ColleagueGeneralLedgerSummaryFiscalYearId	varchar	30	n/a	n/a	Colleague ID of the GLS.FYR Colleague file.
	OrigApprovdAmtDistrToPeriodAmounts	decimal	n/a	38	2	Sourced from the B.ORIG.APPROVED.DIST.AMT Colleague field; Original Approved Budget Amount distributed into the requested Periodic Amounts by the associated Distribution Methodology.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this item was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the last change was made to this record, in Colleague.
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsCfGenLedgSummaryMonthlyOrigBudgetId	varchar	105	n/a	n/a	
CoreAcadCredtCertCredntIDiploma						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAcademicCredentialID	varchar	10	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.CREDENTIALS.ID Colleague field, which is the Colleague ID of ACAD.CREDENTIALS.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CoreAcadCredtCertCredntlDiploma	MultiValuePosition	decimal	n/a	10	0	W67_ACAD_CCD_MAP is sourced from Colleague's multi-valued ACAD.CCD field. POS is the position number (position in list) of the value from ACAD.CCD that corresponds to the W67_ACAD_CCD_MAP value.
	CertCredentialDiplomaActionCode1	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the ACAD.CREDENTIALS > ACAD.CCD Colleague field. The certificate, credential, or diploma.
	CertCredentialDiplomaReport	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the ACAD.CREDENTIALS > ACAD.CCD Colleague field, if this valcode lookup is not null. Otherwise, it is sourced directly from ACAD.CREDENTIALS > ACAD.CCD. The certificate, credential, or diploma.
	AcademicCredentialAddDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.CREDENTIALS.ADDDATE Colleague field. Envision-maintained date of when record was added.
	AcademicCredentialChgDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.CREDENTIALS.CHGDATE Colleague field. Envision-maintained date record was last updated.
	CertificateCredentialDiplomaDate	smalldatetime	n/a	16	n/a	Sourced from the first value of the ACAD.CREDENTIALS > ACAD.CCD.DATE multivalued Colleague field. The date on which the certificate/credential/diploma was awarded.
	DateDimensionIDCertificateCredentialDiplomaDate	int	4	10	n/a	
	DateDimensionIDAcademicCredentialAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
CoreAddress	OdsAcadCredtCertCredntlDiplomaID	varchar	72	n/a	n/a	
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CoreAddress	AddressUniqueld	varchar	10	n/a	n/a	Unique address identifier for key to ADDRESS file
	AddressLineOne	varchar	32	n/a	n/a	First line of street/P.O./apt# parts of an address
	AddressLineTwo	varchar	32	n/a	n/a	Second line of street/P.O./apt# parts of an address
	City	varchar	30	n/a	n/a	City in which this address is located
	Country	varchar	8	n/a	n/a	Country (foreign) code when address not in USA
	CountryDescription	varchar	42	n/a	n/a	Full name of Country (foreign) when address not in USA
	County	varchar	7	n/a	n/a	County code in which this address is located
	CountyDescription	varchar	20	n/a	n/a	Full name of County in which this address is located
	State	varchar	21	n/a	n/a	State code in which this address is located
	StateDescription	varchar	30	n/a	n/a	Full name of state in which this address is located
	Zip	varchar	50	n/a	n/a	Postal code (ZIP) for this address
	AddressAddDate	smalldatetime	n/a	16	n/a	Date this record was added, in Colleague.
	AddressChangeDate	smalldatetime	n/a	16	n/a	Date this record was last changed, in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionID	int	4	10	n/a	
	OdsAddressKey	varchar	45	n/a	n/a	
CoreCorporationFoundation						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CorporationFoundUniqueld	varchar	10	n/a	n/a	Sourced from the CORP.FOUNDS.ID Colleague field - it is the Colleague ID of the organization.
	FiceNumber	varchar	7	n/a	n/a	Federal Interagency Commission on Education (FICE) number

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CoreCorporationFoundation	CorporationFoundAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date of when record was added.
	CorporationFoundChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date of when record was last updated.
	OdsCorporationFoundationKey	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionID	int	4	10	n/a	
CoreForeignPerson						
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	
	OdsForeignPersonId	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	AlienStatus	varchar	30	n/a	n/a	
	VendorClientIdentifier	char	3	n/a	n/a	
	ColleagueAddDate	smalldatetime	n/a	16	n/a	
	DateDimensionID	int	4	10	n/a	
	ColleagueForeignPersonID	varchar	10	n/a	n/a	
CoreInstitution						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueInstitutionId	varchar	10	n/a	n/a	Colleague ID of the INSTITUTIONS Colleague file.
	LocalGovernmentId	varchar	15	n/a	n/a	Sourced from the INST.LOCAL.GOV.T.ID Colleague field. This is any local government ID that would be used, for example, in state reporting. Used by the system in the California Community Colleges MIS reports; this is used to derive data element SB13.
	CollegeEntranceExamBoardCode	varchar	15	n/a	n/a	Sourced from the INST.CEEB Colleague field. CEEB Codes are assigned by the College Board to identify all secondary and post-secondary educational institutions.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CoreInstitution	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date the record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the record was last modified, in Colleague.
	OdsCoreInstitutionId	varchar	45	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
CoreInstitutionAttend						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	InstitutionAttendId	varchar	25	n/a	n/a	Colleague ID of the INSTITUTIONS.ATTEND Colleague file.
	ColleagueInstitutionId	varchar	10	n/a	n/a	Colleague ID of an institution
	PersonID	varchar	10	n/a	n/a	Sourced from the INSTITUTIONS.ATTEND > INSTA.PERSON.ID Colleague field, which is part of the key - part of INSTITUTIONS_ATTEND_ID. Also, it's the person ID.
	ExternalGPA	decimal	n/a	8	3	Sourced from the INSTA.EXT.GPA Colleague field. External GPA when there isn't an ACAD CREDENTIALS record.
	GraduationType	varchar	7	n/a	n/a	Sourced from the INSTA.GRAD.TYPE Colleague field. Graduation type to specify if it was GED or Graduated, used mainly for High School information
	InstitutionYearAttendEnd	varchar	7	n/a	n/a	Sourced from the INSTA.YEAR.ATTEND.END Colleague field. Year Student stopped attending the institution.
	User1GeneralPurpose	varchar	10	n/a	n/a	Sourced from the INSTA.USER1 Colleague field. General purpose user field.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the INSTA.START.DATES Colleague field. The start date for a person's relationship with an institution
	EndDate	smalldatetime	n/a	16	n/a	Sourced from the INSTA.END.DATES Colleague field. The end date for a person's relationship with an institution

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CoreInstitutionAttend	RankDenominator	decimal	n/a	10	0	Sourced from the INSTITUTIONS.ATTEND> INSTA.RANK.DENOMINATOR Colleague field. The denominator of the rank for this academic credential - the size of the class of which this person participated.
	RankNumerator	decimal	n/a	10	0	Sourced from the INSTITUTIONS.ATTEND> INSTA.RANK.NUMERATOR Colleague field. The numerator of the rank. The academic placement of a student - the person's standing in their class..
	RankPercentile	decimal	n/a	10	0	Sourced from the INSTITUTIONS.ATTEND> INSTA.RANK.PERCENT Colleague field. The rank percentile calculated from numerator and denominator or entered on data entry screen. The percentage rank of this person in the class.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date record was added.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date record was last updated.
	DateDimensionIDStartDate	int	4	10	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	DateDimensionIDEndDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsCoreInstitutionAttendId	varchar	55	n/a	n/a	
CoreInstitutionAttendTranscript						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueInstitutionAttendId	varchar	25	n/a	n/a	Colleague ID of the INSTITUTIONS.ATTEND Colleague file.
	TranscriptType	varchar	7	n/a	n/a	The transcript type received
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date record was added.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date record was last updated.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CoreInstitutionAttendTranscript	OdsInstitutionAttendTranscriptId	varchar	55	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionID	int	4	10	n/a	
CoreInstitutionFromPerson						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueInstitutionId	varchar	10	n/a	n/a	Colleague ID of the INSTITUTIONS file. Sourced from the INSTITUTIONS.ID field.
	PreferredEmailAddress	varchar	50	n/a	n/a	Sourced from the first value of the PERSON > PERSON.EMAIL.ADDRESSES multivalued Colleague field. The person's preferred e-mail address.
	PreferredEmailAddressType	varchar	7	n/a	n/a	The first value of the PERSON > PERSON.EMAIL.TYPES multivalued Colleague field. The e-mail address type codes that classify each e-mail address.
	PreferredEmailAddrTypeDescription	varchar	32	n/a	n/a	The valcode description of the first value of the PERSON > PERSON.EMAIL.TYPES multivalued Colleague field. The description of the e-mail address type codes that classify each e-mail address.
	PersonRecordsCorporation	varchar	7	n/a	n/a	Sourced from the PERSON > PERSON.CORP.INDICATOR Colleague field. To mark whether or not a record in the PERSON file is a corporation. (bit/boolean field)
	IndividualRecordOriginCode	varchar	25	n/a	n/a	Sourced from the PERSON > PERSON.ORIGIN.CODE Colleague field. The origin of the individual's record - this origin code is used to define how an individual's record was first acquired (for instance, mailing list, reference, or contact.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CoreInstitutionFromPerson	IndividualRecordOriginDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the PERSON > PERSON.ORIGIN.CODE Colleague field. The origin of the individual's record - this origin code is used to define how an individual's record was first acquired (for instance, mailing list, reference, or contact.)
	IndividualRecordDateOfOrigin	smalldatetime	n/a	16	n/a	Sourced from the PERSON > PERSON.ORIGIN.DATE Colleague field. The date of origin for this individual's record.
	PersonStatus	varchar	7	n/a	n/a	Sourced from the PERSON > PERSON.STATUS Colleague field. The current status of the person's record.
	PersonStatusDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the PERSON > PERSON.STATUS Colleague field. The description of the current status of the person's record.
	PreferredAddressId	varchar	10	n/a	n/a	Sourced from the PREFERRED.ADDRESS Colleague field. Pointer to the address ID of this person's preferred address.
	PreferredBusinessAddress	varchar	10	n/a	n/a	Sourced from the PERSON > PREF.BUS.ADDRESS Colleague field. The preferred business address.
	InstitutionName	varchar	300	n/a	n/a	Sourced from the LAST.NAME Colleague field. The full name of an institution.
	SourceCategory	varchar	10	n/a	n/a	Sourced from the PERSON > SOURCE Colleague field. The source category to report this person's donations under.
	SourceCategoryDescription	varchar	25	n/a	n/a	Sourced from the valcode description of the PERSON > SOURCE Colleague field. The description of the source category to report this person's donations under.
	EducationType	varchar	7	n/a	n/a	Sourced from the INST.TYPE Colleague field. The education type of the Institution.
	EducationTypeDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the INSTITUTIONS > INST.TYPE Colleague field. The description of the education type of the Institution.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CoreInstitutionFromPerson	LocalGovernmentId	varchar	15	n/a	n/a	Sourced from the INST.LOCAL.GOV.T.ID Colleague field. This is any local government ID that would be used, for example, in state reporting. Used by the system in the California Community Colleges MIS reports; this is used to derive data element SB13.
	OtherId	varchar	15	n/a	n/a	Sourced from the INST.OTHER.ID Colleague field. This field is used to store another ID for your institution.
	PreviousIds	varchar	10	n/a	n/a	Sourced from the INST.PREVIOUS.IDS Colleague field. The previous INSTITUTIONS Ids for an institution.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date this record was last changed, in Colleague.
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsCoreInstitutionFromPersonID	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDIndividualRecordDateOf Origin	int	4	10	n/a	
CoreLuPersonSsn						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	PersonId	varchar	10	n/a	n/a	Colleague ID of the PERSON Colleague file.
	Ssn	varchar	12	n/a	n/a	SSN of the student.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date this record was last changed, in Colleague.
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsCoreLuPersonSsn	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CoreMailingCorrespondenceReceived	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueMailingCorrespondenceRcvdID	varchar	10	n/a	n/a	Sourced from the MAILING > MAILING.ID Colleague field, which is the Colleague ID of MAILING.
	MultiValuePosition	decimal	n/a	10	0	MAILING_CORR_RECEIVED is sourced from Colleague's multi-valued MAILING.CORR.RECEIVED field. POS is the position number (position in list) of the value from MAILING.CORR.RECEIVED that corresponds to the MAILING_CORR_RECEIVED value.
	CorrespondenceReceived	varchar	8	n/a	n/a	CH.CORR asn; Sourced from the MAILING > MAILING.CORR.RECEIVED Colleague field. The list of correspondence received.
	CorrespondenceReceivedDescription	varchar	30	n/a	n/a	CH.CORR asn; Sourced from the CC.CODES > CC.DESCRPTION Colleague field (per MAILING > MAILING.CORR.RECEIVED). The description of the correspondence received.
	CorrespondenceReceivedDate	smalldatetime	n/a	16	n/a	CH.CORR asn; Sourced from the MAILING > MAILING.CORR.RECEIVED.DATE Colleague field. The list of dates of the correspondence received
	CorrespondenceExpectedActionDate	smalldatetime	n/a	16	n/a	CH.CORR asn; Sourced from the MAILING > MAILING.CORR.RECVD.ACT.DT Colleague field. The instance expected action date.
	CorrespondenceAssignedDate	smalldatetime	n/a	16	n/a	CH.CORR asn; Sourced from the MAILING > MAILING.CORR.RECVD.ASGN.DT Colleague field. The instance assigned date.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CoreMailingCorrespondenceReceived	CorrespondenceReceivedComment	varchar	10	n/a	n/a	CH.CORR asn; Sourced from the MAILING > MAILING.CORR.RECVD.COMMENT Colleague field. Contains a key to the Comments record associated to this instance of Correspondence Received.
	CorrespondenceReceivedCommentDescription	varchar	30	n/a	n/a	Sourced from the CC.COMMENTS > CC.COMMENTS.DESC Colleague field (per MAILING > MAILING.CORR.RECVD.COMMENT). The description of the comment of the correspondence received.
	CorrespondenceReceivedInstance	varchar	57	n/a	n/a	CH.CORR asn; Sourced from the MAILING > MAILING.CORR.RECVD.INSTANCE Colleague field. A brief description of each instance of the same corres. received code.
	CorrespondenceReceivedStatusCode	varchar	7	n/a	n/a	CH.CORR asn; Sourced from the MAILING > MAILING.CORR.RECVD.STATUS Colleague field. A status code associated to the correspondence received. Usually (R)eceived or (W)aived.
	CorrespondenceReceivedStatusCodeDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the MAILING > MAILING.CORR.RECVD.STATUS Colleague field. The description of the status code of the correspondence received.
	MailingCorrespondenceRcvdAddDate	smalldatetime	n/a	16	n/a	Sourced from the MAILING > MAILING.ADD.DATE Colleague field. The date the record was added to file.
	MailingCorrespondenceRcvdChangeDate	smalldatetime	n/a	16	n/a	Sourced from the MAILING > MAILING.CHANGE.DATE Colleague field. The date this record was last changed
	DateDimensionIDMailingCorrespondenceRcvdAddDate	int	4	10	n/a	
	DateDimensionIDCorrespondenceReceivedDate	int	4	10	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CoreMailingCorrespondenceReceived	DateDimensionIDCorrespondenceExpectedActionDate	int	4	10	n/a	
	DateDimensionIDCorrespondenceAssignedDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsMailingCorrespondenceReceivedID	varchar	72	n/a	n/a	
CoreMailingDocuments						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueMailingDocumentsID	varchar	10	n/a	n/a	Sourced from the MAILING > MAILING.ID Colleague field, which is the Colleague ID of MAILING.
	MultiValuePosition	decimal	n/a	10	0	MAILING_DOCUMENT is sourced from Colleague's multi-valued MAILING.DOCUMENT field. POS is the position number (position in list) of the value from MAILING.DOCUMENT that corresponds to the MAILING_DOCUMENT value.
	MailingDocument	varchar	16	n/a	n/a	Sourced from the MAILING > MAILING.DOCUMENT Colleague field. Documents sent or received history information. Lists the document codes for processed correspondence for this individual.
	MailingDocumentDescription	varchar	30	n/a	n/a	Sourced from the DOC.CTL > DOCUMENT.DESCRPTION Colleague field (per MAILING > MAILING.DOCUMENT). The description of the mailing document.
	MailingDocumentPrintDate	smalldatetime	n/a	16	n/a	Sourced from the MAILING > MAILING.DOC.PRINT.DATE Colleague field. The date a document was sent or received for correspondence history.
	MailingDocumentsAddDate	smalldatetime	n/a	16	n/a	Sourced from the MAILING > MAILING.ADD.DATE Colleague field. The date the record was added to the file.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CoreMailingDocuments	MailingDocumentsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the MAILING > MAILING.CHANGE.DATE Colleague field. The list of dates that the record was changed.
	DateDimensionIDMailingDocumentPrintDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsMailingDocumentsID	varchar	72	n/a	n/a	
	DateDimensionIDMailingDocumentsAddDate	int	4	10	n/a	
CorePerson						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleaguePersonID	varchar	10	n/a	n/a	Colleague ID of the PERSON Colleague file.
	BirthDate	datetime	8	23	n/a	Sourced from the PERSON > BIRTH.DATE Colleague field. The individual's birth date.
	BirthLastName	varchar	57	n/a	n/a	Sourced from the PERSON > BIRTH.NAME.LAST Colleague field. The birth last name of the person.
	CitizenshipCode	varchar	8	n/a	n/a	Sourced from the CITIZENSHIP Colleague field. The code for the primary citizenship of the person.
	CitizenshipDescription	varchar	42	n/a	n/a	Sourced from the CTRY.DESC Colleague field. The full description for the primary citizenship of the person.
	DeceasedDate	smalldatetime	n/a	16	n/a	Sourced from the DECEASED.DATE Colleague field. Confirmed date of death.
	PreferredEmailAddress	varchar	50	n/a	n/a	Sourced from the first value of the PERSON > PERSON.EMAIL.ADDRESSES multivalued Colleague field. The person's preferred e-mail address.
	PreferredEmailAddressType	varchar	7	n/a	n/a	The first value of the PERSON > PERSON.EMAIL.TYPES multivalued Colleague field. The e-mail address type codes that classify each e-mail address.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePerson	PreferredEmailAddrTypeDescription	varchar	32	n/a	n/a	The valcode description of the first value of the PERSON > PERSON.EMAIL.TYPES multivalued Colleague field. The description of the e-mail address type codes that classify each e-mail address.
	EthnicGroup	varchar	7	n/a	n/a	Sourced from the PERSON > ETHNIC Colleague field. The ethnic group to which this person belongs. This ETHNIC field has been removed from state reports several years ago. Instead, the state reports now read from PER.ETHNICS and PER.RACES.
	EthnicGroupDescription	varchar	30	n/a	n/a	Sourced from the ETHNICS > ETH.DESC Colleague field. The description of the ethnic group.
	FirstName	varchar	30	n/a	n/a	Sourced from the FIRST.NAME Colleague field. First name of the person.
	Gender	varchar	30	n/a	n/a	Sourced from the GENDER Colleague field. Gender of the person.
	IncomeLevel	varchar	20	n/a	n/a	Sourced from the PERSON > INCOME.LEVEL Colleague field. Total income from all sources; the salary range of the person with this company.
	LastName	varchar	57	n/a	n/a	Sourced from the LAST.NAME Colleague file. Last name of the person.
	MaritalStatusCode	varchar	7	n/a	n/a	Sourced from the MARITAL.STATUS Colleague field. The marital status code of the person.
	MaritalStatusDescription	varchar	25	n/a	n/a	Read from the MARITAL.STATUSES valcode table in CORE in Colleague. Full description of the marital status of the person.
	MiddleName	varchar	30	n/a	n/a	Sourced from the MIDDLE.NAME Colleague field. Middle name of the person.
	PersonRecordsIsCorporation	varchar	7	n/a	n/a	Sourced from the PERSON > PERSON.CORP.INDICATOR Colleague field. To mark whether or not a record in the PERSON file is a corporation. (bit/boolean field)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePerson	IndividualRecordOriginCode	varchar	25	n/a	n/a	Sourced from the PERSON > PERSON.ORIGIN.CODE Colleague field. The origin of the individual's record - this origin code is used to define how an individual's record was first acquired (for instance, mailing list, reference, or contact.)
	IndividualRecordOriginDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the PERSON > PERSON.ORIGIN.CODE Colleague field. The origin of the individual's record - this origin code is used to define how an individual's record was first acquired (for instance, mailing list, reference, or contact.)
	IndividualRecordDateOfOrigin	smalldatetime	n/a	16	n/a	Sourced from the PERSON > PERSON.ORIGIN.DATE Colleague field. The date of origin for this individual's record.
	PrimaryLanguage	varchar	20	n/a	n/a	Sourced from the PERSON > PERSON.PRIMARY.LANGUAGE Colleague field. The primary (if it's not English) language spoken by this person.
	PrimaryLanguageDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the PERSON > PERSON.PRIMARY.LANGUAGE Colleague field. The description of the primary (if it's not English) language spoken by this person.
	PersonStatus	varchar	7	n/a	n/a	Sourced from the PERSON > PERSON.STATUS Colleague field. The current status of the person's record.
	PersonStatusDescription	varchar	25	n/a	n/a	Sourced from the valcode description of the PERSON > PERSON.STATUS Colleague field. The description of the current status of the person's record.
	PreferredAddressId	varchar	10	n/a	n/a	Sourced from the PREFERRED.ADDRESS Colleague field. Address ID of the address marked Preferred for a person.
	PreferredBusinessAddress	varchar	10	n/a	n/a	Sourced from the PERSON > PREF.BUS.ADDRESS Colleague field. The preferred business address.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePerson	PrefixWithSeparator	varchar	28	n/a	n/a	Sourced from the PERSON > PREFIX Colleague field. And, a single blank space is appended to PREFIX as a suffix. The title or prefix used to address this person.
	FormattedPrefix	varchar	25	n/a	n/a	Sourced from the PERSON > PREFIX Colleague field, through PREFIX_WITH_SEPARATOR. The title or prefix used to address this person.
	PreferredName	varchar	300	n/a	n/a	Sourced from the PERSON > PREFERRED.NAME Colleague field. The preferred or full name of this person.
	Prefix	varchar	25	n/a	n/a	Sourced from the PERSON > PREFIX Colleague field. The title or prefix used to address this person.
	PrimaryResidenceState	varchar	21	n/a	n/a	Sourced from the PERSON > RESIDENCE.STATE Colleague field. The state or province of the person's primary residence.
	PrimaryResidenceStateDescription	varchar	30	n/a	n/a	Sourced from the STATES > ST.DESC Colleague field. (per PERSON > RESIDENCE.STATE). The description of the state or province of the person's primary residence.
	SecondaryLanguage	varchar	20	n/a	n/a	Sourced from the PERSON > PERSON.SECONDARY.LANGUAGE Colleague field. Any secondary languages spoken by this person.
	SecondaryLanguageDescription	varchar	40	n/a	n/a	Sourced from the valcode description of the PERSON > PERSON.SECONDARY.LANGUAGE Colleague field. The description of any secondary languages spoken by this person.
	SourceCategory	varchar	10	n/a	n/a	Sourced from the PERSON > SOURCE Colleague field. The source category to report this person's donations under.
	SourceCategoryDescription	varchar	25	n/a	n/a	Sourced from the valcode description of the PERSON > SOURCE Colleague field. The description of the source category to report this person's donations under.
	SpouseFirstName	varchar	30	n/a	n/a	Sourced from the PERSON > FIRST.NAME Colleague field (per PERSON > SPOUSE). The spouse's first name.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePerson	SpouseLastName	varchar	57	n/a	n/a	Sourced from the PERSON > LAST.NAME Colleague field (per PERSON > SPOUSE). The spouse's last name.
	Suffix	varchar	25	n/a	n/a	Sourced from the SUFFIX Colleague field. Suffix and apellation of the person.
	Ethnicity1	varchar	10	n/a	n/a	Sourced from the first value of the PERSON > PER.ETHNICS multivalued Colleague field. The person's ethnicities. This field, together with the Race(s) field, determines the person's race/ethnicity category for regulatory reporting, such as the IPEDS survey.
	Ethnicity1Description	varchar	32	n/a	n/a	Sourced from the valcode description of the first value of the PERSON > PER.ETHNICS multivalued Colleague field. The description of the person's ethnicities.
	Ethnicity1ActionCode1	varchar	30	n/a	n/a	Sourced from the CORE.VALCODES > VAL.ACTION.CODE.1 lookup of the first value of the PERSON > PER.ETHNICS multivalued Colleague field, using the PERSON.ETHNICS valcode lookup table.
	Ethnicity2	varchar	10	n/a	n/a	Sourced from the second value of the PERSON > PER.ETHNICS multivalued Colleague field. The person's ethnicities. This field, together with the Race(s) field, determines the person's race/ethnicity category for regulatory reporting, such as the IPEDS survey.
	Ethnicity2Description	varchar	32	n/a	n/a	Sourced from the valcode description of the second value of the PERSON > PER.ETHNICS multivalued Colleague field. The description of the person's ethnicities.
	Ethnicity2ActionCode1	varchar	30	n/a	n/a	Sourced from the CORE.VALCODES > VAL.ACTION.CODE.1 lookup of the second value of the PERSON > PER.ETHNICS multivalued Colleague field, using the PERSON.ETHNICS valcode lookup table.
	Race1	varchar	10	n/a	n/a	Sourced from the first value (position) of the PERSON > PER.RACES multivalued Colleague field. The race of the person.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePerson	Race1Description	varchar	32	n/a	n/a	Sourced from the valcode description of the first value of the PERSON > PER.RACES multivalued Colleague field. The description of the person's race.
	Race1ActionCode1	varchar	30	n/a	n/a	Sourced from the CORE.VALCODES > VAL.ACTION.CODE.1 lookup of the first value (position) of the PERSON > PER.RACES multivalued Colleague field, using the PERSON.RACES valcode lookup table.
	Race2	varchar	10	n/a	n/a	Sourced from the second value (position) of the PERSON > PER.RACES multivalued Colleague field. The race of the person.
	Race2Description	varchar	32	n/a	n/a	Sourced from the valcode description of the second value of the PERSON > PER.RACES multivalued Colleague field. The description of the person's race.
	Race2ActionCode1	varchar	30	n/a	n/a	Sourced from the CORE.VALCODES > VAL.ACTION.CODE.1 lookup of the second value (position) of the PERSON > PER.RACES multivalued Colleague field, using the PERSON.RACES valcode lookup table.
	Race3	varchar	10	n/a	n/a	Sourced from the third value (position) of the PERSON > PER.RACES multivalued Colleague field. The race of the person.
	Race3Description	varchar	32	n/a	n/a	Sourced from the valcode description of the third value of the PERSON > PER.RACES multivalued Colleague field. The description of the person's race.
	Race3ActionCode1	varchar	30	n/a	n/a	Sourced from the CORE.VALCODES > VAL.ACTION.CODE.1 lookup of the third value (position) of the PERSON > PER.RACES multivalued Colleague field, using the PERSON.RACES valcode lookup table.
	Race4	varchar	10	n/a	n/a	Sourced from the fourth value (position) of the PERSON > PER.RACES multivalued Colleague field. The race of the person.
	Race4Description	varchar	32	n/a	n/a	Sourced from the valcode description of the fourth value of the PERSON > PER.RACES multivalued Colleague field. The description of the person's race.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePerson	Race4ActionCode1	varchar	30	n/a	n/a	Sourced from the CORE.VALCODES > VAL.ACTION.CODE.1 lookup of the fourth value (position) of the PERSON > PER.RACES multivalued Colleague field, using the PERSON.RACES valcode lookup table.
	Race5	varchar	10	n/a	n/a	Sourced from the fifth value (position) of the PERSON > PER.RACES multivalued Colleague field. The race of the person.
	Race5Description	varchar	32	n/a	n/a	Sourced from the valcode description of the fifth value of the PERSON > PER.RACES multivalued Colleague field. The description of the person's race.
	Race5ActionCode1	varchar	30	n/a	n/a	Sourced from the CORE.VALCODES > VAL.ACTION.CODE.1 lookup of the fifth value (position) of the PERSON > PER.RACES multivalued Colleague field, using the PERSON.RACES valcode lookup table.
	IsDonorGiftAnonymous	varchar	7	n/a	n/a	Sourced from the PERSON > ANONYMOUS Colleague field. Flag whether or not to keep financial data anonymous. (bit/boolean field)
	CampusBoxNumber	varchar	10	n/a	n/a	Sourced from the PERSON > BOX Colleague field. The campus box number for the person.
	DirectoryFlag	varchar	7	n/a	n/a	Sourced from the PERSON > DIRECTORY.FLAG Colleague field. The code which specifies which directories should include this person. Used to identify the persons requirements or rules for which directories or any directories the person should be included on when directories are created.
	DirversLicenseNumber	varchar	15	n/a	n/a	Sourced from the PERSON > DRIVER.LICENSE.NO Colleague field. The driver's license number for this individual.
	DriversLicenseState	varchar	7	n/a	n/a	Sourced from the PERSON > DRIVER.LICENSE.STATE Colleague field. The state which issued the individual's driver's license which is captured in the DRIVER.LICENSE.NO field.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePerson	OccupationCode	varchar	7	n/a	n/a	Sourced from the PERSON > OCCUPATION Colleague field. The code that identifies the person's occupation.
	ParticipantType	varchar	7	n/a	n/a	Sourced from the PERSON > PARTICIPANT.TYPE Colleague field. The participant type for 'THON' events.
	ParticipantTypeDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the PERSON > PARTICIPANT.TYPE Colleague field. The description of the participant type for 'THON' events.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date this record was last changed, in Colleague.
	User1	varchar	15	n/a	n/a	Sourced from the PERSON > PERSON.USER1 Colleague field. A user-specified free form miscellaneous use field.
	User2	varchar	10	n/a	n/a	Sourced from the PERSON > PERSON.USER2 Colleague field. A user-specified free form miscellaneous use field.
	User3	varchar	10	n/a	n/a	Sourced from the PERSON > PERSON.USER3 Colleague field. A user-specified free form miscellaneous use field.
	User4	varchar	10	n/a	n/a	Sourced from the PERSON > PERSON.USER4 Colleague field. A user-specified free form miscellaneous use field.
	User5	varchar	10	n/a	n/a	Sourced from the PERSON > PERSON.USER5 Colleague field. A user-specified free form miscellaneous use field.
	User6	varchar	10	n/a	n/a	Sourced from the PERSON > PERSON.USER6 Colleague field. A user-specified free form miscellaneous use field.
	User7	varchar	10	n/a	n/a	Sourced from the PERSON > PERSON.USER7 Colleague field. A user-specified free form miscellaneous use field.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePerson	User8	varchar	10	n/a	n/a	Sourced from the PERSON > PERSON.USER8 Colleague field. A user-specified free form miscellaneous use field.
	User9	varchar	10	n/a	n/a	Sourced from the PERSON > PERSON.USER9 Colleague field. A user-specified free form miscellaneous use field.
	Vip	varchar	7	n/a	n/a	Sourced from the PERSON > PERSON.VIP Colleague field. Distinguishes VIPs - actors, politicians, etc.
	PersonalInformationSecurityLevel	varchar	7	n/a	n/a	Sourced from the PERSON > PRIVACY.FLAG Colleague field. The security level for personal information
	SsnLastFour	varchar	12	n/a	n/a	Sourced from the last four digits of the PERSON > SSN Colleague field. The last four digits of the social security number.
	PersonalIdentificationNumber	varchar	50	n/a	n/a	Sourced from the PERSON.PIN > PIN Colleague field (per PERSON > ID). The Personal Identification Number (PIN) of the person.
	GenderReport	varchar	30	n/a	n/a	Sourced from the PERSON > GENDER Colleague field. The person's gender.
	EthnicityReport1	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the first value of the PERSON > PER.ETHNICS multivalued Colleague field, using the W67_ETHNICS_MAP valcode table if it's not null. Otherwise it's sourced from the first value of the PERSON > PER.ETHNICS. The person's ethnicity.
	EthnicityReport2	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the second value of the PERSON > PER.ETHNICS multivalued Colleague field, using the W67_ETHNICS_MAP valcode table if it's not null. Otherwise it's sourced from the second value of the PERSON > PER.ETHNICS. The person's ethnicity.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePerson	RaceReport1	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the first value of the PERSON > PER.RACES multivalued Colleague field, using the W67_RACE_MAP valcode table if it's not null. Otherwise, it's sourced from the first value of PERSON > PER.RACES. The race of the person.
	RaceReport2	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the second value of the PERSON > PER.RACES multivalued Colleague field, using the W67_RACE_MAP valcode table if it's not null. Otherwise, it's sourced from the second value of PERSON > PER.RACES. The race of the person.
	PrimaryResidenceCountry	varchar	8	n/a	n/a	Sourced from the PERSON > RESIDENCE.COUNTRY Colleague field. This is the country where the person resides. This is normally only entered for people residing outside the home institution's country.
	PrimaryResidenceCountryReport	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the PERSON > RESIDENCE.COUNTRY Colleague field, using the W67_RESIDENCE_COUNTRY_MAP valcode table. This is the country where the person resides.
	PrimaryResidenceCounty	varchar	7	n/a	n/a	Sourced from the PERSON > RESIDENCE.COUNTY Colleague field. The name of the county in which the person's primary residence is located.
	PrimaryResidenceCountyReport	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the PERSON > RESIDENCE.COUNTY Colleague field, using the W67_RESIDENCE_COUNTRY_MAP valcode table. The name of the county in which the person's primary residence is located.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePerson	PrimaryResidenceStateReport	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the PERSON > RESIDENCE.STATE Colleague field, using the W67_RESIDENCE_STATE_MAP valcode lookup table. The state or province of the person's primary residence.
	PreferredResidenceId	varchar	10	n/a	n/a	Sourced from the PREFERRED.RESIDENCE Colleague field. Address ID of the address marked Preferred Residence for a person.
	VisaType	varchar	20	n/a	n/a	Sourced from the PERSON > VISA.TYPE Colleague field. The type of visa that enables a person that is not a citizen to stay in the country.
	EmailAddress1	varchar	50	n/a	n/a	Sourced from the first value of the PERSON > PERSON.EMAIL.ADDRESSES multivalued Colleague field. The person's e-mail address.
	EmailAddressType1	varchar	7	n/a	n/a	Sourced from the first value of the PERSON > PERSON.EMAIL.TYPES Colleague multivalued field. The e-mail address type codes that classify each e-mail address.
	EmailAddress2	varchar	50	n/a	n/a	Sourced from the second value of the PERSON > PERSON.EMAIL.ADDRESSES multivalued Colleague field. The person's e-mail address.
	EmailAddressType2	varchar	7	n/a	n/a	Sourced from the second value of the PERSON > PERSON.EMAIL.TYPES Colleague multivalued field. The e-mail address type codes that classify each e-mail address.
	EmailAddress3	varchar	50	n/a	n/a	Sourced from the third value of the PERSON > PERSON.EMAIL.ADDRESSES multivalued Colleague field. The person's e-mail address.
	EmailAddressType3	varchar	7	n/a	n/a	Sourced from third value of the PERSON > PERSON.EMAIL.TYPES Colleague multivalued field. The e-mail address type codes that classify each e-mail address.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePerson	EmailAddress4	varchar	50	n/a	n/a	Sourced from the fourth value of the PERSON > PERSON.EMAIL.ADDRESSES multivalued Colleague field. The person's e-mail address.
	EmailAddressType4	varchar	7	n/a	n/a	Sourced from fourth value of the PERSON > PERSON.EMAIL.TYPES Colleague multivalued field. The e-mail address type codes that classify each e-mail address.
	OccupationDescription	varchar	30	n/a	n/a	Sourced from the PERSON > OCCUPATION.DESC Colleague computed column. The occupation description.
	DateDimensionIDIndividualRecordDateOf Origin	int	4	10	n/a	
	DateDimensionIDDeceasedDate	int	4	10	n/a	
	OdsCorePersonId	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
CorePersonAddress						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	PersonId	varchar	10	n/a	n/a	Colleague ID if the PERSON Colleague file. Sourced from the "ID" field.
	ColleagueAddressIds	varchar	10	n/a	n/a	Sourced from the PERSON.ADDRESSES Colleague field. The list of address IDs (pointers) used by this person. Points to the ADDRESS Colleague file.
	LocalPhoneNumber	varchar	200	n/a	n/a	Sourced from the PERSON > ADDR.LOCAL.PHONE Colleague field. The phone number associated to the person at this address.
	LocalPhoneExtention	varchar	150	n/a	n/a	Sourced from the PERSON > ADDR.LOCAL.EXT Colleague field. The local phone extention.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePersonAddress	LocalPhoneType	varchar	60	n/a	n/a	Sourced from the PERSON > ADDR.LOCAL.PHONE.TYPE Colleague field. The type of phone that is associated to person and address.
	LocalPhoneTypeDescription	varchar	80	n/a	n/a	Sourced from the valcode lookup description of the PERSON > ADDR.LOCAL.PHONE.TYPE Colleague field. The description of the type of phone that is associated to person and address.
	AddressTypeCode	varchar	40	n/a	n/a	Sourced from the ADDR.TYPE Colleague field. Code for the Address Relation Type. Describes the how the type of address. i.e. Home, Business
	AddressTypeCodeDescription	varchar	40	n/a	n/a	Read from the ADREL.TYPES valcode table in CORE in Colleague. Full description for the Address Relation Type. Describes the how the type of address. i.e. Home, Business
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date this record was last changed, in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	OdsCorePersonAddressId	varchar	55	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
CorePersonAlternateIdentification						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleaguePersonAlternateIdentificationID	varchar	10	n/a	n/a	Colleague ID if the PERSON Colleague file. Sourced from the "ID" field.
	MultiValuePosition	decimal	n/a	10	0	Position for multivalued data fields
	AlternateIds	varchar	30	n/a	n/a	Sourced from the PERSON.ALT.IDS Colleague field. Alternate ID's (ID's other than the Colleague ID) for a Student or an Employee
	AlternateIdCodes	varchar	7	n/a	n/a	Sourced from the PERSON.ALT.ID.TYPES Colleague file. The type code for the Alternate ID's (ID's other than the Colleague ID) for a Student or an Employee.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePersonAlternateIdentification	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date this record was last changed, in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	OdsCorePersonAlternateIdentificationId	varchar	55	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
CorePersonPhone						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleaguePersonID	varchar	10	n/a	n/a	Sourced from the PERSON > ID Colleague field, which is the Colleague ID of PERSON.
	MultiValuePosition	decimal	n/a	10	0	PERSONAL_PHONE_NUMBER is sourced from Colleague's multi-valued PERSONAL_PHONE_NUMBER field. POS is the position number (position in list) of the value from PERSONAL_PHONE_NUMBER that corresponds to the PERSONAL_PHONE_NUMBER value.
	PersonalPhoneNumber	varchar	20	n/a	n/a	Sourced from the PERSON > PERSONAL_PHONE_NUMBER Colleague field. The personal telephone number for an entity.
	PersonalPhoneExtension	varchar	10	n/a	n/a	Sourced from the PERSON > PERSONAL_PHONE_EXTENSION Colleague field. The telephone extension for an entity.
	PersonalPhoneType	varchar	7	n/a	n/a	Sourced from the PERSON > PERSONAL_PHONE_TYPE Colleague field. The type of telephone (home, business, etc) for this phone number for this person.
	PersonalPhoneTypeDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the PERSON > PERSONAL_PHONE_TYPE Colleague field. The description of type of telephone (home, business, etc) for this phone number for this person.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
CorePersonPhone	PersonAddDate	smalldatetime	n/a	16	n/a	Sourced from the PERSON > PERSON.ADD.DATE Colleague field. The date on which this person was entered into the database.
	PersonChangeDate	smalldatetime	n/a	16	n/a	Sourced from the PERSON > PERSON.CHANGE.DATE Colleague field. The date this record was last changed.
	OdsPersonPhoneID	varchar	72	n/a	n/a	
	DateDimensionIDPersonAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
CoreStaff						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStaffID	varchar	10	n/a	n/a	Colleague ID of the STAFF Colleague file. Sourced from the STAFF.ID field.
	WorkLocationCode	varchar	7	n/a	n/a	Sourced from the STAFF.LOCATIONS Colleague field. The code for the primary campus location.
	WorkLocationDescription	varchar	30	n/a	n/a	Sourced from the LOC.DESC Colleague field. The full description for the primary campus location.
	StatusCode	varchar	7	n/a	n/a	Sourced from the STAFF.STATUS Colleague field. Status of the staff member.
	TypeCode	varchar	7	n/a	n/a	Sourced from the STAFF.TYPE Colleague field. Staff type code - (S)taff or (V)olunteer
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date the record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the record was last changed, in Colleague.
	OdsCoreStaffID	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
DateDimension						
	WeekOfYear	char	2	n/a	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
DateDimension	Year	char	4	n/a	n/a	
	FiscalMonthYear	varchar	15	n/a	n/a	
	MonthOfQuarter	char	1	n/a	n/a	
	DateDimensionID	int	4	10	n/a	
	FiscalQuarterName	varchar	30	n/a	n/a	
	DayOfWeekInMonth	char	1	n/a	n/a	
	IsWeekday	bit	1	1	n/a	
	FiscalBiennium	varchar	20	n/a	n/a	
	DayOfYear	char	3	n/a	n/a	
	FiscalWeekOfYear	char	2	n/a	n/a	
	FirstDayOfYear	date	3	10	n/a	
	AcademicYearSemester	varchar	30	n/a	n/a	
	FiscalMonth	char	2	n/a	n/a	
	WeekOfMonth	char	1	n/a	n/a	
	Holiday	varchar	25	n/a	n/a	
	DayOfWeekInYear	char	3	n/a	n/a	
	Month	char	2	n/a	n/a	
	DayName	varchar	15	n/a	n/a	
	LastDayOfYear	date	3	10	n/a	
	FiscalFirstDayOfYear	date	3	10	n/a	
	FirstDayOfQuarter	date	3	10	n/a	
	FullDate	date	3	10	n/a	
	MMYYYY	varchar	10	n/a	n/a	
	AcademicYear	varchar	10	n/a	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
DateDimension	FiscalLastDayOfMonth	date	3	10	n/a	
	DayOfQuarter	char	2	n/a	n/a	
	DayOfMonth	char	2	n/a	n/a	
	FirstDayOfMonth	date	3	10	n/a	
	AcademicSemester	varchar	30	n/a	n/a	
	DayOfWeek	char	1	n/a	n/a	
	IsHoliday	bit	1	1	n/a	
	FiscalLastDayOfYear	date	3	10	n/a	
	LastDayOfQuarter	date	3	10	n/a	
	Quarter	char	1	n/a	n/a	
	FiscalFirstDayOfQuarter	date	3	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	FiscalYear	char	4	n/a	n/a	
	YearName	varchar	10	n/a	n/a	
	FiscalMMYYYY	char	7	n/a	n/a	
	MonthYear	varchar	10	n/a	n/a	
	FiscalFirstDayOfMonth	date	3	10	n/a	
	DaySuffix	char	5	n/a	n/a	
	QuarterName	nvarchar	510	n/a	n/a	
	FiscalLastDayOfQuarter	date	3	10	n/a	
	LastDayOfMonth	date	3	10	n/a	
	VendorClientIdentifier	char	3	n/a	n/a	
	FiscalDayOfYear	char	3	n/a	n/a	
	MonthName	varchar	15	n/a	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
DateDimension	FiscalQuarter	char	1	n/a	n/a	
	WeekOfQuarter	char	2	n/a	n/a	
	FiscalYearName	varchar	15	n/a	n/a	
HrBenefitAndDeduction						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	BenefitAndDeductionUniqueID	varchar	61	n/a	n/a	Sourced from the BENDED.ID Colleague field - it uniquely identifies a benefit.
	DeductionCodeDescription	varchar	31	n/a	n/a	The benefit/deduction full description for employee during this pay period
	VendorId	varchar	7	n/a	n/a	The Vendor Code ID for the vendor of the Remittance Code
	PersonBenefitDeductionId	varchar	30	n/a	n/a	The ID of the benefit/deduction the person is enrolled with Common Codes
	BenefitDeductionPayer	varchar	30	n/a	n/a	Record paying for the benefit - the employer, employee or both
	BenefitDeductionAddDate	smalldatetime	n/a	16	n/a	"Add/Change Date/Operator stamp support", in Colleague
	BenefitDeductionChangeDate	smalldatetime	n/a	16	n/a	"Add/Change Date/Operator stamp support", in Colleague
	OdsBenedKey	varchar	40	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionID	int	4	10	n/a	
HrEmployeePayPeriodEndDateEarnings						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueEmployeePayPeriodEndDateId	varchar	30	n/a	n/a	Colleague ID of the PAYTODAT Colleague file.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrEmployeePayPeriodEndDateEarnings	MultiValuePosition	decimal	n/a	10	0	Position number of the PTD_FUND_SOURCES, FUND_SOURCE_DESC, PTD_EARN_TYPES, EARNING_TYPE_DESC, PTD_GL_NOS, PTD_H_S_FLAGS, PERPOSWG_ID, PTD_POSITION_ID, PTD_PROJECTS_IDS, and PTD_HOURS values - the position number of these values in the corresponding multivalued lists in Colleague.
	PeriodEndingDate	smalldatetime	n/a	16	n/a	Sourced from the PTD.PERIOD.DATE Colleague field. Pay Period ending date portion of the PAYTODAT file key
	SequentialNumber	varchar	7	n/a	n/a	Sourced from the PTD.SEQ.NO Colleague field. Sequence number portion of the PAYTODAT file key. Used to uniquely indentify pay to date records for voided, or multiple records per pay period.
	PayCycle	varchar	7	n/a	n/a	Sourced from the PTD.PAY.CYCLE Colleague field. Pay cycle portion of the PAYTODAT key.
	PersonId	varchar	10	n/a	n/a	Sourced from the PTD.EMPLOYEE.ID Colleague field. Employee ID portion of the PAYTODAT file key.
	PayAmounts	decimal	n/a	11	2	Sourced from the PTD.AMOUNTS Colleague field. The amount the employee is paid for the period.
	PayCheckDate	smalldatetime	n/a	16	n/a	Sourced from the PTD.CHECK.DATE Colleague field. Once the check has been issued, this field will be updated with the date
	EarningsCategoryCode	varchar	25	n/a	n/a	Sourced from the ETP.CATEGORY Colleague field. The code of the earnings category to which the earning type is associated.
	EarningsCategoryCodeDescription	varchar	32	n/a	n/a	The full description of the earnings category to which the earning type is associated.
	EarningTypeCode	varchar	7	n/a	n/a	Sourced from the PTD.EARN.TYPES Colleague field. The code for the earning type for the associated line item

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrEmployeePayPeriodEndDateEarnings	EarningTypeCodeDescription	varchar	30	n/a	n/a	The full description for the earning type for the associated line item
	FundSourcesCode	varchar	14	n/a	n/a	Sourced from the PTD.FUND.SOURCES Colleague field. The code for the position associated with the earnings line item
	FundSourcesCodeDescription	varchar	30	n/a	n/a	The full description for the position associated with the earnings line item
	GeneralLedgerAccountNumber	varchar	30	n/a	n/a	Sourced from the PTD.GL.NOS Colleague field. GL account number to debit with gross salary
	HourlyOrSalaried	varchar	7	n/a	n/a	Sourced from the PTD.H.S.FLAGS Colleague field. This is (H) for hourly pay calculation, (S) for salaried calculation.
	PayPeriodStatus	varchar	7	n/a	n/a	Sourced from the PTD.STATUS Colleague field. The status of the pay period record. The statuses are (O) utstanding, (P)aid, (R)econciled, (V)oid, (A)djustment or (Z)ero Gross/Net.
	ColleaguePersonPositionSalaryW ageld	varchar	10	n/a	n/a	Sourced from the PTD.PERPOSWG.ID Colleague field. Key to the PERPOSWG file.
	ColleaguePositionId	varchar	14	n/a	n/a	Sourced from the PTD.POSITION.ID Colleague field. The position ID associated with the earnings line item.
	ProjectIds	varchar	15	n/a	n/a	Sourced from the PTD.PROJECTS.IDS Colleague field. The Project ID's.
	EmployeeHoursWorked	decimal	n/a	8	2	Sourced from the PTD.HOURS Colleague field. The number of hours the employee worked during the period.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date the record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the record was last changed, in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	DateDimensionIDPeriodEndingDate	int	4	10	n/a	
	DateDimensionIDPayCheckDate	int	4	10	n/a	
	OdsHrEmployeePayPeriodEndDateEarningsId	varchar	55	n/a	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrEmployeePayPeriodEndDateTax	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueEmployeePayPeriodEndDateId	varchar	30	n/a	n/a	Colleague ID of the PAYTODAT Colleague file.
	MultiValuePosition	decimal	n/a	10	0	Position number of the PTD_EMPLYE_TAX_AMTS, PTD_TAX_CODES, TAX_CODE_DESC, TAX_TYPE, and TAX_TYPE_DESC values - the position number of these values in the corresponding multivalued lists in Colleague.
	PeriodEndingDate	smalldatetime	n/a	16	n/a	Sourced from the PTD.PERIOD.DATE Colleague field. Pay Period ending date portion of the PAYTODAT file key.
	PayCycle	varchar	7	n/a	n/a	Sourced from the PTD.PAY.CYCLE Colleague field. Pay cycle portion of the PAYTODAT key.
	SequentialNumber	varchar	7	n/a	n/a	Sourced from the PTD.SEQ.NO Colleague field. Sequence number portion of the PAYTODAT file key. Used to uniquely indentify pay to date records for voided, or multiple records per pay period.
	PersonId	varchar	10	n/a	n/a	Sourced from the PTD.EMPLOYEE.ID Colleague field. Employee ID portion of the PAYTODAT file key.
	PayCheckDate	smalldatetime	n/a	16	n/a	Sourced from the PTD.CHECK.DATE Colleague field. Once the check has been issued, this field will be updated with the date.
	EmployeeTaxAmountWithheld	decimal	n/a	11	2	Sourced from the PTD.EMPLOYEE.TAX.AMTS Colleague field. Employee tax amount withheld for the pay period. The amount of tax calculated for each tax code for the pay period is stored in this field.
	PaymentTaxCodes	varchar	7	n/a	n/a	Sourced from the PTD.TAX.CODES Colleague field. The tax codes for all payments for the pay period. Each payment for the pay period has a corresponding tax code associated with it. This field contains each unique code for all the payments.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrEmployeePayPeriodEndDateTax	PaymentTaxCodeDescriptions	varchar	30	n/a	n/a	Sourced from the TAX.DESC Colleague field. The full description of tax codes for all payments for the pay period.
	TaxCodeType	varchar	40	n/a	n/a	Sourced from the TAX.TYPE.CODE Colleague field. The Tax Code Type to Tax association - to designate the taxing authority.
	TaxCodeTypeDescription	varchar	32	n/a	n/a	Read from the "TAXCODE.TYPES" valcode table in HR in Colleague. The full description of the Tax Code Type to Tax association.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date the record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the record was last modified, in Colleague.
	DateDimensionIDPayCheckDate	int	4	10	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsHrEmployeePayPeriodEndDateTaxId	varchar	55	n/a	n/a	
	DateDimensionIDPeriodEndingDate	int	4	10	n/a	
HrEmpleyPayPeriodEndDateBenftDedctn						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueEmployeePayPeriodEndDateId	varchar	23	n/a	n/a	Colleague ID of the PAYTODAT Colleague file.
	MultiValuePosition	decimal	n/a	10	0	Position number of the INST_BENEFIT_TYPE, INST_BENEFIT_TYPE_DESC, PTD_BD_EMPLYE_CALC_AMTS, W67_PTD_BD_EMPLYE_BASE_AMTS, and W67_PTD_BD_EXPENSE_GL_NOS values - the position number of these values in the corresponding multivalued lists in Colleague.
	SequentialNumber	varchar	7	n/a	n/a	Sourced from the PTD.SEQ.NO Colleague field. Sequence number portion of the PAYTODAT file key. Used to uniquely indentify pay to date records for voided, or multiple records per pay period.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrEmplpyePayPeriodEndDateBenftDedctn	BenefitTypeCode	varchar	30	n/a	n/a	Sourced from the BD.INSTITUTION.TYPE Colleague field. The code for the type of benefit as it is classified by the institution. This is used to group common types of benefits for reporting, such as medical plans, retirement plans, etc.
	BenefitTypeCodeDescription	varchar	32	n/a	n/a	The full decription for the type of benefit as it is classified by the institution
	PeriodEndingDate	smalldatetime	n/a	16	n/a	Sourced from the PTD.PERIOD.DATE Colleague field. Pay Period ending date portion of the PAYTODAT file key.
	PayCycle	varchar	7	n/a	n/a	Sourced from the PTD.PAY.CYCLE Colleague field. Pay cycle portion of the PAYTODAT key.
	PersonId	varchar	10	n/a	n/a	Sourced from the PTD.EMPLOYEE.ID Colleague field. Employee ID portion of the PAYTODAT file key.
	EmployeeBenefitAmountW ithheld	decimal	n/a	11	2	Sourced from the PTD.BD.EMPLYE.CALC.AMTS Colleague field. Employee amount withheld for the associated benefit code. For each associated benefit code, this field contains the actual amount of benefit.
	EmployeeBaseAmountSubjectT oDeduction	decimal	n/a	11	2	Sourced from the PTD.BD.EMPLYE.BASE.AMTS Colleague field. Amount on which the benefit calculation is based. For each deduction type that appears in this pay period record, this field will contain the actual dollar amount that was subject to the deduction.
	EmployerBenefitPortionExpenseAccount	varchar	25	n/a	n/a	Sourced from the PTD.BD.EXPENSE.GL.NOS Colleague field. Expense account to debit for employers portion of benefit. For each type of deduction code for this pay period, if the employer provides a matching contribution, then this field will contain the general ledger number for the account that will be charged for the contribution.
	PayCheckDate	smalldatetime	n/a	16	n/a	Sourced from the PTD.CHECK.DATE Colleague field. Once the check has been issued, this field will be updated with the date.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrEmplyePayPeriodEndDateBenftDedctn	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date the record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the record was last modified, in Colleague.
	DateDimensionIDPeriodEndingDate	int	4	10	n/a	
	OdsHrEmplyePayPeriodEndDateBenftDedctnId	varchar	55	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDPayCheckDate	int	4	10	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
HrEmplyrPayPeriodEndDateBenftExpnse						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueEmployeePayPeriodEndDateId	varchar	23	n/a	n/a	Colleague ID of the PAYTODAT Colleague file.
	MultiValuePosition	decimal	n/a	10	0	Position number of the PTD_BD_EXP_EMPLYR_CALC_AMTS, PTD_BD_EXP_CONTROLLER, DEDUCTION_CODE, GL_ACCOUNT, INST_BENEFIT_TYPE, INST_BENEFIT_TYPE_DESC, and POSITION values - the position number of these values in the corresponding multivalued lists in Colleague.
	PeriodEndingDate	smalldatetime	n/a	16	n/a	Sourced from the PTD.PERIOD.DATE Colleague field. Pay Period ending date portion of the PAYTODAT file key.
	PayCycle	varchar	7	n/a	n/a	Sourced from the PTD.PAY.CYCLE Colleague field. Pay cycle portion of the PAYTODAT key.
	SequentialNumber	varchar	7	n/a	n/a	Sourced from the PTD.SEQ.NO Colleague field. Sequence number portion of the PAYTODAT file key. Used to uniquely indentify pay to date records for voided, or multiple records per pay period.
	PersonId	varchar	10	n/a	n/a	Sourced from the PTD.EMPLOYEE.ID Colleague field. Employee ID portion of the PAYTODAT file key.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrEmplYrPayPeriodEndDateBenftExpnse	EmployerBenefitAmount	decimal	n/a	11	2	Sourced from the PTD.BD.EXP.EMPLYR.CALC.AMTS Colleague field. Employer benefit amount for the associated benefit code.
	ExpensAccountPositnEmplyrsBenPortion	varchar	61	n/a	n/a	Sourced from the PTD.BD.EXP.CONTROLLER Colleague field. Expense account and position to which the employer's portion of the designated benefit applies.
	BenefitOrDeductionCode	varchar	61	n/a	n/a	Sourced from the PTD.BD.EXP.CONTROLLER Colleague field. The benefit/deduction code for employee during this pay period
	PayCheckDate	smalldatetime	n/a	16	n/a	Sourced from the PTD.CHECK.DATE Colleague field. Once the check has been issued, this field will be updated with the date.
	GeneralLedgerAccount	varchar	61	n/a	n/a	Sourced from the PTD.BD.EXP.CONTROLLER Colleague field. GL account associated with the benefit code
	BenefitTypeCode	varchar	30	n/a	n/a	Sourced from the BD.INSTITUTION.TYPE Colleague field. The code for the type of benefit as it is classified by the institution.
	BenefitTypeCodeDescription	varchar	32	n/a	n/a	Read from the "BENDEDED.TYPES" valcode table in HR in Colleague. The full description for the type of benefit as it is classified by the institution.
	PositionCode	varchar	61	n/a	n/a	Sourced from the PTD.BD.EXP.CONTROLLER Colleague field. The code that is an abbreviated title for the position.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date the record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the record was last modified, in Colleague.
	DateDimensionIDPayCheckDate	int	4	10	n/a	
	DateDimensionIDPeriodEndingDate	int	4	10	n/a	
	OdsHrEmplYrPayPeriodEndDateBenftExpnseld	varchar	85	n/a	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrEmplprPayPeriodEndDateBenftExpnse	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
HrEmplprPayPeriodEndDateTax						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueEmployeePayPeriodEndDateId	varchar	30	n/a	n/a	Colleague ID of the PAYTODAT Colleague file.
	MultiValuePosition	decimal	n/a	10	0	Position number of the GL_ACCOUNT, PTD_TAX_EXP_EMPLYR_TAX_AMTS, TAX_CODE, TAX_CODE_DESC, TAX_TYPE, and TAX_TYPE_DESC values - the position number of these values in the corresponding multivalued lists in Colleague.
	PeriodEndingDate	smalldatetime	n/a	16	n/a	Sourced from the PTD.PERIOD.DATE Colleague field. Pay Period ending date portion of the PAYTODAT file key.
	PayCycle	varchar	7	n/a	n/a	Sourced from the PTD.PAY.CYCLE Colleague field. Pay cycle portion of the PAYTODAT key.
	SequentialNumber	varchar	7	n/a	n/a	Sourced from the PTD.SEQ.NO Colleague field. Sequence number portion of the PAYTODAT file key. Used to uniquely indentify pay to date records for voided, or multiple records per pay period.
	PersonId	varchar	10	n/a	n/a	Sourced from the PTD.EMPLOYEE.ID Colleague field. Employee ID portion of the PAYTODAT file key.
	PayCheckDate	smalldatetime	n/a	16	n/a	Sourced from the PTD.CHECK.DATE Colleague field. Once the check has been issued, this field will be updated with the date.
	GeneralLedgerAccount	varchar	61	n/a	n/a	Sourced from the PTD.TAX.EXP.CONTROLLER Colleague field. GL account number to which the employer taxes are associated.
	EmplprPaidTaxExpenseAmount	decimal	n/a	11	2	Sourced from the PTD.TAX.EXP.EMPLYR.TAX.AMTS Colleague field. The employer paid tax expense amount.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrEmplrPayPeriodEndDateTax	PaymentTaxCode	varchar	61	n/a	n/a	Sourced from the PTD.TAX.EXP.CONTROLLER Colleague field. The tax codes for all payments for the pay period.
	PaymentTaxCodeDescription	varchar	30	n/a	n/a	Sourced from the TAX.DESC Colleague field. The full description of tax codes for all payments for the pay period.
	TaxCodeType	varchar	40	n/a	n/a	Sourced from the TAX.TYPE.CODE Colleague field. The Tax Code Type to Tax association - to designate the taxing authority.
	TaxCodeTypeDescription	varchar	32	n/a	n/a	Read from the "TAXCODE.TYPES" valcode table in HR in Colleague. The full description of the Tax Code Type to Tax association.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date the record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the record was last modified, in Colleague.
	OdsHrEmplrPayPeriodEndDateTaxId	varchar	85	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	DateDimensionIDPayCheckDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDPeriodEndingDate	int	4	10	n/a	
HrPayControl						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleaguePayControlId	varchar	11	n/a	n/a	Colleague ID of the PAYCNTRL Colleague file.
	PayPeriodEndingDate	smalldatetime	n/a	16	n/a	Sourced from the PCL.PERIOD.DATE Colleague field. The pay period ending date.
	PayCycleCode	varchar	7	n/a	n/a	Sourced from the PCL.PAY.CYCLE Colleague field. The pay cycle code. Pay cycle codes indicate the frequency with which a payroll is run.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrPayControl	LastProgramRanSeqNo	varchar	10	n/a	n/a	Sourced from the PCL.LAST.PROGRAM Colleague field. The last program run in the payroll processing steps; the sequence number of the last step processed in payroll processing.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date this record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date this record was last modified, in Colleague.
	OdsHrPayControlId	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDPayPeriodEndingDate	int	4	10	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
HrPerson						
	VendorClientIdentifier	char	3	n/a	n/a	
	EmployeeEmploymentDate	smalldatetime	n/a	16	n/a	
	OdsHrPersonId	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	EmployeeTerminationDate	smalldatetime	n/a	16	n/a	
	EmployeeRetirementDate	smalldatetime	n/a	16	n/a	
	EmployeePrimaryOfficeLocation	varchar	7	n/a	n/a	
	ColleagueHrPersonID	varchar	10	n/a	n/a	
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	
	DateDimensionID	int	4	10	n/a	
	ColleagueAddDate	smalldatetime	n/a	16	n/a	
HrPersonAddress_Copy						
	PersonId	varchar	10	n/a	n/a	
	AddressTypeCodeDescription	varchar	40	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrPersonAddress_Copy	AddressTypeCode	varchar	40	n/a	n/a	
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	VendorClientIdentifier	char	3	n/a	n/a	
	ColleagueAddDate	smalldatetime	n/a	16	n/a	
	ColleagueAddressIds	varchar	10	n/a	n/a	
	OdsHrPersonAddressId	varchar	55	n/a	n/a	
HrPersonAlternateldentification_Copy						
	ColleaguePersonAlternateldentificationID	varchar	10	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	AlternateldCodes	varchar	7	n/a	n/a	
	Alternatelds	varchar	30	n/a	n/a	
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	
	VendorClientIdentifier	char	3	n/a	n/a	
	ColleagueAddDate	smalldatetime	n/a	16	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsHrPersonAlternateldentificationId	varchar	55	n/a	n/a	
	MultiValuePosition	decimal	n/a	10	0	
HrPersonBenefitOrDeduction						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleaguePersonBenefitOrDeductionId	varchar	8	n/a	n/a	Colleague ID of the PERBEN Colleague file.
	BenefitOrDeductionId	varchar	61	n/a	n/a	Sourced from the PERBEN.BD.ID Colleague field. The ID of the benefit/deduction the person is enrolled with Common Codes
	BenefitCancelDate	smalldatetime	n/a	16	n/a	Sourced from the PERBEN.CANCEL.DATE Colleague field. The date the benefit was canceled.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrPersonBenefitOrDeduction	CertificateOrPolicyNumber	varchar	20	n/a	n/a	Sourced from the PERBEN.CERT.NUM Colleague field. The certificate or policy number of the employee for the benefit.
	PersonId	varchar	10	n/a	n/a	Sourced from the PERBEN.HRP.ID Colleague field. Colleague ID for the Employee.
	BenefitPayerCode	varchar	30	n/a	n/a	Sourced from the BD.PAYERS Colleague field. Records who is paying for the benefit - the employer, the employee, or both. This is needed to facilitate payroll processing.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	To record the system date the record was originally created, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	To record the system date the record was last modified, in Colleague.
	OdsHrPersonBenefitOrDeductionId	varchar	45	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	DateDimensionIDBenefitCancelDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
HrPersonInstitutionalStatus						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleaguePersonInstitutionalStatusId	varchar	10	n/a	n/a	Colleague ID of the PERSTAT Colleague file. Sourced from the PERSTAT.ID field.
	EndDate	smalldatetime	n/a	16	n/a	Sourced from the PERSTAT > PERSTAT.END.DATE Colleague field. The last date to which the current status applied to the person.
	EndReason	varchar	20	n/a	n/a	Sourced from the PERSTAT > PERSTAT.END.REASON Colleague field. To document the reason a person severed their relationship to the institution.
	ColleagueHrPersonId	varchar	10	n/a	n/a	Sourced from the PERSTAT.HRP.ID Colleague file. Points to the HRPER Colleague file.
	ColleaguePrimaryPersonPositionId	varchar	10	n/a	n/a	Sourced from the PERSTAT.PRIMARY.PERPOS.ID Colleague field. Points to the PERPOS Colleague file, pointing to the person's primary personnel position.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrPersonInstitutionalStatus	ColleaguePrimaryPositionId	varchar	14	n/a	n/a	Sourced from the PERSTAT.PRIMARY.POS.ID Colleague field. Points to the POSITION Colleague file, pointing to the employee's primary position.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the PERSTAT > PERSTAT.START.DATE Colleague field. To document the date the current status code first applied to the person.
	Status	varchar	18	n/a	n/a	Sourced from the PERSTAT > PERSTAT.STATUS Colleague field. To define a person's status at the institution. Status codes can be used to distinguish students, visiting faculty, COBRA recipients, prior employment, temporaries and any other class of person's an institution wishes to identify.
	EmployeeTenureType	varchar	25	n/a	n/a	Sourced from the PERSTAT > PERSTAT.TENURE.TYPE Colleague field. The employee's tenure type.
	EmployeeTenureTypeDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the PERSTAT > PERSTAT.TENURE.TYPE Colleague field. The description of the employee's tenure type.
	EndReasonDescription	varchar	32	n/a	n/a	Sourced from the valode description of the PERSTAT > PERSTAT.END.REASON Colleague field. The description of the reason a person severed their relationship to the institution.
	StatusCode	varchar	30	n/a	n/a	Sourced from the PERSTAT.STATUS Colleague field. A person's status at the institution. Status codes can be used to distinguish students, visiting faculty, COBRA recipients, prior employment, temporaries and any other class of person's an institution wishes to identify.
	TenureType	varchar	30	n/a	n/a	Sourced from the PERSTAT.TENURE.TYPE Colleague field. The tenure type describes where the employee is in the tenure process. (Common codes apply.)
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date the record was added, in Colleague.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrPersonInstitutionalStatus	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the record was last modified, in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	OdsHrPersonInstitutionalStatusId	varchar	41	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	DateDimensionIDStartDate	int	4	10	n/a	
	DateDimensionIDEndDate	int	4	10	n/a	
HrPersonPosition						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleaguePersonPositionId	varchar	10	n/a	n/a	Colleague ID of the PERPOS Colleague file.
	EmployeeFte	decimal	n/a	5	3	Sourced from the PERPOS.FTE Colleague field. An employee's FTE in a position.
	ColleagueHrPersonId	varchar	10	n/a	n/a	Sourced from the PERPOS.HRP.ID Colleague field - points to the HRPER Colleague file.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date the record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the record was changed, in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsHrPersonPositionId	varchar	45	n/a	n/a	
HrPersonPositionSalaryW age						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleaguePersonPositionSalaryW ageId	varchar	10	n/a	n/a	Colleague ID of the PERPOSWG Colleague file. Sourced from PERPOSWG.ID.
	BargainingUnitName	varchar	10	n/a	n/a	Sourced from the POSPAY.BARGAINING.UNIT Colleague field. The name of the bargaining unit responsible for the contract negotiation of this position.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrPersonPositionSalaryWage	BargainingUnitDescription	varchar	30	n/a	n/a	Sourced from the BGN.DESC Colleague field. The bargaining unit description.
	ContractLength	decimal	n/a	7	2	Sourced from the PPWG.CONTRACT.LENGTH Colleague field. The length of the contract for the employee in this position
	ContractLengthUnitCode	varchar	20	n/a	n/a	Sourced from the PPWG.CONTRACT.UNITS Colleague field. The code for the Contract Length Units
	ContractLengthUnitDescription	varchar	32	n/a	n/a	Read from the TIME.UNITS valcode table in HR in Colleague. The full description for the Contract Length Units
	PayClassCode	varchar	7	n/a	n/a	Sourced from the PPWG.PAYCLASS.ID Colleague field. The code that defines the number of periods the person is paid during the calendar year.
	PayClassCodeDescription	varchar	30	n/a	n/a	Sourced from the PCLS.DESC Colleague field. The full description that defines the number of periods the person is paid during the calendar year.
	PayGrade	varchar	10	n/a	n/a	Sourced from the PPWG.GRADE Colleague field. The position grade of the employee in the position.
	PayStep	varchar	10	n/a	n/a	Sourced from the PPWG.STEP Colleague file. The position step of the employee in the position - the step for the employee's wage.
	ColleaguePersonPositionId	varchar	10	n/a	n/a	Pointer (Colleague ID) to the PERPOS Colleague file.
	SalaryWageTableCode	varchar	8	n/a	n/a	Sourced from the POSPAY.SALARY.WAGE.TABLE Colleague field. The code that translates the salary table from POSPAY.
	SalaryWageTableCodeDescription	varchar	30	n/a	n/a	Sourced from the SWT.DESC Colleague field. The full description of the PPWG_SALARY_WAGE_TABLE code.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	To record the date the record was originally created, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	To record the date the record was last modified, in Colleague.
	InstitutionID	tinyint	1	3	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrPersonPositionSalaryW age	OdsHrPersonPositionSalaryW ageId	varchar	45	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
HrPosition						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleaguePositionId	varchar	14	n/a	n/a	Colleague ID of the POSITION Colleague file. Sourced from the POSITION.ID field.
	Department	varchar	10	n/a	n/a	Sourced from the POSITION > POS.DEPT Colleague field. The position's department.
	DepartmentDescription	varchar	30	n/a	n/a	Sourced from the DEPTS.DESC Colleague field. The full description for the current department for a position.
	DepartmentDivision	varchar	7	n/a	n/a	Sourced from the DEPTS > DEPTS.DIVISION Colleague field (per POSITION > POS.DEPT). The code for the division to which the position department belongs
	DivisionDescription	varchar	35	n/a	n/a	Sourced from the DIV.DESC Colleague field. The full description for the current division.
	Location	varchar	7	n/a	n/a	Sourced from the POSITION > POS.LOCATION Colleague field. The location on campus this position applies.
	LocationDescription	varchar	30	n/a	n/a	Sourced from the LOC.DESC Colleague field. The full description for the HRPER primary campus location.
	ShortTitle	varchar	30	n/a	n/a	Sourced from the POSITION > POS.SHORT.TITLE Colleague field. An abbreviated title for the position.
	DepartmentSchool	varchar	7	n/a	n/a	Sourced from the DEPTS > DEPTS.SCHOOL Colleague field (per POSITION > POS.DEPT). The school with which the position department is associated.
	SchoolDescription	varchar	30	n/a	n/a	Sourced from the SCHOOLS.DESC Colleague field. The full description for the current school as derived from the department associated with the position.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrPosition	Classification	varchar	30	n/a	n/a	Sourced from the POSITION > POS.CLASS Colleague field. The position classification.
	ClassificationDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the POSITION > POS.CLASS Colleague field. The description of the position classification.
	ExemptStatus	varchar	12	n/a	n/a	Sourced from the POSITION > POS.EXEMPT.OR.NOT Colleague field. Indicates if the position is exempt or non-exempt.
	ExemptStatusDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the POSITION > POS.EXEMPT.OR.NOT Colleague field. Indicates if the position is exempt or non-exempt.
	EqualEmplmntOpprtntyCategryld	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the POSITION > POS.EEO.CATEGORY Colleague field, using the W67_POS_EEO_CATEGORY_MAP valcode table. Identifies the EEO reporting category for the position with Common Codes.
	EqualEmplmntOpprtntyCatgryDescrptn	varchar	40	n/a	n/a	Sourced from the EEO.CATEGORY > EEO.DESC Colleague field (per POSITION > POS.EEO.CATEGORY). The Equal Employment Opportunity (EEO) reporting category description, for the position.
	Rank	varchar	34	n/a	n/a	Sourced from the POSITION > POS.RANK Colleague field. The ranking of a position.
	PositionRankDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the POSITION > POS.RANK Colleague field. The description of the ranking of a position.
	Type	varchar	34	n/a	n/a	Sourced from the POSITION > POS.TYPE Colleague field. The type of the position.
	TypeDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the POSITION > POS.TYPE Colleague field. The description of the type of the position.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrPosition	EeoReportingRank	varchar	27	n/a	n/a	Sourced from the POSITION > POS.EEO.RANK Colleague field. The EEO (Equal Employment Opportunity) reporting rank for the position.
	EeoReportingRankDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the POSITION > POS.EEO.RANK Colleague field. The description of the EEO (Equal Employment Opportunity) reporting rank for the position.
	EqualEmplmntOpportunityCategory	varchar	7	n/a	n/a	Sourced from the POSITION > POS.EEO.CATEGORY Colleague field. The EEO (Equal Employment Opportunity) reporting category for the position.
	PositionTypeCode	varchar	30	n/a	n/a	Sourced from the POS.TYPE Colleague field. Identifies the position type code of the position with Common Codes.
	RankCode	varchar	34	n/a	n/a	Sourced from the POS.RANK Colleague field. Identifies the ranking of a position with Common Codes.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Date the record was added, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Date the record was last modified, in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	OdsPositionID	varchar	45	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
HrXRetirementDetail						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueXRetirementDetailId	varchar	10	n/a	n/a	Colleague ID of the X.RETIREMENT.DETAIL custom Colleague file.
	EmployeeBenefit	decimal	n/a	9	2	Sourced from the XRD.EMPLOYEE.BENEFIT custom Colleague field. The employee benefit.
	EmployeeDeduction	decimal	n/a	9	2	Sourced from the XRD.EMPLOYEE.DEDUCTION custom Colleague field. The employee deduction.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
HrXRetirementDetail	EmployeeHours	int	4	10	n/a	Sourced from the XRD.EMPLOYEE.HOURS custom Colleague field. The employee's hours worked.
	EmployerDeduction	decimal	n/a	9	2	Sourced from the XRD.EMPLOYER.DEDUCTION custom Colleague field. The employer deduction.
	FirstName	varchar	15	n/a	n/a	Sourced from the XRD.FIRST.NAME custom Colleague field. The employee's first name.
	GrossBasePay	decimal	n/a	11	2	Sourced from the XRD.GROSS.BASE.PAY custom Colleague field. The employee's gross base pay.
	BenefitCancelDate	smalldatetime	n/a	16	n/a	Sourced from the XRD.HRP.PERBEN.CANCEL.DATE custom Colleague field. The date the employee's benefit was canceled.
	LastName	varchar	25	n/a	n/a	Sourced from the XRD.LAST.NAME custom Colleague field. The employee's last name.
	MiddleInitial	varchar	7	n/a	n/a	Sourced from the XRD.MIDDLE custom Colleague field. The employee's middle initial.
	MonthsOfService	int	4	10	n/a	Sourced from the XRD.MONTHS.OF.SERVICE custom Colleague field. The employee's months of service.
	Ssn	varchar	11	n/a	n/a	Sourced from the XRD.SSN custom Colleague field. The employee's social security number.
	RetirementId	varchar	10	n/a	n/a	Sourced from the XRD.RETIEMENT.ID custom Colleague field. The employee's Retirement ID.
	InstitutionID	tinyint	1	3	n/a	
	OdsHrXRetirementDetailId	varchar	55	n/a	n/a	
	DateDimensionIDBenefitCancelDate	int	4	10	n/a	
LuInstitution						
	DepartmentOfEducationIdentifier	varchar	15	n/a	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
LulInstitution	InstitutionID	tinyint	1	3	n/a	
	RowEndDate	smalldatetime	n/a	16	n/a	
	VendorClientIdentifier	char	3	n/a	n/a	
	InstitutionName	varchar	50	n/a	n/a	
	RowIsCurrent	bit	1	1	n/a	
	ColleagueIdentifier	varchar	15	n/a	n/a	
	RowStartDate	smalldatetime	n/a	16	n/a	
StAcademicCredential						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CredentialUniqueID	varchar	10	n/a	n/a	System-generated sequential key to ACAD.CREDENTIALS
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.ACAD.LEVEL Colleague field. Single valued pointer to OTHER.ACAD.LEVELS file. Used to identify the level of education for the post secondary institutions being defined.
	AcademicLevelDescription	varchar	40	n/a	n/a	Sourced from the OTHER.ACAD.LEVELS > OACAD.DESC Colleague field. The academic level description.
	AcademicProgram	varchar	20	n/a	n/a	This is the academic program in which this academic credential was received
	AcademicProgramTitle	varchar	60	n/a	n/a	Sourced from the STUDENT.TERMS > STPR.TITLE Colleague field. The title of the student's program.
	Award1	varchar	65	n/a	n/a	Sourced from the first value of the ACAD.CREDENTIALS > ACAD.AWARDS multivalued Colleague field. This is a free form field for entering any special awards received by the person.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicCredential	Award2	varchar	65	n/a	n/a	Sourced from the second value of the ACAD.CREDENTIALS > ACAD.AWARDS multivalued Colleague field. This is a free form field for entering any special awards received by the person.
	CertificateCredentialDiploma1	varchar	7	n/a	n/a	Sourced from the first value of the ACAD.CREDENTIALS > ACAD.CCD multivalued Colleague field. The Certificate, Credential, or Diploma. These are forms of recognition of a skill or level of training which are different from academic degrees.
	CcdReportOne	varchar	30	n/a	n/a	Certificate, Credential, or Diploma associated with ACAD.CREDENTIALS record with Commom Code that is in the 1st position
	CcdOneDescription	varchar	40	n/a	n/a	Description of Certificate, Credential, or Diploma associated with ACAD.CREDENTIALS record with Commom Code that is in the 1st position
	CcdOneDate	smalldatetime	n/a	16	n/a	Date of Certificate, Credential, or Diploma associated with ACAD.CREDENTIALS record with Commom Code that is in the 1st position
	CertificateCredentialDiploma2	varchar	7	n/a	n/a	Sourced from the second value of the ACAD.CREDENTIALS > ACAD.CCD multivalued Colleague field. The Certificate, Credential, or Diploma. These are forms of recognition of a skill or level of training which are different from academic degrees.
	CcdReportTwo	varchar	30	n/a	n/a	Certificate, Credential, or Diploma associated with ACAD.CREDENTIALS record with Commom Code that is in the second position
	CcdTwoDescription	varchar	40	n/a	n/a	Description of Certificate, Credential, or Diploma associated with ACAD.CREDENTIALS record with Commom Code that is in the 2nd position
	CcdTwoDate	smalldatetime	n/a	16	n/a	Date of Certificate, Credential, or Diploma associated with ACAD.CREDENTIALS record with Commom Code that is in the 2nd position

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicCredential	AcademicProgramCip	varchar	9	n/a	n/a	The CIP code of the academic program for an acad credential
	CipDescription	varchar	60	n/a	n/a	The CIP description of the academic program for an acad credential
	Degree	varchar	7	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.DEGREE Colleague field. The student's degree for the related academic credential.
	DegreeDescription	varchar	30	n/a	n/a	Degree description earned for an institution attended making up an academic credential
	DegreeDate	smalldatetime	n/a	16	n/a	Date the degree was received for an institution attended making up an academic credential
	Department	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.DEPT Colleague field. The department where this student is taking this academic program.
	DepartmentDescription	varchar	30	n/a	n/a	Sourced from the DEPTS > DEPTS.DESC Colleague field. The department description.
	Division	varchar	7	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.DIVISION Colleague field. The division for this credential.
	DivisionDescription	varchar	40	n/a	n/a	Sourced from the OTHER.DIVISIONS > ODIV.DESC Colleague field. The division description.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.START.DATE Colleague field. The date that this Credential was started.
	EndDate	smalldatetime	n/a	16	n/a	Date the person stopped working toward the academic credential. If the person is a graduate, it defaults the end date of the student academic program from which the person graduated.
	FederalCohortGroup	varchar	7	n/a	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.FED.COHORT.GROUP Colleague field. This is the federal cohort group required by the student right to know act.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicCredential	FederalCohortGroupDescription	varchar	30	n/a	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.FED.COHORT.GROUP Colleague field. The federal cohort group description.
	CumulativeGpa	decimal	n/a	6	3	Sourced from the ACAD.CREDENTIALS > ACAD.GPA Colleague field. The cumulative GPA for the credential.
	AlternateGpa1	decimal	n/a	6	3	Sourced from the ACAD.CREDENTIALS > ACAD.GPA1 Colleague field. The first alternate GPA.
	AlternateGpa2	decimal	n/a	6	3	Sourced from the ACAD.CREDENTIALS > ACAD.GPA2 Colleague field. The second alternate GPA.
	Honors1	varchar	7	n/a	n/a	Sourced from the first value of the ACAD.CREDENTIALS > ACAD.HONORS Colleague multivalued field. Any honors earned by this student.
	Honors1Description	varchar	30	n/a	n/a	Sourced from the OTHER.HONORS > OHON.DESC Colleague field. The honors description.
	Honors2	varchar	7	n/a	n/a	Sourced from the second value of the ACAD.CREDENTIALS > ACAD.HONORS Colleague multivalued field. Any honors earned by this student.
	Honors2Description	varchar	30	n/a	n/a	Sourced from the OTHER.HONORS > OHON.DESC Colleague field. The honors description.
	AcademicInstitutionID	varchar	10	n/a	n/a	Colleague ID for the Institution from which the ACAD.CREDENTIAL record was received.
	Location	varchar	7	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.LOCATION Colleague field. The location for the academic credential.
	LocationDescription	varchar	40	n/a	n/a	Sourced from the OTHER.LOCATIONS > OLOC.DESC Colleague field. The location description.
	NumberOfYearsGetCredential	decimal	n/a	2	0	Sourced from the ACAD.CREDENTIALS > ACAD.NO.YEARS Colleague field. The number of years that it took to obtain this credential.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicCredential	PersonID	varchar	10	n/a	n/a	Colleague ID for the Person to whom the ACAD.CREDENTIAL is related
	RankDenominator	decimal	n/a	7	0	Sourced from the ACAD.CREDENTIALS > ACAD.RANK.DENOMINATOR Colleague field. The number of students that were in the class.
	RankNumerator	decimal	n/a	7	0	Sourced from the ACAD.CREDENTIALS > ACAD.RANK.NUMERATOR Colleague field. The placement of the student within the institution that the student attended.
	RankPercentile	decimal	n/a	5	2	Sourced from the ACAD.CREDENTIALS > ACAD.RANK.PERCENT Colleague field. The percent rank (rank percentile) that this student achieved.
	School	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.SCHOOL Colleague field. The school associated with either the department or the division under which this student is taking this academic program.
	SchoolDescription	varchar	30	n/a	n/a	Sourced from the SCHOOLS > SCHOOLS.DESC Colleague field. The school description.
	Specialization1	varchar	7	n/a	n/a	Sourced from the first value of the ACAD.CREDENTIALS > ACAD.SPECIALIZATION multivalued Colleague field. The specialization of the academic credentials.
	Specialization1Description	varchar	30	n/a	n/a	Sourced from the OTHER.SPECIALS > OSPEC.DESC Colleague field. The specialization description.
	Specialization2	varchar	7	n/a	n/a	Sourced from the second value of the ACAD.CREDENTIALS > ACAD.SPECIALIZATION multivalued Colleague field. The specialization of the academic credentials.
	Specialization2Description	varchar	30	n/a	n/a	Sourced from the OTHER.SPECIALS > OSPEC.DESC Colleague field. The specialization description.
	DegreeReport	varchar	30	n/a	n/a	Degree code earned for an institution attended making up an academic credential with Common Code

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicCredential	TermReport	varchar	30	n/a	n/a	Term in which the ACAD.CREDENTIALS (WCCC_ACAD_CREDENTIALS_TBL) record was created.
	AcademicProgramCipReport	varchar	9	n/a	n/a	The CIP code of the academic program for an acad credential with Common Codes.
	CredentialAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date of when record was added.
	CredentialChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date record was last updated.
	GraduationTranscriptAddress1	varchar	30	n/a	n/a	Sourced from the first value of the ACAD.CREDENTIALS > ACAD.TRANSCRIPT.ADDRESS multivalued Colleague field. The address lines of the graduation transcript address.
	GraduationTranscriptAddress2	varchar	30	n/a	n/a	Sourced from the second value of the ACAD.CREDENTIALS > ACAD.TRANSCRIPT.ADDRESS multivalued Colleague field. The address lines of the graduation transcript address.
	GraduationTranscriptCity	varchar	30	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.TRANSCRIPT.CITY Colleague field. The city of the graduation transcript address.
	GraduationTranscriptCountry	varchar	8	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.TRANSCRIPT.COUNTRY Colleague field. The country of the graduation transcript address.
	GraduationTranscriptState	varchar	7	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.TRANSCRIPT.STATE Colleague field. The state/province of the graduation transcript address.
	GraduationTranscriptZip	varchar	10	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.TRANSCRIPT.ZIP Colleague field. The zip/postal code of the graduation transcript address.
	DiplomaName	varchar	40	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.DIPLOMA.NAME Colleague field. The name on the diploma.
	CommencementDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.COMMENCEMENT.DATE Colleague field. The date of the Commencement ceremony.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicCredential	DateDimensionIDCommencementDate	int	4	10	n/a	
	DateDimensionStartDate	int	4	10	n/a	
	DateDimensionCcdOneDate	int	4	10	n/a	
	DateDimensionDegreeDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsAcademicCredentialId	varchar	45	n/a	n/a	
	DateDimensionIDCredentialAddDate	int	4	10	n/a	
	DateDimensionCcdTwoDate	int	4	10	n/a	
	DateDimensionEndDate	int	4	10	n/a	
StAcademicCredentialMajor						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAcademicCredentialID	varchar	10	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.CREDENTIALS.ID Colleague field, which is the Colleague ID of ACAD.CREDENTIALS.
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.ACAD.LEVEL Colleague field. Single valued pointer to OTHER.ACAD.LEVELS file. Used to identify the level of education for the post secondary institutions being defined.
	StAcademicCredentialMajorInstitutionId	varchar	10	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.INSTITUTIONS.ID Colleague field. Single valued pointer to INSTITUTIONS file. Says which institution awarded this credential.
	AcademicMajor	varchar	7	n/a	n/a	Major that relates to the Academic Credential
	MajorDescription	varchar	30	n/a	n/a	Major description that relates to the Academic Credential
	PersonId	varchar	10	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.PERSON.ID Colleague field. Single-valued pointer to the PERSON file.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicCredentialMajor	AcademicCredentialMajorStartDate	smalldatetime	n/a	16	n/a	Envision-maintained date of when record was added.
	AcademicCredentialMajorChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date record was last updated.
	OdsAcademicCredentialMajorId	varchar	47	n/a	n/a	
	DateDimensionIDAcademicCredentialMajorStartDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
StAcademicCredentialMinor						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAcademicCredentialID	varchar	10	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.CREDENTIALS.ID Colleague field, which is the Colleague ID of ACAD.CREDENTIALS.
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.ACAD.LEVEL Colleague field. Single valued pointer to OTHER.ACAD.LEVELS file. Used to identify the level of education for the post secondary institutions being defined.
	StAcademicCredentialMinorInstitutionId	varchar	10	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.INSTITUTIONS.ID Colleague field. Single valued pointer to INSTITUTIONS file. Says which institution awarded this credential.
	Minors	varchar	7	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.MINORS Colleague field. This is a pointer to the OTHER.MINORS file for the academic credentials.
	MinorDescription	varchar	30	n/a	n/a	Sourced from the OTHER.MINORS > OMIN.DESC Colleague field. Description of the minor.
	PersonId	varchar	10	n/a	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.PERSON.ID Colleague field. Single-valued pointer to the PERSON file.
	AcademicCredentialMinorAddDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.CREDENTIALS.ADDDATE Colleague field. Envision-maintained date of when record was added.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicCredentialMinor	AcademicCredentialMinorChangeDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.CREDENTIALS > ACAD.CREDENTIALS.CHGDATE Colleague field. Envision-maintained date record was last updated.
	OdsAcademicCredentialMinorID	varchar	47	n/a	n/a	
	DateDimensionIDAcademicCredentialMinorAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
StAcademicProgramCatalog						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAcademicProgramID	varchar	20	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACAD.PROGRAMS.ID Colleague field, which is the Colleague ID of ACAD.PROGRAMS.
	MultiValuePosition	decimal	n/a	10	0	ACPG_CATALOGS is sourced from Colleague's multi-valued ACPG.CATALOGS field. POS is the position number (position in list) of the value from ACPG.CATALOGS that corresponds to the ACPG_CATALOGS value.
	Catalog	varchar	7	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.CATALOGS Colleague field. The catalogs to which you want to assign this academic program.
	InstitutionID	tinyint	1	3	n/a	
	OdsAcademicProgramCatalogID	varchar	57	n/a	n/a	
StAcademicProgramLocations						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAcademicProgramLocationsID	varchar	20	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACAD.PROGRAMS.ID Colleague field, which is the Colleague ID of ACAD.PROGRAMS.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicProgramLocations	MultiValuePosition	decimal	n/a	10	0	ACPG_LOCATIONS is sourced from Colleague's multi-valued ACPG.LOCATIONS field. POS is the position number (position in list) of the value from ACPG.LOCATIONS that corresponds to the ACPG_LOCATIONS value.
	Locations	varchar	7	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.LOCATIONS Colleague field. The locations at which this program is offered.
	LocationDescriptions	varchar	30	n/a	n/a	Sourced from the LOCATIONS > LOC.DESC Colleague field.
	AcademicProgramLocationsAddDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.PROGRAMS > ACAD.PROGRAMS.ADDDATE Colleague field. Envision-maintained date record was added to file.
	AcademicProgramLocationsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.PROGRAMS > ACAD.PROGRAMS.CHGDATE Colleague field. Envision-maintained date record was last updated.
	InstitutionID	tinyint	1	3	n/a	
	OdsAcademicProgramLocationsID	varchar	100	n/a	n/a	
	DateDimensionIDAcademicProgramLocationsAddDate	int	4	10	n/a	
StAcademicProgramMajor						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAcademicProgramID	varchar	20	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACAD.PROGRAMS.ID Colleague field, which is the Colleague ID of ACAD.PROGRAMS.
	MultiValuePosition	decimal	n/a	10	0	ACPG_MAJORS is sourced from Colleague's multi-valued ACPG.MAJORS field. POS is the position number (position in list) of the value from ACPG.MAJORS that corresponds to the ACPG_MAJORS value.
	Major	varchar	7	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.MAJORS Colleague field. The majors associated with this program.
	InstitutionID	tinyint	1	3	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicProgramMajor	OdsAcademicProgramMajorID	varchar	57	n/a	n/a	
StAcademicProgramRequirements						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAcadProgRequirementsID	varchar	26	n/a	n/a	Sourced from the ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.ID Colleague field, which is the Colleague ID of ACAD.PROGRAM.REQMTS.
	AcademicProgram	varchar	30	n/a	n/a	Sourced from the first part of ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.ID. The academic program to which the requirements in the file belong.
	Catalog	varchar	25	n/a	n/a	Sourced from the second part of ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.ID. The catalog to which the requirements in the file belong.
	MinimumCreditsRequired	decimal	n/a	10	5	Sourced from the ACAD.PROGRAM.REQMTS > ACPR.CRED Colleague field. The minimum number of credits required for program completion.
	CurriculumTrack	varchar	20	n/a	n/a	Sourced from the ACAD.PROGRAM.REQMTS > ACPR.CURRICULUM.TRACK Colleague field. ID of the curriculum track which this academic program is to follow for this catalog.
	MinimumInstitutionCreditsRequired	decimal	n/a	10	5	Sourced from the ACAD.PROGRAM.REQMTS > ACPR.INSTITUTION.CRED Colleague field. The number of credits a student must complete at this institution in order to complete the academic program.
	MinimumInstitutionGpa	decimal	n/a	8	5	Sourced from the ACAD.PROGRAM.REQMTS > ACPR.INSTITUTION.GPA Colleague field. The minimum institutional GPA needed for the academic program.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicProgramRequirements	MinimumGpaRequired	decimal	n/a	8	5	Sourced from the ACAD.PROGRAM.REQMTS > ACPR.MIN.GPA Colleague field. The minimum overall GPA required to complete this program.
	W67AcademicProgram	varchar	30	n/a	n/a	Sourced from the ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.ID Colleague field. The academic program to which the requirements in the file belong.
	W67Catalog	varchar	25	n/a	n/a	Sourced from the ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.ID field. The catalog to which the requirements in the file belong.
	MaximumAllowableCredits	decimal	n/a	10	5	Sourced from the ACAD.PROGRAM.REQMTS > ACPR.MAX.CRED Colleague field. The maximum number of credits allowable for the completion of the academic program for the catalog.
	AcademicProgramRequirementsAddDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	AcademicProgramRequirementsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	OdsAcademicProgramRequirementsID	varchar	57	n/a	n/a	
	DateDimensionIDAcademicProgramRequirementsAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
StAcademicPrograms						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAcademicProgramsID	varchar	20	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACAD.PROGRAMS.ID Colleague field, which is the Colleague ID of WCCC_ACAD_PROGRAMS_TBL.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicPrograms	AcademicLevel	varchar	7	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.ACAD.LEVEL Colleague field. The academic level for the academic program.
	AcademicLevelDescription	varchar	30	n/a	n/a	Sourced from the ACAD.LEVELS > ACLV.DESC Colleague field. The academic level description.
	CertificateCredentialDiploma1	varchar	7	n/a	n/a	Sourced from the first value of the ACAD.PROGRAMS > ACPG.CCDS multivalued Colleague field. Any certificate, credential, or diploma to be awarded for this program.
	CertificateCredentialDiploma2	varchar	7	n/a	n/a	Sourced from the second value of the ACAD.PROGRAMS > ACPG.CCDS multivalued Colleague field. Any certificate, credential, or diploma to be awarded for this program.
	Degree	varchar	7	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.DEGREE Colleague field. Degree awarded for the successful completion of this academic program.
	Department1	varchar	7	n/a	n/a	Sourced from the first value of the ACAD.PROGRAMS > ACPG.DEPTS multivalued Colleague field. The departments that own the program.
	Department1Description	varchar	30	n/a	n/a	Sourced from the DEPTS > DEPTS.DESC Colleague field. The department description.
	Department2	varchar	7	n/a	n/a	Sourced from the second value of the ACAD.PROGRAMS > ACPG.DEPTS multivalued Colleague field. The departments that own the program.
	Department2Description	varchar	30	n/a	n/a	Sourced from the DEPTS > DEPTS.DESC Colleague field. The department description.
	Department1Division	varchar	7	n/a	n/a	Sourced from the DEPTS > DEPTS.DIVISION Colleague field. The division to which the department belongs.
	Department1DivisionDescription	varchar	35	n/a	n/a	Sourced from the DIVISIONS > DIV.DESC Colleague field. The description of the division.
	Department2Division	varchar	7	n/a	n/a	Sourced from the DEPTS > DEPTS.DIVISION Colleague field. The division to which the department belongs.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicPrograms	Department2DivisionDescription	varchar	35	n/a	n/a	Sourced from the DIVISIONS > DIV.DESC Colleague field. The description of the division.
	EndDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.PROGRAMS > ACPG.END.DATE Colleague field. The date on which the program ends.
	Department1School	varchar	7	n/a	n/a	Sourced from the DEPTS > DEPTS.SCHOOL Colleague field. The school of the department.
	Department1SchoolDescription	varchar	30	n/a	n/a	Sourced from the SCHOOLS > SCHOOLS.DESC Colleague field. Description of the school.
	Department2School	varchar	7	n/a	n/a	Sourced from the DEPTS > DEPTS.SCHOOL Colleague field. The school of the department.
	Department2SchoolDescription	varchar	30	n/a	n/a	Sourced from the SCHOOLS > SCHOOLS.DESC Colleague field. Description of the school.
	Specialization1	varchar	7	n/a	n/a	Sourced from the first value of the ACAD.PROGRAMS > ACPG.SPECIALIZATIONS multivalued Colleague field. Any specializations associated with this program.
	Specialization1Description	varchar	30	n/a	n/a	Sourced from the SPECIALIZATIONS > SPEC.DESC Colleague field. The description of the specialization.
	Specialization2	varchar	7	n/a	n/a	Sourced from the second value of the ACAD.PROGRAMS > ACPG.SPECIALIZATIONS multivalued Colleague field. Any specializations associated with this program.
	Specialization2Description	varchar	30	n/a	n/a	Sourced from the SPECIALIZATIONS > SPEC.DESC Colleague field. The description of the specialization.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.PROGRAMS > ACPG.START.DATE Colleague field. This is the date the academic program is to begin.
	CurrentStatus	varchar	7	n/a	n/a	Sourced from the first value of the ACAD.PROGRAMS > ACPG.STATUS multivalued Colleague field. The status of the academic program.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicPrograms	CurrentStatusDescription	varchar	32	n/a	n/a	Sourced from the first value of the ACAD.PROGRAMS > ACPG.STATUS multivalued Colleague field. The description of the academic program status.
	Title	varchar	60	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.TITLE field. The full title of the academic program.
	AcademicProgramCip	varchar	30	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.CIP Colleague field. The CIP (Classification of Instructional Program) code associated with this academic program.
	AcademicProgramCipInternalRepresentation	varchar	30	n/a	n/a	Sourced from the valcode lookup - the internal representation, from the ACAD.PROGRAMS > ACPG.CIP Colleague field.
	AcademicProgramCipReport	varchar	30	n/a	n/a	Sourced from the valcode lookup - the internal representation, from the ACAD.PROGRAMS > ACPG.CIP Colleague field. Or if this is null, then W67_ACPG_CIP_RPT is sourced from ACAD.PROGRAMS > ACPG.CIP.
	AcadProgCipReportDescription	varchar	75	n/a	n/a	Sourced from the CIP > CIP.DESC Colleague field.
	Type1	varchar	7	n/a	n/a	Sourced from the first value of the ACAD.PROGRAMS > ACPG.TYPES multivalued Colleague field. The program type. You can record the program type to categorize academic programs in ways other than those provided by the Classification of Instructional Program (CIP) codes, or any local government ID.
	Type2	varchar	7	n/a	n/a	Sourced from the second value of the ACAD.PROGRAMS > ACPG.TYPES multivalued Colleague field. The program type. You can record the program type to categorize academic programs in ways other than those provided by the Classification of Instructional Program (CIP) codes, or any local government ID.
	AcademicProgramsAddDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.PROGRAMS > ACAD.PROGRAMS.ADDDATE Colleague field. Envision-maintained date the record was added to file.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicPrograms	AcademicProgramsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.PROGRAMS > ACAD.PROGRAMS.CHGDATE Colleague field. Envision-maintained date record was last updated.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDEndDate	int	4	10	n/a	
	OdsAcademicProgramsID	varchar	51	n/a	n/a	
	DateDimensionIDStartDate	int	4	10	n/a	
	DateDimensionIDAcademicProgramsAddDate	int	4	10	n/a	
StAcademicYearTermAward						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CompoundId	varchar	37	n/a	n/a	The Colleague ID of TA.ACYR concatenated to the academic year.
	AcademicYear	varchar	27	n/a	n/a	This is probably the "file suite year" of the TA.ACYR Colleague file. WCCC_TA_ACYR_TBL is sourced from TA.ACYR. There is no data transformation showing nor source field showing in DataOrchestrator for ACADEMIC_YEAR.
	ColleagueAcademicYearTermAwardID	varchar	27	n/a	n/a	Sourced from the TA.ACYR > TA.ACYR.ID Colleague field, which is the Colleague ID of TA.ACYR.
	ColleagueAcademicYearTermAwardStuld	varchar	37	n/a	n/a	Sourced from the TA.STUDENT.ID Colleague field, which is part of the Colleague ID of the TA.ACYR Colleague file.
	Award	varchar	37	n/a	n/a	Sourced from the TA.ACYR > TA.AW.ID Colleague field, which is part of the key - part of TA_ACYR_ID. The award.
	Term	varchar	37	n/a	n/a	Sourced from the TA.ACYR > TA.TERM.ID Colleague field, which is part of the key - part of TA_ACYR_ID. The award period associated to the award.
	Action	varchar	7	n/a	n/a	Sourced from the TA.ACYR > TA.TERM.ACTION Colleague field. The action status for this award for the current award period.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicYearTermAward	AwardActionDescription	varchar	30	n/a	n/a	Sourced from the AWARD.ACTIONS > AA.DESCRPTION Colleague field (per TA.ACYR > TA.TERM.ACTION). The description of the award action status associated to the award for the term defined.
	AwardCategoryCode	varchar	7	n/a	n/a	Sourced from the AW.CATEGORY Colleague field, and points to the AC.ID Colleague file. The category code for the award for the selected academic year.
	AwardCategoryDescription	varchar	30	n/a	n/a	Sourced from the AC.DESCRPTION Colleague field. The category description for the award for the selected academic year.
	AwardPeriodStartDate	smalldatetime	n/a	16	n/a	Sourced from the AWDP.START.DATE Colleague field. The start date of the award period from the AWARD.PERIODS Colleague file.
	AwardPeriodEndDate	smalldatetime	n/a	16	n/a	Sourced from the AWDP.END.DATE Colleague field. The end date of the award period from the AWARD.PERIODS file.
	AwardDescription	varchar	60	n/a	n/a	Sourced from the AWARDS > AW.DESCRPTION Colleague field (per TA.ACYR > TA.AW.ID). The description of the award.
	AwardLocation	varchar	7	n/a	n/a	Sourced from the TA.ACYR > TA.LOCATION Colleague field. The location of the award.
	AwardLocationDescription	varchar	30	n/a	n/a	Sourced from the LOCATIONS > LOC.DESC Colleague field (per TA.ACYR > TA.LOCATION). The description or name of the award location.
	AwardLocationFaOffice	varchar	8	n/a	n/a	Sourced from the FA.LOCATIONS > FALOC.FA.OFFICE Colleague field (per TA.ACYR > TA.LOCATION). The FA Office that the award location is associated to.
	FinancialAidOfficeName	varchar	45	n/a	n/a	Sourced from the FA.OFFICES > FAOFC.NAME Colleague field (per TA.ACYR > TA.LOCATION >> FA.LOCATIONS > FALOC.FA.OFFICE). The institution name of the financial aid office, for the award location.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicYearTermAward	AwardAmount	decimal	n/a	7	2	Sourced from the TA.TERM.AMOUNT Colleague field. The amount of award money associated with the term.
	AwardActionCategory	varchar	7	n/a	n/a	Sourced from the AWARD.ACTIONS > AA.CATEGORY Colleague field (per TA.ACYR > TA.TERM.ACTION). The award category for the action status associated to the award for the term defined.
	AwardActionCategoryDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the AWARD.ACTIONS > AA.CATEGORY Colleague field (per TA.ACYR > TA.TERM.ACTION). The description of the award category for the action status associated to the award for the term defined.
	AwardAmountTransmitted	decimal	n/a	7	2	Sourced from the TA.TERM.XMIT.AMT Colleague field. The dollar amount that has been transmitted to the Accounts Receivables module.
	AwardType	varchar	7	n/a	n/a	Sourced from the AWARDS > AW.TYPE Colleague field (per TA.ACYR > TA.AW.ID). The award type: (F)ederal, (S)tate, (I)nstitutional or (O)ther.
	AwardTypeDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the AWARDS > AW.TYPE Colleague field (per TA.ACYR > TA.AW.ID). The description of the award type.
	MasterPromissoryNoteStatus	varchar	7	n/a	n/a	Sourced from the TA.ACYR > TA.MPN.STATUS Colleague computed column. The Master Promissory Note status. The Master Promissory Note corresponds to the Direct Loan Program.
	SuiteYearInstance	varchar	27	n/a	n/a	File suite year of the TA.ACYR file
	AwardTypeCode	varchar	30	n/a	n/a	Sourced from the AW.TYPE Colleague field. The Award type with Common Codes.
	AwardActionCode	varchar	30	n/a	n/a	Sourced from the TA.TERM.ACTION Colleague field. The action status code associated with the award for the selected term with Common Codes.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcademicYearTermAward	ColleagueAcademicYearTermAwardTermId	varchar	30	n/a	n/a	Sourced from the TA.TERM.ID Colleague field, which is part of the Colleague ID of the TA.ACYR Colleague file. Also, it's the award period associated to the financial aid award.
	ColleagueAcademicYearTermAwardAwdId	varchar	30	n/a	n/a	Sourced from the TA.AW.ID Colleague field, which is part of the Colleague ID of the TA.ACYR Colleague file. Also, it's the Award type with common codes.
	AwardDescriptionReport	varchar	75	n/a	n/a	Sourced from the AW.DESCRPTION Colleague field. The Award Description with Common Codes.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	The date the record was added to the file, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	The date the record was last changed, in Colleague.
	MasterPromissoryNoteStatusDescription	varchar	32	n/a	n/a	
	DateDimensionIDAwardPeriodEndDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	AcademicLevel	varchar	20	n/a	n/a	
	DateDimensionIDAwardPeriodStartDate	int	4	10	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsStAcademicYearTermAwardId	varchar	68	n/a	n/a	
StAcadProgRequirementsRules						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagAcadProgRequirementsRulesID	varchar	26	n/a	n/a	Sourced from the ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.ID Colleague field, which is the Colleague ID of ACAD.PROGRAM.REQMTS.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcadProgRequirementsRules	MultiValuePosition	decimal	n/a	10	0	ACPR_ACAD_CRED_RULES is sourced from Colleague's multi-valued ACPR.ACAD.CRED.RULES field. POS is the position number (position in list) of the value from ACPR.ACAD.CRED.RULES that corresponds to the ACPR_ACAD_CRED_RULES value.
	AcademicProgram	varchar	20	n/a	n/a	Sourced from the first part of the ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.ID Colleague field, which is ACPR.ACAD.PROGRAM. The academic program to which the requirements in the file belong.
	Catalog	varchar	7	n/a	n/a	Sourced from the second part of the ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.ID Colleague field, which is ACPR.CATALOG. The catalog to which the requirements in the file belong.
	AcademicCreditRules	varchar	8	n/a	n/a	Sourced from the ACAD.PROGRAM.REQMTS > ACPR.ACAD.CRED.RULES multivalued Colleague field. The list of rules to restrict academic activity - the rules to further limit the courses eligible to apply to this program.
	AcadProgRequirementsAddDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	AcadProgRequirementsAddOperator	varchar	20	n/a	n/a	Sourced from the ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.ADDOPR Colleague field. Envision-maintained login of who added this record.
	AcadProgRequirementsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.CHGDATE Colleague field. Envision-maintained date this record was last updated.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcadProgRequirementsRules	AcadProgRequirementsChgOperator	varchar	20	n/a	n/a	Sourced from the ACAD.PROGRAM.REQMTS > ACAD.PROGRAM.REQMTS.CHGOPR Colleague field. Envision-maintained login of who last updated this rec.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDAcadProgRequirementsAddDate	int	4	10	n/a	
	OdsAcadProgRequirementsRulesID	varchar	66	n/a	n/a	
StAccountsReceivableAccount						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAccountsReceivableAccountID	varchar	16	n/a	n/a	Sourced from the AR.ACCTS > AR.ACCTS.ID Colleague field, which is the Colleague ID of AR.ACCTS.
	Person_ID	varchar	10	n/a	n/a	Sourced from the AR.ACCTS > ARA.PERSON.ID Colleague field, which is part of the Colleague ID. And, the ID of the person represented by this account.
	AccountsReceivableType	varchar	7	n/a	n/a	Sourced from the AR.ACCTS > ARA.AR.TYPE Colleague field, which is part of the Colleague ID. And, The AR type that is used to get the offsetting GL accounts for anything posted to this account.
	Balance	decimal	n/a	14	2	Sourced from the AR.ACCTS > ARA.BALANCE Colleague computed column. The balance of this AR.ACCTS record.
	AccountsReceivableTypeDescription	varchar	30	n/a	n/a	Sourced from the AR.TYPES > ART.DESC field (per AR.ACCTS > ARA.AR.TYPE). The description of the AR type.
	AccountsReceivableAccountAddDate	smalldatetime	n/a	16	n/a	Sourced from the AR.ACCTS > AR.ACCTS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	AccountsReceivableAccountChangeDate	smalldatetime	n/a	16	n/a	Sourced from the AR.ACCTS > AR.ACCTS.CHGDATE Colleague field. Envision-maintained date this record was last updated.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAccountsReceivableAccount	AccountsReceivableAccountAddOperator	varchar	20	n/a	n/a	Sourced from the AR.ACCTS > AR.ACCTS.ADDOPR Colleague field. Envision-maintained login of who added this record.
	AccountsReceivableAccountChangeOperator	varchar	20	n/a	n/a	Sourced from the AR.ACCTS > AR.ACCTS.CHGOPR Colleague field. Envision-maintained login of who last updated this rec.
	DateDimensionIDAccountsReceivableAccountAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsAccountsReceivableAccountID	varchar	47	n/a	n/a	
StAccountsReceivableCode						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAccountsRecvblCodeID	varchar	7	n/a	n/a	Sourced from the AR.CODES > AR.CODES.ID Colleague field, which is the Colleague ID of AR.CODES.
	MultiValuePosition	decimal	n/a	10	0	ARC_GL_NOS is sourced from Colleague's multi-valued ARC.GL.NOS field. POS is the position number (position in list) of the value from ARC.GL.NOS that corresponds to the ARC_GL_NOS value.
	ChargeAmount	decimal	n/a	12	2	Sourced from the AR.CODES > ARC.CHARGE.AMT Colleague field. The dollar amount for the charge represented by the AR code. This is the default amount that will be charged when this AR code is assigned to an item or service.
	Description	varchar	60	n/a	n/a	Sourced from the AR.CODES > ARC.DESC Colleague field. The description of the AR code.
	GeneralLedgerAccounts	varchar	30	n/a	n/a	Sourced from the AR.CODES > ARC.GL.NOS Colleague field. The default general ledger account(s) to which the charges/credits (ARC.GL.AMT) associated to the AR code will be posted for current revenue.
	InstitutionID	tinyint	1	3	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAccountsReceivableCode	OdsAccountsReceivableCodeID	varchar	67	n/a	n/a	
StAccountsReceivableDeposit						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAccountsReceivableDepositID	varchar	10	n/a	n/a	Sourced from the AR.DEPOSITS > AR.DEPOSITS.ID Colleague field, which is the Colleague ID of AR.DEPOSITS.
	DepositAmount	decimal	n/a	12	2	Sourced from the AR.DEPOSITS > ARD.AMT Colleague field. The amount of the deposit.
	DepositDate	smalldatetime	n/a	16	n/a	Sourced from the AR.DEPOSITS > ARD.DATE Colleague field. The effective date of the deposit.
	DepositType	varchar	7	n/a	n/a	Sourced from the AR.DEPOSITS > ARD.DEPOSIT.TYPE Colleague field. The deposit type to which this deposit applies.
	DepositTypeDescription	varchar	30	n/a	n/a	Sourced from the AR.DEPOSIT.TYPES > ARDT.DESC Colleague field. The description of the deposit type.
	AccountsReceivableDepositAddOperator	varchar	20	n/a	n/a	Sourced from the AR.DEPOSITS > AR.DEPOSITS.ADDOPR Colleague field. Envision-maintained login of who added this record.
	PersonID	varchar	10	n/a	n/a	Sourced from the AR.DEPOSITS > ARD.PERSON.ID Colleague field. The person to whose deposit account record this item belongs.
	ReversalAmount	decimal	n/a	12	2	Sourced from the AR.DEPOSITS > ARD.REVERSAL.AMT Colleague field. This shows if the deposit record is a reversal. It is only entered to show an error being fixed since it was felt that just posting a charge to the account would not be quite accurate (even though the result is the same).
	DepositTerm	varchar	7	n/a	n/a	Sourced from the AR.DEPOSITS > ARD.TERM Colleague field. The term in which this deposit record was made.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAccountsReceivableDeposit	DepositTermDescription	varchar	30	n/a	n/a	Sourced from the TERMS > TERM.DESC Colleague field. The description of the deposit record term.
	AccountsReceivableDepositAddDate	smalldatetime	n/a	16	n/a	Sourced from the AR.DEPOSITS > AR.DEPOSITS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	AccountsReceivableDepositChangeDate	smalldatetime	n/a	16	n/a	Sourced from the AR.DEPOSITS > AR.DEPOSITS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	DateDimensionIDDepositDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsAccountsReceivableDepositID	varchar	41	n/a	n/a	
	DateDimensionIDAccountsReceivableDepositAddDate	int	4	10	n/a	
StAccountsReceivableInvoice						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAccountsReceivableInvoiceID	varchar	10	n/a	n/a	Sourced from the AR.INVOICES > AR.INVOICES.ID Colleague field, which is the Colleague ID of AR.INVOICES.
	AccountsReceivableTypeOfInvoice	varchar	7	n/a	n/a	Sourced from the AR.INVOICES > INV.AR.TYPE Colleague field. AR type of the invoice. Used to get the offsetting GL account number for posting as well as to identify the AR account of the person whose invoice this is.
	AccountsReceivableType	varchar	30	n/a	n/a	Sourced from the AR.TYPES > ART.DESC Colleague field. The invoice AR type description.
	InvoiceDate	smalldatetime	n/a	16	n/a	Sourced from the AR.INVOICES > INV.DATE Colleague field. The date of the invoice - used as the GL posting date.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAccountsReceivableInvoice	InvoiceNumber	varchar	15	n/a	n/a	Sourced from the AR.INVOICES > INV.NO Colleague field. The actual invoice number. This can be either system-generated or user-assigned. This is the number by which this invoice is known throughout the system.
	PersonID	varchar	10	n/a	n/a	Sourced from the AR.INVOICES > INV.PERSON.ID Colleague field. The ID of the person to whose AR account this invoice will be applied.
	InvoiceSource	varchar	10	n/a	n/a	If AR.INVOICES > INV.ADJ.TO.INVOICE is not null, then it's "AD". If INV.ADJ.TO.INVOICE is null, then... If AR.INVOICES > INV.REG.AR.POSTING is not null, then it's "RG". If INV.REG.AR.POSTING is null, then... If AR.INVOICES > INV.ROOM.AR.POSTING is not null, then it's "RM". If INV.ROOM.AR.POSTING is null, then... If AR.INVOICES > INV.MEAL.AR.POSTING is not null, then it's "ML". If INV.MEAL.AR.POSTING is null, then... If AR.INVOICES > INV.AR.RC.INVOICE is not null, then it's "RC". If INV.AR.RC.INVOICE is null, then... If AR.INVOICES > INV.AR.TRANSFER.PAYMENT is not null, then it's "TR". If INV.AR.TRANSFER.PAYMENT is null, then... If AR.INVOICES > INV.SPONSOR.PAYMENT is not null, then it's "SB". If INV.SPONSOR.PAYMENT is null, then it's "MC".
	InvoiceSourceDescription	varchar	32	n/a	n/a	Valcode description of the INV_SOURCE. The description of the invoice source.
	InvoiceReportingTerm	varchar	7	n/a	n/a	Sourced from the TERMS > TERM.REPORTING.TERM Colleague field (per AR.INVOICES > INV.TERM).
	InvoiceTerm	varchar	7	n/a	n/a	Sourced from the AR.INVOICES > INV.TERM Colleague field. The term to which this invoice is assigned.
	GrossCreditAmount	decimal	n/a	13	2	Sourced from the AR.INVOICES > INV.CREDIT.AMT Colleague field. The gross credits for all of this invoice's items.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAccountsReceivableInvoice	GrossChargeAmount	decimal	n/a	13	2	Sourced from the AR.INVOICES > INV.CHARGE.AMT Colleague field. The gross charges for all invoice items belonging to this invoice.
	InvoiceDueDate	smalldatetime	n/a	16	n/a	Sourced from the AR.INVOICES > INV.DUE.DATE Colleague field. The date the invoice is due. Used by billing and to determine if finance charges apply.
	InvoiceLocation	varchar	7	n/a	n/a	Sourced from the AR.INVOICES > INV.LOCATION Colleague field. The location with which this invoice is associated. This is the location at which the charge was incurred.
	InvoiceLocationDescription	varchar	30	n/a	n/a	Sourced from the LOCATIONS > LOC.DESC Colleague field. Invoice location description.
	GrossTaxCreditAmount	decimal	n/a	13	2	Sourced from the AR.INVOICES > INV.TAX.CR.AMT Colleague field. The gross tax credits for all invoice items belonging to this invoice.
	GrossTaxChargeAmount	decimal	n/a	13	2	Sourced from the AR.INVOICES > INV.TAX.CHG.AMT Colleague field. The gross tax charges for all invoice items belonging to this invoice.
	InvoiceTermDescription	varchar	30	n/a	n/a	Sourced from the TERMS > TERM.DESC Colleague field (per AR.INVOICES > INV.TERM). The description of the invoice term.
	AccountsReceivableInvoiceAddDate	smalldatetime	n/a	16	n/a	Sourced from the AR.INVOICES > AR.INVOICES.ADDDATE Colleague field. Envision-maintained date of when this record was added.
	AccountsReceivableInvoiceChangeDate	smalldatetime	n/a	16	n/a	Sourced from the AR.INVOICES > AR.INVOICES.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	InvoiceType	varchar	10	n/a	n/a	Sourced from the AR.INVOICES > INV.TYPE Colleague field. The type of invoice.
	DateDimensionIDInvoiceDueDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAccountsReceivableInvoice	DateDimensionIDInvoiceDate	int	4	10	n/a	
	OdsAccountsReceivableInvoiceID	varchar	41	n/a	n/a	
	DateDimensionIDAccountsReceivableInvoiceAddDate	int	4	10	n/a	
StAccountsReceivableInvoiceItems						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAccountsReceivableInvoiceItemID	varchar	10	n/a	n/a	Sourced from the AR.INVOICE.ITEMS > AR.INVOICE.ITEMS.ID Colleague field, which is the Colleague ID of AR.INVOICE.ITEMS.
	InvoiceID	varchar	10	n/a	n/a	Sourced from the AR.INVOICE.ITEMS > INVI.INVOICE Colleague field. The ID of the invoice record to which this item belongs.
	AccountsReceivableCode	varchar	7	n/a	n/a	Sourced from the AR.INVOICE.ITEMS > INVI.AR.CODE Colleague field. This is the AR code for this invoice item. It is used to get the default item description and amount, both of which can be changed. It is also used to get the GL accounts for posting; these cannot be changed.
	AccountsReceivableCodeDescription	varchar	40	n/a	n/a	Sourced from the AR.CODES > ARC.DESC Colleague field. The description of the AR code.
	InvoiceItemDescription	varchar	115	n/a	n/a	Sourced from the AR.INVOICE.ITEMS > INVI.DESC Colleague field. The description of the invoice item.
	InvoiceItemDescriptionLine2	varchar	35	n/a	n/a	Sourced from the second value of the AR.INVOICE.ITEMS > INVI.DESC multivalued Colleague field. The description of the invoice item.
	FullChargeAmount	decimal	n/a	12	2	Sourced from the AR.INVOICE.ITEMS > INVI.EXT.CHARGE.AMT Colleague field. The full amount of the invoice item.
	ExtendedCreditAmount	decimal	n/a	12	2	Sourced from the AR.INVOICE.ITEMS > INVI.EXT.CR.AMT Colleague field. This is the quantity times the credit amount. The extended amount is the amount by which an AR account balance is reduced.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAccountsReceivableInvoiceItems	AccountsReceivableCodeCategory	varchar	7	n/a	n/a	Sourced from the AR.CODES > ARC.AR.CATEGORY Colleague field. The AR category of the AR Code.
	AccountsRecvblCodeCatgryDescription	varchar	25	n/a	n/a	Sourced from the AR.CATEGORIES > ARCT.DESC Colleague field.
	InvoiceCourseSectionID	varchar	19	n/a	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.COURSE.SECTION Colleague field.
	AccountsReceivableInvoiceItemsAddDate	smalldatetime	n/a	16	n/a	"Sourced from the AR.INVOICE.ITEMS > AR.INVOICE.ITEMS.ADDDATE Colleague field. Envision-maintained date of when this record was added."
	AccountsRecvblInvoiceItemsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the AR.INVOICE.ITEMS > AR.INVOICE.ITEMS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	InvoiceGeneralLedgerAccounts1	varchar	15	n/a	n/a	Sourced from the AR.INVOICE.ITEMS > INVI.GL.NOS Colleague field. The GL accounts that will be used to post this invoice to GL.
	InvoiceGeneralLedgerAccounts2	varchar	15	n/a	n/a	Sourced from the AR.INVOICE.ITEMS > INVI.GL.NOS Colleague field. The GL accounts that will be used to post this invoice to GL.
	DateDimensionIDAccountsReceivableInvoiceItemsAddDate	int	4	10	n/a	
	OdsAccountsReceivableInvoiceItemsID	varchar	15	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StAccountsReceivablePaymentItem						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAccountsRcvblPaymentItemID	varchar	10	n/a	n/a	Sourced from the AR.PAYMENT.ITEMS > AR.PAYMENT.ITEMS.ID Colleague field, which is the Colleague ID of AR.PAYMENT.ITEMS.
	PaymentID	varchar	10	n/a	n/a	Sourced from the AR.PAYMENT.ITEMS > ARPI.PAYMENT Colleague field. Key to the payment record to which this item belongs.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAccountsReceivablePaymentItem	PaymentAmount	decimal	n/a	12	2	Sourced from the AR.PAYMENT.ITEMS > ARPI.AMT Colleague field. The amount of the payment. Used to affect the AR account balance and to post to GL.
	InvoiceItemID	varchar	10	n/a	n/a	Sourced from the AR.PAYMENT.ITEMS > ARPI.INVOICE.ITEM Colleague field. ID of the invoice item to which this payment item applies.
	ReversalAmount	decimal	n/a	12	2	Sourced from the AR.PAYMENT.ITEMS > ARPI.REVERSAL.AMT Colleague field. This shows if a payment is a reversal.
	AccountsRcvblPaymentItemAddDate	smalldatetime	n/a	16	n/a	Sourced from the AR.PAYMENT.ITEMS > AR.PAYMENT.ITEMS.ADDDATE Colleague field. Envision-maintained date of when this record was added.
	AccountsRcvblPaymentItemChangeDate	smalldatetime	n/a	16	n/a	Sourced from the AR.PAYMENT.ITEMS > AR.PAYMENT.ITEMS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	DateDimensionIDAccountsRcvblPaymentItemAddDate	int	4	10	n/a	
	OdsAccountsReceivablePaymentItemID	varchar	41	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StAccountsReceivablePaymentPlan						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAccountsRcvblPaymentPlanID	varchar	10	n/a	n/a	Sourced from the AR.PAY.PLANS > AR.PAY.PLANS.ID Colleague field, which is the Colleague ID of AR.PAY.PLANS.
	AccountsReceivableType	varchar	7	n/a	n/a	Sourced from the AR.PAY.PLANS > ARPL.AR.TYPE Colleague field. The AR type of the payment plan.
	AccountsReceivableTypeDescription	varchar	30	n/a	n/a	Sourced from the AR.TYPES > ART.DESC Colleague field. The description of the payment plan AR type.
	TotalOutstandingBalance	decimal	n/a	12	2	Sourced from the AR.PAY.PLANS > ARPL.BALANCE Colleague computed column. The total outstanding balance of the payment plan, not including late charges which have not been posted yet.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAccountsReceivablePaymentPlan	CurrentStatus	varchar	7	n/a	n/a	Sourced from the AR.PAY.PLANS > ARPL.STATUS Colleague field. Identifies the status of the payment plan as of the status date.
	CurrentStatusDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the AR.PAY.PLANS > ARPL.STATUS Colleague field. The description of the payment plan current status.
	PersonID	varchar	10	n/a	n/a	Sourced from the AR.PAY.PLANS > ARPL.PERSON.ID Colleague field. ID of the person for whom this payment plan was set up.
	AccountsRcvblPaymentPlanAddDate	smalldatetime	n/a	16	n/a	Sourced from the AR.PAY.PLANS > AR.PAY.PLANS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	AccountsRcvblPaymentPlanChangeDate	smalldatetime	n/a	16	n/a	Sourced from the AR.PAY.PLANS > AR.PAY.PLANS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	OdsAccountsReceivablePaymentPlanID	varchar	41	n/a	n/a	
	DateDimensionIDAccountsRcvblPaymentPlanAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
StAccountsReceivablePayments						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAccountsReceivablePaymentsID	varchar	10	n/a	n/a	Sourced from the AR.PAYMENTS > AR.PAYMENTS.ID Colleague field, which is the Colleague ID of AR.PAYMENTS.
	AccountsReceivableType	varchar	7	n/a	n/a	Sourced from the AR.PAYMENTS > ARP.AR.TYPE Colleague field. The AR type to which this payment applies.
	AccountsReceivableTypeDescription	varchar	30	n/a	n/a	Sourced from the AR.TYPES > ART.DESC Colleague field. The description of the payment AR type.
	CashReceiptID	varchar	16	n/a	n/a	Sourced from the AR.PAYMENTS > ARP.CASH.RCPT Colleague field. The ID of the CASH.RCPTS record that created this payment.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAccountsReceivablePayments	DepositItemID	varchar	10	n/a	n/a	Sourced from the AR.PAYMENTS > ARP.DEPOSIT.ITEM Colleague field. ID of the AR.DEPOSIT.ITEMS record that created this payment.
	FinancialAidTransmittalID	varchar	9	n/a	n/a	Sourced from the AR.PAYMENTS > ARP.FA.TRANSMITTAL Colleague field. The ID of the FA.TRANSMITTALS record that created this payment.
	PayrollGenLedgReferenceNumber	varchar	10	n/a	n/a	Sourced from the AR.PAYMENTS > ARP.PAYROLL.GL.REFERENCE.NO Colleague field. The reference number which HR used to post this entry to GL. Kept as an audit trail back to GL
	PersonID	varchar	10	n/a	n/a	Sourced from the AR.PAYMENTS > ARP.PERSON.ID Colleague field. The person to whom this payment applies.
	SponsorInvoiceID	varchar	10	n/a	n/a	Sourced from the AR.PAYMENTS > ARP.SPONSOR.INVOICE Colleague field. This is the ID of the invoice which was generated for the sponsor.
	IsSystemGenerated	varchar	7	n/a	n/a	Sourced from the AR.PAYMENTS > ARP.SYSTEM.GENERATED.IND Colleague field. This contains a Y if the payment was system generated, null otherwise. (bit/boolean field)
	PaymentReportingTerm	varchar	7	n/a	n/a	Sourced from the TERMS > TERM.REPORTING.TERM Colleague field (per AR.PAYMENTS > ARP.TERM). The payment reporting term.
	PaymentTerm	varchar	7	n/a	n/a	Sourced from the AR.PAYMENTS > ARP.TERM Colleague field. The term with which this payment is associated.
	TransferInvoiceID	varchar	10	n/a	n/a	Sourced from the AR.PAYMENTS > ARP.AR.TRANSFER.INVOICE Colleague field. The ID of the invoice of the new AR account to which the current invoice was transferred.
	VoucherID	varchar	8	n/a	n/a	Sourced from the AR.PAYMENTS > ARP.VOUCHER Colleague field. System-maintained ID of the voucher related to this payment.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAccountsReceivablePayments	PaymentDate	smalldatetime	n/a	16	n/a	"Sourced from the AR.PAYMENTS > ARP.DATE Colleague field. The date of the payment. Used in posting to GL."
	AccountsRcvblPaymentsAddOperator	varchar	20	n/a	n/a	Sourced from the AR.PAYMENTS > AR.PAYMENTS.ADDOPR Colleague field. Envision-maintained login of who added this record.
	AccountsRcvblPaymentsAddDate	smalldatetime	n/a	16	n/a	Sourced from the AR.PAYMENTS > AR.PAYMENTS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	AccountsRcvblPaymentsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the AR.PAYMENTS > AR.PAYMENTS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	PaymentAmount	decimal	n/a	12	2	Sourced from the AR.PAYMENTS > ARP.AMT Colleague field. The amount of the payment. This is used as a control amount, and it is the positive net of the sum of all payment item amounts minus the sum of all payment item reversal amounts.
	NetOfPayment	decimal	n/a	12	2	Sourced from the AR.PAYMENTS > ARP.NET.AMT Colleague computed column. The net (payments - reversals) of the payment.
	ReversedPaymentAmount	decimal	n/a	12	2	Sourced from the AR.PAYMENTS > ARP.REVERSAL.AMT Colleague field. The amount of a reversed payment. It is used as a control amount, and it is the positive net of the sum of all payment item reversal amounts minus the sum of all payment item amounts.
	DateDimensionIDPaymentDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsAccountsReceivablePaymentsID	varchar	41	n/a	n/a	
	DateDimensionIDAccountsRcvblPaymentsAddDate	int	4	10	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcctRecvCodeTaxGIDistribution	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueAcctRecvCodeTaxGIDistributionID	varchar	10	n/a	n/a	Sourced from the AR.CODE.TAX.GL.DISTR > AR.CODE.TAX.GL.DISTR.ID Colleague field, which is the Colleague ID of AR.CODE.TAX.GL.DISTR.
	AccountsReceivableInvoiceItem	varchar	10	n/a	n/a	Sourced from the AR.CODE.TAX.GL.DISTR > ARCTD.AR.INVOICE.ITEM Colleague field. The AR.INVOICE.ITEMS record to which this tax distribution belongs.
	AccountsReceivableTaxAmountPosted	decimal	n/a	10	2	Sourced from the AR.CODE.TAX.GL.DISTR > ARCTD.GL.TAX.AMT Colleague field. The amount of the tax posted to the GL account.
	AccountsReceivableTaxCode	varchar	7	n/a	n/a	Sourced from the AR.CODE.TAX.GL.DISTR > ARCTD.TAX.CODE Colleague field. The tax code that was associated with the AR code that caused this distribution.
	AcctRecvCodeTaxGIDistrAddDate	smalldatetime	n/a	16	n/a	"Sourced from the AR.CODE.TAX.GL.DISTR > AR.CODE.TAX.GL.DISTR.ADDDATE Colleague field. Envision-maintained date of when this record was added. "
	AcctRecvCodeTaxGIDistrChangeDate	smalldatetime	n/a	16	n/a	Sourced from the AR.CODE.TAX.GL.DISTR > AR.CODE.TAX.GL.DISTR.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	DateDimensionIDAcctRecvCodeTaxGIDistrAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsAcctRecvCodeTaxGIDistributionID	varchar	41	n/a	n/a	
StAcctYearTermAwrAddlFields						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcadYearTermAwardAddlFields	CompoundID	varchar	37	n/a	n/a	The TA.ACYS > TA.ACYS.ID Colleague field (ID) concatenated to the file suite year.
	FileSuiteYear	varchar	27	n/a	n/a	The file suite year of the TA.ACYS Colleague file.
	ColleagueAcadYearTermAwardAddlFieldsID	varchar	27	n/a	n/a	Sourced from the TA.ACYS > TA.ACYS.ID Colleague field, which is the Colleague ID of TA.ACYS.
	AcadYearTermAwardAddDate	smalldatetime	n/a	16	n/a	Sourced from the TA.ACYS > TA.ACYS.ADD.DATE Colleague field. The date the record was added to the file.
	AcadYearTermAwardChgDate	smalldatetime	n/a	16	n/a	Sourced from the TA.ACYS > TA.ACYS.CHANGE.DATE Colleague field. The date the record was last changed.
	ActionDate	smalldatetime	n/a	16	n/a	Sourced from the TA.ACYS > TA.TERM.ACTION.DATE Colleague field. The date on which the action takes place.
	UnTransmittedAmount	decimal	n/a	7	2	Sourced from the TA.ACYS > TA.TERM.UNXMIT.AMT Colleague field. The amount of the term award that has not been transmitted to Accounts Receivable.
	AwardMoneyTransmissionDate	smalldatetime	n/a	16	n/a	Sourced from the TA.ACYS > TA.TERM.XMIT.DT Colleague field. The date that the award money was transmitted the the student's accounts receivable record.
	AwardDestination	varchar	7	n/a	n/a	Sourced from the AWARDS > AW.DESTINATION Colleague field (per TA.ACYS > TA.AW.ID). The definition of the method for handling award processing - the destination code that describes how funds are applied against a student's account.
	IsAwardCategoryALoanType	varchar	7	n/a	n/a	Sourced from the AWARD.CATEGORIES > AC.LOAN.FLAG Colleague field (per TA.ACYS > TA.AW.ID >> AWARDS > AW.CATEGORY). This flag determines whether or not the award category is a loan type. This is set to Y if it is a loan category. (bit/boolean field)
	DateDimensionIDActionDate	int	4	10	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StAcadYearTermAwdAddlFields	DateDimensionIDAcadYearTermAwdAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDAwardMoneyTransmissionDate	int	4	10	n/a	
	OdsAcadYearTermAwdAddlFieldsID	varchar	68	n/a	n/a	
StApplicantCareerGoal						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueApplicantID	varchar	10	n/a	n/a	Sourced from the APPLICANTS > APPLICANTS.ID Colleague field, which is the Colleague ID of APPLICANTS.
	MultiValuePosition	decimal	n/a	10	0	APP_CAREER_GOALS is sourced from Colleague's multi-valued APP.CAREER.GOALS field. POS is the position number (position in list) of the value from APP.CAREER.GOALS that corresponds to the APP_CAREER_GOALS value.
	Goals	varchar	10	n/a	n/a	Sourced from the APPLICANTS > APP.CAREER.GOALS Colleague field. The career goals for the prospect.
	GoalDates	smalldatetime	n/a	16	n/a	Sourced from the APPLICANTS > APP.CAREER.GOAL.CHANGE.DATES Colleague field. The date the associated career goal changed
	InstitutionID	tinyint	1	3	n/a	
	ApplicantChangeDate	smalldatetime	n/a	16	n/a	
	DateDimensionIDApplicantAddDate	int	4	10	n/a	
	DateDimensionIDGoalDates	int	4	10	n/a	
	ApplicantAddDate	smalldatetime	n/a	16	n/a	
	OdsApplicantCareerGoalID	varchar	47	n/a	n/a	
StApplicantInterest						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StApplicantInterest	ColleagueApplicantID	varchar	10	n/a	n/a	Sourced from the APPLICANTS > APPLICANTS.ID Colleague field, which is the Colleague ID of APPLICANTS.
	MultiValuePosition	decimal	n/a	10	0	APP_INTERESTS is sourced from Colleague's multi-valued APP.INTERESTS field. POS is the position number (position in list) of the value from APP.INTERESTS that corresponds to the APP_INTERESTS value.
	Interests	varchar	7	n/a	n/a	Sourced from the APPLICANTS > APP.INTERESTS Colleague field. The list of interest codes for this applicant.
	InterestDescriptions	varchar	30	n/a	n/a	Sourced from the INTERESTS > INT.DESC Colleague field (per APPLICANTS > APP.INTERESTS). The descriptions of the of interest codes for this applicant.
	InstitutionID	tinyint	1	3	n/a	
	OdsApplicantInterestID	varchar	47	n/a	n/a	
StApplicantMiscellaneous1						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueApplicantID	varchar	10	n/a	n/a	Sourced from the APPLICANTS > APPLICANTS.ID Colleague field, which is the Colleague ID of APPLICANTS.
	MultiValuePosition	decimal	n/a	10	0	APP_MISC1 is sourced from Colleague's multi-valued APP.MISC1 field. POS is the position number (position in list) of the value from APP.MISC1 that corresponds to the APP_MISC1 value.
	Miscellaneous1	varchar	7	n/a	n/a	Sourced from the APPLICANTS > APP.MISC1 Colleague field. A user-specified field, to enter miscellaneous information.
	InstitutionID	tinyint	1	3	n/a	
	OdsApplicantMiscellaneous1ID	varchar	47	n/a	n/a	
StApplicantRemark						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StApplicantRemark	ColleagueApplicantRemarkID	varchar	10	n/a	n/a	Sourced from the APPLICANT.REMARKS > APPLICANT.REMARKS.ID Colleague field, which is the Colleague ID of APPLICANT.REMARKS.
	ApplicantRemarkAddDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICANT.REMARKS > APPLICANT.REMARKS.ADDDATE Colleague field. Envision-maintained date the record was added to the file.
	ApplicantRemarkAddOperator	varchar	20	n/a	n/a	Sourced from the APPLICANT.REMARKS > APPLICANT.REMARKS.ADDOPR Colleague field. Envision-maintained login of person adding this record.
	ApplicantRemarkChangeDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICANT.REMARKS > APPLICANT.REMARKS.CHGDATE Colleague field. The Envision-maintained date record was last updated.
	ApplicantRemarkChangeOperator	varchar	20	n/a	n/a	Sourced from the APPLICANT.REMARKS > APPLICANT.REMARKS.CHGOPR Colleague field. Envision-maintained login of person who last updated this file.
	ApplicantID	varchar	10	n/a	n/a	Sourced from the APPLICANT.REMARKS > APP.REMARKS.APPLICANT Colleague field. The key to APPLICANTS file - it is used for background processing.
	RemarksCode	varchar	7	n/a	n/a	Sourced from the APPLICANT.REMARKS > APP.REMARKS.CODE Colleague field. The office or other source of the notes/remarks.
	RemarksDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICANT.REMARKS > APP.REMARKS.DATE Colleague field. The date on which the remarks were created.
	RemarksText	varchar	30	n/a	n/a	Sourced from the APPLICANT.REMARKS > APP.REMARKS.TEXT Colleague field. A one line remark or detail to the Applicant Remarks screen.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StApplicantRemark	RemarkType	varchar	7	n/a	n/a	Sourced from the APPLICANT.REMARKS > APP.REMARKS.TYPE Colleague field. A valid remark type code for these remarks.
	DateDimensionIDApplicantRemarkAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDRemarksDate	int	4	10	n/a	
	OdsApplicantRemarkID	varchar	41	n/a	n/a	
StApplicants						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueApplicantsID	varchar	10	n/a	n/a	Sourced from the APPLICANTS > APPLICANTS.ID Colleague field, which is the Colleague ID of APPLICANTS.
	AlumniAreaRepresentative	varchar	25	n/a	n/a	Sourced from the APPLICANTS > APP.AARS Colleague computed column. It is the applicant's "Alumni Area Representative".
	AdmissionsRepresentative	varchar	10	n/a	n/a	Sourced from the APPLICANTS > APP.ADMISSIONS.REP Colleague field. The name of the admissions representative assigned to this applicant.
	IsApplied	varchar	7	n/a	n/a	Sourced from the APPLICANTS > APP.APPLIED Colleague computed column. This is 'Y' if the person has active Applications, and is therefore an applicant. (bit/boolean field)
	CurrentProspectStatus	varchar	7	n/a	n/a	Sourced from the APPLICANTS > APP.PROSPECT.STATUS Colleague field. The current status of the person as a prospect.
	CurrentRecruiter	varchar	10	n/a	n/a	Sourced from the APPLICANTS > APP.CURRENT.RECRUITER Colleague computed column.
	CurrentProspectStatusDescription	varchar	32	n/a	n/a	Sourced from the APPLICANTS > APP.PROSPECT.STATUS Colleague field. The current status description of the person as a prospect.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StApplicants	CollegeBoardGeomarketCode	varchar	7	n/a	n/a	Sourced from the APPLICANTS > APP.EPS.CODE Colleague field. The College Board geomarket code of the applicant.
	RecruitmentPurpose1	varchar	7	n/a	n/a	Sourced from the first value of the APPLICANTS > APP.RECRUIT.PURPOSES multivalued Colleague field. The purpose for this applicant's recruitment.
	RecruitmentPurpose1Description	varchar	32	n/a	n/a	Sourced from the first value of the APPLICANTS > APP.RECRUIT.PURPOSES multivalued Colleague field. The purpose description for this applicant's recruitment.
	RecruitmentPurpose2	varchar	7	n/a	n/a	Sourced from the second value of the APPLICANTS > APP.RECRUIT.PURPOSES multivalued Colleague field. The purpose for this applicant's recruitment.
	RecruitmentPurpose2Description	varchar	32	n/a	n/a	Sourced from the second value of the APPLICANTS > APP.RECRUIT.PURPOSES multivalued Colleague field. The purpose description for this applicant's recruitment.
	RecruitmentPurpose3	varchar	7	n/a	n/a	Sourced from the third value of the APPLICANTS > APP.RECRUIT.PURPOSES multivalued Colleague field. The purpose for this applicant's recruitment.
	RecruitmentPurpose3Description	varchar	32	n/a	n/a	Sourced from the third value of the APPLICANTS > APP.RECRUIT.PURPOSES multivalued Colleague field. The purpose description for this applicant's recruitment.
	DatatelRecruiterId	varchar	50	n/a	n/a	Sourced from the APPLICANTS > APP.CRM.ID Colleague field. The ID from Datatel Recruiter for this person.
	CurrentCareerGoal	varchar	10	n/a	n/a	Sourced from the APPLICANTS > APP.CURRENT.CAREER.GOAL Colleague computed column. The most current (first) career goal.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StApplicants	ApplicantsAddDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICANTS > APPLICANTS.ADDDATE Colleague field. Envision-maintained date record was added to file.
	ApplicantsAddOperator	varchar	20	n/a	n/a	Sourced from the APPLICANTS > APPLICANTS.ADDOPR Colleague field. Envision-maintained login of person who added record.
	ApplicantsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICANTS > APPLICANTS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	ApplicantsChangeOperator	varchar	20	n/a	n/a	Sourced from the APPLICANTS > APPLICANTS.CHGOPR Colleague field. Envision-maintained login of who last updated this rec.
	IsCurrentStudent	varchar	15	n/a	n/a	Sourced from the APPLICANTS > APP.CURRENT.STUDENT Colleague computed column. If the applicant is a current student, this field is populated. (boolean field by purpose, but not necessarily by data type)
	Miscellaneous1	varchar	7	n/a	n/a	Sourced from the APPLICANTS > APP.MISC1 Colleague field. User specified miscellaneous information.
	Miscellaneous2	varchar	7	n/a	n/a	Sourced from the APPLICANTS > APP.MISC2 multivalued Colleague field. User specified miscellaneous information.
	DateDimensionIDApplicantsAddDate	int	4	10	n/a	
	OdsApplicantsID	varchar	41	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StApplicationInfluence						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueApplicationInfluenceID	varchar	10	n/a	n/a	Sourced from the APPLICATIONS > APPLICATIONS.ID Colleague field, which is the Colleague ID of APPLICATIONS.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StApplicationInfluence	MultiValuePosition	decimal	n/a	10	0	APPL_INFLUENCED_TO_APPLY is sourced from Colleague's multi-valued APPL.INFLUENCED.TO.APPLY field. POS is the position number (position in list) of the value from APPL.INFLUENCED.TO.APPLY that corresponds to the APPL_INFLUENCED_TO_APPLY value.
	ApplicantID	varchar	10	n/a	n/a	Sourced from the APPLICATIONS > APPL.APPLICANT Colleague field. The ID of the applicant.
	InfluencedToApplyCodes	varchar	7	n/a	n/a	Sourced from the APPLICATIONS > APPL.INFLUENCED.TO.APPLY Colleague field. Codes describing what influenced this applicant to apply.
	InfluencedToApplyDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the APPLICATIONS > APPL.INFLUENCED.TO.APPLY Colleague field. The application influence description.
	ApplicationAddDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICATIONS > APPLICATIONS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	ApplicationChangeDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICATIONS > APPLICATIONS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	DateDimensionIDApplicationAddDate	int	4	10	n/a	
	OdsApplicationInfluenceID	varchar	72	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StApplications						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueApplicationsID	varchar	10	n/a	n/a	Sourced from the APPLICATIONS > APPLICATIONS.ID Colleague field, which is the Colleague ID of APPLICATIONS.
	AcademicProgram	varchar	20	n/a	n/a	Sourced from the APPLICATIONS > APPL.ACAD.PROGRAM Colleague field. The ID of the academic program for this application.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StApplications	AdmissionsRepresentative	varchar	10	n/a	n/a	Sourced from the APPLICATIONS > APPL.ADMISSIONS.REP Colleague field. The ID of the admissions representative responsible for this application.
	AdmitCounty	varchar	7	n/a	n/a	Sourced from the APPLICATIONS > APPL.ADMIT.COUNTY Colleague field. The county from which the student has been admitted.
	AdmitCountyDescription	varchar	20	n/a	n/a	Sourced from the COUNTIES > CNTY.DESC Colleague field. The description of the county.
	AdmitInstitution	varchar	10	n/a	n/a	Sourced from the APPLICATIONS > APPL.ADMIT.INSTITUTION Colleague field. The ID of the institution from which this person will be admitted based on this application.
	AdmitState	varchar	7	n/a	n/a	Sourced from the APPLICATIONS > APPL.ADMIT.STATE Colleague field. The state or province from which the applicant was admitted.
	AdmitStateDescription	varchar	30	n/a	n/a	Sourced from the STATES > ST.DESC Colleague field.
	AdmitStatus	varchar	30	n/a	n/a	Sourced from the APPLICATIONS > APPL.ADMIT.STATUS Colleague field. This is what the admit status will be set to when the applicant becomes a student.
	AdmitStatusDescription	varchar	30	n/a	n/a	Sourced from the ADMIT.STATUSES > ADMS.DESC Colleague field. The description of the admit status.
	ApplicantID	varchar	10	n/a	n/a	Sourced from the APPLICATIONS > APPL.APPLICANT Colleague field. The ID of the applicant.
	CurrentProspectStatus	varchar	7	n/a	n/a	Sourced from the APPLICATIONS > APPL.PROSPECT.STATUS Colleague field. The status of the person's application as a prospect.
	CurrentProspectStatusDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the APPLICATIONS > APPL.PROSPECT.STATUS Colleague field. The description of the prospect status.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StApplications	CurrentStatus	varchar	7	n/a	n/a	Sourced from the APPLICATIONS > APPL.CURRENT.STATUS Colleague computed column. The most current (first) application status.
	CurrentStatusDescription	varchar	30	n/a	n/a	Sourced from the APPLICATION.STATUSES > APPS.DESC Colleague field.
	CurrentStatusControl	varchar	7	n/a	n/a	Sourced from the APPLICATION.STATUSES > APPS.SPECIAL.PROCESSING.CODE Colleague field. This drives the processing that the system will do based on the type of status this is. For example, if a special processing code of Cancelled is used, withdrawal date will be filled in on the application.
	CurrentStatusControlDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the APPLICATION.STATUSES > APPS.SPECIAL.PROCESSING.CODE Colleague field. Description of the current status control.
	ApplicationDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICATIONS > APPL.DATE Colleague field. The date of the application.
	ResidencyStatus	varchar	7	n/a	n/a	Sourced from the APPLICATIONS > APPL.RESIDENCY.STATUS Colleague field. The residency status (type) of the applicant, such as in-state, out of county, etc.
	ResidencyStatusDescription	varchar	30	n/a	n/a	Sourced from the RESIDENCY.STATUSES > RES.DESC Colleague field. The description of the residency status.
	OriginalSourceOfApplication	varchar	7	n/a	n/a	Sourced from the APPLICATIONS > APPL.SOURCE Colleague field. Identifies the original source of this application
	OriginalSourceOfApplicationDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the APPLICATIONS > APPL.SOURCE Colleague field. Description of the application original source
	IntendedStartTerm	varchar	7	n/a	n/a	Sourced from the APPLICATIONS > APPL.START.TERM Colleague field. The applicant's intended start term.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StApplications	AcademicProgramTitle	varchar	60	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.TITLE Colleague field (per APPLICATIONS > APPL.ACAD.PROGRAM). The full title of the academic program.
	InstitutionApplicantAttendedInstead	varchar	10	n/a	n/a	Sourced from the APPLICATIONS > APPL.ATTENDED.INSTEAD Colleague field. The ID of the institution that the applicant attended instead of the home institution.
	AcademicProgramDescription	varchar	30	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.DESC Colleague field (per APPLICATIONS > APPL.ACAD.PROGRAM). The description of the academic program.
	RecruiterApplicationId	varchar	100	n/a	n/a	Sourced from the APPLICATIONS > APPL.CRM.APPLICATION.NO Colleague field. The recruiter application ID.
	ApplicationsAddDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICATIONS > APPLICATIONS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	ApplicationsAddOperator	varchar	20	n/a	n/a	Sourced from the APPLICATIONS > APPLICATIONS.ADDOPR Colleague field. Envision-maintained login of who added this record.
	ApplicationsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICATIONS > APPLICATIONS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	ApplicationsChangeOperator	varchar	20	n/a	n/a	Sourced from the APPLICATIONS > APPLICATIONS.CHGOPR Colleague field. Envision-maintained login of who last updated this rec.
	IsCurrentStudent	varchar	15	n/a	n/a	Sourced from the APPLICATIONS > APPL.CURRENT.STUDENT Colleague computed column. "Y/N" field - flags whether or not the applicant is a current student. (bit/boolean field)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StApplications	StartDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICATIONS > APPL.START.DATE Colleague computed column. Returns TERM.START.DATE of APPL.TERM if not null, or APPL.DATE if not null, or APPLICATIONS.ADDDATE if not null.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDApplicationsAddDate	int	4	10	n/a	
	OdsApplicationsID	varchar	41	n/a	n/a	
	DateDimensionIDApplicationDate	int	4	10	n/a	
	DateDimensionIDStartDate	int	4	10	n/a	
StApplicationStatusHistory						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueApplicationStatusHistoryID	varchar	30	n/a	n/a	Sourced from the APPLICATIONS > APPLICATIONS.ID, which is the Colleague ID of APPLICATIONS.
	MultiValuePosition	decimal	n/a	10	0	APPL_STATUS is sourced from Colleague's multi-valued APPL.STATUS field. POS is the position number (position in list) of the value from APPL.STATUS that corresponds to the APPL_STATUS value.
	ApplicationStatus	varchar	7	n/a	n/a	Sourced from the APPLICATIONS > APPL.STATUS Colleague field. The status of the application.
	ApplicationStatusDescription	varchar	30	n/a	n/a	Sourced from the APPLICATION.STATUSES > APPS.DESC Colleague field. The description of the application status.
	ApplicationStatusSpecialProcessingCode	varchar	7	n/a	n/a	Sourced from the APPLICATION.STATUSES > APPS.SPECIAL.PROCESSING.CODE Colleague field. The processing code you enter here links this application status with specific processing of the application that Colleague performs at different stages.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StApplicationStatusHistory	ApplicationStatusDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICATIONS > APPL.STATUS.DATE Colleague field. The date that the status for the application changed.
	ApplicationsAddDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICATIONS > APPLICATIONS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	ApplicationsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICATIONS > APPLICATIONS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDApplicationStatusDate	int	4	10	n/a	
	DateDimensionIDApplicationsAddDate	int	4	10	n/a	
	OdsApplicationStatusHistoryID	varchar	72	n/a	n/a	
StCalculationSummaryAcademicYear						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CompoundId	varchar	20	n/a	n/a	Compound ID of the TA.ACYSR file. Student ID + Award ID + Term ID
	AcademicYear	varchar	27	n/a	n/a	This is probably the "file suite year" of the CS.ACYSR Colleague file. WCCC_CS_ACYSR_TBLE is sourced from CS.ACYSR. There is no data transformation showing nor source field showing in DataOrchestrator for ACADEMIC_YEAR.
	StudentDependencyStatus	varchar	7	n/a	n/a	The student's Dependency status
	StudentDependencyStatusDescription	varchar	36	n/a	n/a	The full description of the student's Dependency status
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Contains the date that this record was created in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Contains the date that this record was last changed in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionID	int	4	10	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCalculationSummaryAcademicYear	OdsCalculationSummaryAcademicYearId	varchar	55	n/a	n/a	
StCampusOrgMemberRole						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagCampusOrgMembersID	varchar	16	n/a	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CAMPUS.ORG.MEMBERS.ID Colleague field, which is the Colleague ID to CAMPUS.ORG.MEMBERS.
	MultiValuePosition	decimal	n/a	10	0	CMPM_ROLES is sourced from Colleague's multi-valued CMPM.ROLES field. POS is the position number (position in list) of the value from CMPM.ROLES that corresponds to the CMPM_ROLES value.
	CampusOrganization	varchar	7	n/a	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CMPM.CAMPUS.ORG.ID Colleague field, which is part of the key - part of CAMPUS_ORG_MEMBERS_ID. The campus organization to which the members belong.
	Member	varchar	10	n/a	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CMPM.PERSON.ST.ID Colleague field, which is part of the key - part of CAMPUS_ORG_MEMBERS_ID. The person who is to be a member of this campus organization.
	CampusOrgnznMembrsAddDate	smalldatetime	n/a	16	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CAMPUS.ORG.MEMBERS.ADDDATE Colleague field. Envision-maintained date the record was added to the file.
	CampusOrgnznMembrsChgDate	smalldatetime	n/a	16	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CAMPUS.ORG.MEMBERS.CHGDATE Colleague field. Envision-maintained date this record was last updated.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCampusOrgMemberRole	RolesWithinOrganization	varchar	7	n/a	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CMPM.ROLES Colleague field. This person's role within the organization.
	RoleEndDates	smalldatetime	n/a	16	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CMPM.ROLE.END.DATES Colleague field. The date the person ended their tenure in this role.
	RoleStartDates	smalldatetime	n/a	16	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CMPM.ROLE.START.DATES Colleague field. The date the person started in their role with this organization.
	DateDimensionIDCampusOrgnztNMembrsAddDate	int	4	10	n/a	
	DateDimensionIDRoleStartDates	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDRoleEndDates	int	4	10	n/a	
	OdsCampusOrgMemberRoleID	varchar	53	n/a	n/a	
StCampusOrgMembers						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagCampusOrgMembersID	varchar	16	n/a	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CAMPUS.ORG.MEMBERS.ID Colleague field, which is the Colleague ID to CAMPUS.ORG.MEMBERS.
	CampusOrganization	varchar	7	n/a	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CMPM.CAMPUS.ORG.S.ID Colleague field, which is part of the key - part of CAMPUS_ORG_MEMBERS_ID. The campus organization to which the members belong.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCampusOrgMembers	Member	varchar	10	n/a	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CMPM.PERSON.ST.ID Colleague field, which is part of the key - part of CAMPUS_ORG_MEMBERS_ID. The person who is to be a member of this campus organization.
	CampusOrgMembersAddDate	smalldatetime	n/a	16	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CAMPUS.ORG.MEMBERS.ADDDATE Colleague field. Envision-maintained date the record was added to the file.
	CampusOrgMembersChangeDate	smalldatetime	n/a	16	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CAMPUS.ORG.MEMBERS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	SortMemberFirstName	varchar	30	n/a	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CMPM.SORT.FIRST.NAME Colleague computed column. The member's first name.
	SortMemberLastName	varchar	30	n/a	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CMPM.SORT.LAST.NAME Colleague computed column. The member's last name.
	SortMemberMiddleName	varchar	30	n/a	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CMPM.SORT.MID.NAME Colleague computed column. The member's middle name.
	SortMemberFullName	varchar	40	n/a	n/a	Sourced from the CAMPUS.ORG.MEMBERS > CMPM.SORT.NAME Colleague computed column. The member's last name, first name, and middle name concatenated.
	InstitutionID	tinyint	1	3	n/a	
	OdsCampusOrgMembersID	varchar	47	n/a	n/a	
	DateDimensionIDCampusOrgMembersAddDate	int	4	10	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCashReceiptItems	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagCashRecptItemsID	varchar	10	n/a	n/a	Sourced from the CASH.RCPT.ITEMS > CASH.RCPT.ITEMS.ID Colleague field, which is the Colleague ID of CASH.RCPT.ITEMS.
	CashRecptItemsAddDate	smalldatetime	n/a	16	n/a	Sourced from the CASH.RCPT.ITEMS > CASH.RCPT.ITEMS.ADDDATE Colleague field. Envision-maintained date this record was added to the file.
	CashRecptItemsAddOperator	varchar	20	n/a	n/a	Sourced from the CASH.RCPT.ITEMS > CASH.RCPT.ITEMS.ADDOPR Colleague field. Envision-maintained login of who added this record.
	CashRecptItemsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the CASH.RCPT.ITEMS > CASH.RCPT.ITEMS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	CashRecptItemsChgOperator	varchar	20	n/a	n/a	Sourced from the CASH.RCPT.ITEMS > CASH.RCPT.ITEMS.CHGOPR Colleague field. Envision-maintained login of who last updated this rec.
	Amount	decimal	n/a	12	2	Sourced from the CASH.RCPT.ITEMS > RCPTI.AMT Colleague field. The amount of the cash receipt item - the amount for the non-AR payment.
	Receipt	varchar	16	n/a	n/a	Sourced from the CASH.RCPT.ITEMS > RCPTI.CASH.RCPT Colleague field. The cash receipt to which these items belong.
	Location	varchar	7	n/a	n/a	Sourced from the CASH.RCPT.ITEMS > RCPTI.LOCATION Colleague field. The location to which the non-AR cash receipt item is associated.
	NonAcctsRecGenLedgDistrCode	varchar	7	n/a	n/a	Sourced from the CASH.RCPT.ITEMS > RCPTI.NON.AR.GL.DISTR Colleague field. The non-AR GL distribution code of the item.
	ReversalAmount	decimal	n/a	12	2	Sourced from the CASH.RCPT.ITEMS > RCPTI.REVERSAL.AMT Colleague field. This shows if the receipt item was reversed.
	DateDimensionIDCashRecptItemsAddDate	int	4	10	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCashReceiptItems	OdsCashReceiptItemsID	varchar	41	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StCashReceipts						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueCashReceiptsID	varchar	16	n/a	n/a	Sourced from the CASH.RCPTS > CASH.RCPTS.ID Colleague field, which is the Colleague ID of CASH.RCPTS.
	IsReceiptPostedToAccounttRecvbl	varchar	7	n/a	n/a	Sourced from the CASH.RCPTS > RCPT.AR.POSTED.FLAG Colleague computed column. Display a "Y" if this receipt has been posted to AR, else display an "N". (bit/boolean field)
	Batch	varchar	10	n/a	n/a	Sourced from the CASH.RCPTS > RCPT.BATCH Colleague field. The batch to which this cash receipt belongs. Used to give batch statistics.
	CashAmountReceived	decimal	n/a	9	2	Sourced from the CASH.RCPTS > RCPT.CASH.AMT Colleague field. This is the total cash amount received for this cash receipt. Used to determine change returned and to post to GL as cash received.
	GeneralLedgerAccount	varchar	30	n/a	n/a	Sourced from the CASH.RCPTS > RCPT.CASH.GL.NO Colleague field. The GL account to which the cash amount will be posted.
	CashAmountReversed	decimal	n/a	9	2	Sourced from the CASH.RCPTS > RCPT.CASH.REVERSAL.AMT Colleague field. This field is entered when a cash receipt cash amount is reversed. Either this field or the cash amount has data, but never both.
	ChangedReturnedAmount	decimal	n/a	10	2	Sourced from the CASH.RCPTS > RCPT.CHANGE.RETURNED.AMT Colleague field. This is the amount of change that needs to be returned to the payer. It is used to reconcile the cash receipt session.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCashReceipts	Comments	varchar	30	n/a	n/a	Sourced from the CASH.RCPTS > RCPT.COMMENTS Colleague field. Free-form text about this cash receipt. Displayed but not otherwise used by the system.
	CashReceiptDate	smalldatetime	n/a	16	n/a	Sourced from the CASH.RCPTS > RCPT.DATE Colleague field. The date of this cash receipt - used to post to and validate against GL.
	GenLedgReferenceNumber	varchar	16	n/a	n/a	Sourced from the CASH.RCPTS > RCPT.GL.REFERENCE.NO Colleague field. This is the reference number that was generated when this cash receipt was posted to the General Ledger.
	NetAmount	decimal	n/a	14	2	Sourced from the CASH.RCPTS > RCPT.NET.AMT Colleague computed column. Calculates the net amount of a cash receipt.
	ReceiptNumber	varchar	16	n/a	n/a	Sourced from the CASH.RCPTS > RCPT.NO Colleague field. The actual receipt identifier - a unique receipt number to identify this cash receipt.
	PayerDescription	varchar	300	n/a	n/a	Sourced from the CASH.RCPTS > RCPT.PAYER.DESC Colleague field. The description of the payer. Defaults from the name of the person if a payer ID was entered.
	PayerID	varchar	10	n/a	n/a	Sourced from the CASH.RCPTS > RCPT.PAYER.ID Colleague field. The ID of the person paying this cash receipt - used to get person info if payer is on file.
	PayerName	varchar	100	n/a	n/a	Sourced from the CASH.RCPTS > RCPT.PAYER.NAME Colleague computed column. The name of payer of cash receipt.
	Session	varchar	10	n/a	n/a	Sourced from the CASH.RCPTS > RCPT.SESSIO Colleague field. The ID of the session with which this cash receipt is associated. Used to get session totals for balancing.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCashReceipts	TenderGenLedgDistributionCode	varchar	7	n/a	n/a	Sourced from the CASH.RCPTS > RCPT.TENDER.GL.DISTR.CODE Colleague field. The code which says which set of GL account numbers to default for the legal tender (cash, credit card, etc.) side of the cash receipt posting. Used to get the default GL accounts for posting to GL.
	TotalNonCashAmount	decimal	n/a	12	2	Sourced from the sum of all the amounts in the CASH.RCPTS > RCPT.NON.CASH.AMTS multivalued Colleague field. The sum of the amounts of the checks or credit cards - the sum of the amounts of the payments, including any convenience fees charged for an e-commerce payment.
	ControlNumber1	varchar	24	n/a	n/a	Sourced from the first value of the CASH.RCPTS > RCPT.CONTROL.NOS multivalued Colleague field. The control number of a non-e-commerce payment (for example, check number).
	ControlNumber2	varchar	24	n/a	n/a	Sourced from the second value of the CASH.RCPTS > RCPT.CONTROL.NOS multivalued Colleague field. The control number of a non-e-commerce payment (for example, check number).
	CashReceiptsAddDate	smalldatetime	n/a	16	n/a	Sourced from the CASH.RCPTS > CASH.RCPTS.ADDDATE Colleague field. Envision-maintained date of when this record was added.
	CashReceiptsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the CASH.RCPTS > CASH.RCPTS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	DateDimensionIDCashReceiptsAddDate	int	4	10	n/a	
	DateDimensionIDCashReceiptDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsCashReceiptsID	varchar	47	n/a	n/a	
StCashRecptlItemsMultiVal						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCashRecptItemsMultiVal	ColleagCashRecptItemsID	varchar	10	n/a	n/a	Sourced from the CASH.RCPT.ITEMS > CASH.RCPT.ITEMS.ID Colleague field, which is the Colleague ID of CASH.RCPT.ITEMS.
	MultiValuePosition	decimal	n/a	10	0	RCPTI_GL_AMTS is sourced from Colleague's multi-valued RCPTI.GL.AMTS field. POS is the position number (position in list) of the value from RCPTI.GL.AMTS that corresponds to the RCPTI_GL_AMTS value.
	CashRecptItemsAddDate	smalldatetime	n/a	16	n/a	Sourced from the CASH.RCPT.ITEMS > CASH.RCPT.ITEMS.ADDDATE Colleague field. Envision-maintained date this record was added to the file.
	CashRecptItemsAddOperator	varchar	20	n/a	n/a	Sourced from the CASH.RCPT.ITEMS > CASH.RCPT.ITEMS.ADDOPR Colleague field. Envision-maintained login of who added this record.
	CashRecptItemsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the CASH.RCPT.ITEMS > CASH.RCPT.ITEMS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	CashRecptItemsChgOperator	varchar	20	n/a	n/a	Sourced from the CASH.RCPT.ITEMS > CASH.RCPT.ITEMS.CHGOPR Colleague field. Envision-maintained login of who last updated this rec.
	GenLedgAccountPostedAmount	decimal	n/a	12	2	Sourced from the CASH.RCPT.ITEMS > RCPTI.GL.AMTS Colleague field. The amount that will be posted to the associated GL account.
	GeneralLedgerAccounts	varchar	30	n/a	n/a	Sourced from the CASH.RCPT.ITEMS > RCPTI.GL.NOS Colleague field. The GL accounts to which this cash receipt item will post.
	GenLedgPercntgOfDistribution	decimal	n/a	6	2	Sourced from the CASH.RCPT.ITEMS > RCPTI.GL.PCTS Colleague field. The percentage of the distribution for the associated GL account. This field is used to determine the amount to be posted.
	DateDimensionIDCashRecptItemsAddDate	int	4	10	n/a	
	OdsCashRecptItemsMultiValID	varchar	110	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourse						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueCourseId	varchar	10	n/a	n/a	ID of the course
	LocalGovernmentCodes	varchar	30	n/a	n/a	Local government ID that would be used for state reporting with Commonm Codes
	FullTitle	varchar	85	n/a	n/a	The full title of the course
	ShortTitle	nchar	60	n/a	n/a	30 character version of the course title for schedule printing
	MinimumOrFixedCredit	decimal	n/a	9	5	Used as the number of credits for a fixed credit course or as the minimum number of credits in a variable credit course
	CourseType	nchar	60	n/a	n/a	Designates a type of course such as honors, remedial, vocational, etc. with Common Codes
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	DateDimensionIDColleagueAddDate	int	4	10	n/a	The "ColleagueAddDate" above can be checked against the "FullDate" column of the existing DateDimension table.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	OdsCourseId	nvarchar	90	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StCourseBlock						
	VendorClientIdentifier	char	3	n/a	n/a	VendorClientIdentifier
	ColleagueCourseBlockID	varchar	20	n/a	n/a	Sourced from the COURSE.BLOCKS > COURSE.BLOCKS.ID Colleague field. The Colleague ID of COURSE.BLOCKS.
	MultiValuePosition	decimal	n/a	10	0	CBL_COURSES is sourced from Colleague's multi-valued CBL.COURSES field. POS is the position number (position in list) of the value from CBL.COURSES that corresponds to the CBL_COURSES value.
	CourseBlockDescription	varchar	30	n/a	n/a	Sourced from the COURSE.BLOCKS > CBL.DESC Colleague field. The description of the course block.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourseBlock	CourseBlockEndDate	smalldatetime	n/a	16	n/a	Sourced from the COURSE.BLOCKS > CBL.END.DATE Colleague field. The date on which this course block ends.
	CourseBlockStartDate	smalldatetime	n/a	16	n/a	Sourced from the COURSE.BLOCKS > CBL.START.DATE Colleague field. The start date for this course block.
	CourseID	varchar	10	n/a	n/a	Sourced from the COURSE.BLOCKS > CBL.COURSES Colleague field. List of IDs of the courses that make up this block.
	CourseBlockAddDate	smalldatetime	n/a	16	n/a	Sourced from the COURSE.BLOCKS > COURSE.BLOCKS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	CourseBlockChangeDate	smalldatetime	n/a	16	n/a	Sourced from the COURSE.BLOCKS > COURSE.BLOCKS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	OdsCourseBlockID	varchar	82	n/a	n/a	
	DateDimensionIDCourseBlockStartDate	int	4	10	n/a	
	DateDimensionIDCourseBlockAddDate	int	4	10	n/a	
	DateDimensionIDCourseBlockEndDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
StCourseSection						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueCourseSectionId	varchar	19	n/a	n/a	System-generated key to COURSE.SECTIONS file
	ActiveStudentCount	int	4	10	n/a	Provides a count of the active students within the section
	AcademicLevel	varchar	7	n/a	n/a	The code for the academic level of the section indicating the academic levels that may register for the course section
	AcademicLevelDescription	varchar	30	n/a	n/a	Full description for the academic level of the section indicating the academic levels that may register for the course section
	MaximumStudentCapacity	decimal	n/a	5	0	The maximum number of students that are allowed to be enrolled in this course
	ContinuingEducationUnitsAwarded	decimal	n/a	6	2	The number of continuing education units that will be awarded for taking this section

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourseSection	ClassificationofInstructionalProgramsCip	varchar	9	n/a	n/a	The national ID of the course section. Defaults from course, but can be changed.
	Course_Id	varchar	10	n/a	n/a	The ID of the course from which this section came
	CourseLevel	varchar	7	n/a	n/a	The code for the course level, i.e. freshman, sophomore or 1st year, 2nd year
	CourseLevelDescription	varchar	32	n/a	n/a	The full description for the course level, i.e. freshman, sophomore or 1st year, 2nd year
	CourseNumber	varchar	7	n/a	n/a	The course number
	AcademicCreditType	varchar	7	n/a	n/a	Code for the student academic credit for this course section used in GPA calculation. Defaults from course, but can be changed
	AcademicCreditTypeDescription	varchar	30	n/a	n/a	Full description for the student academic credit for this course section used in GPA calculation. Defaults from course, but can be changed
	Department1	varchar	7	n/a	n/a	The department code associated with the course section that is in the 1st position.
	Department1Description	varchar	30	n/a	n/a	The department description associated with the course section that is in the 1st position
	Department2	varchar	7	n/a	n/a	The department code associated with the course section that is in the 2nd position.
	Department2Description	varchar	30	n/a	n/a	The department description associated with the course section that is in the 2nd position
	Division1	varchar	7	n/a	n/a	The code for the division as derived from the department associated with the course section that is in the 1st position.
	Division1Description	varchar	35	n/a	n/a	The full description for the division as derived from the department associated with the course section that is in the 1st position
	Division2	varchar	7	n/a	n/a	The code for the division as derived from the department associated with the course section that is in the 2nd position.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourseSection	Division2Description	varchar	35	n/a	n/a	The full description for the division as derived from the department associated with the course section that is in the 1st position
	DroppedStudentCount	int	4	10	n/a	The count of students that have dropped or with-drawn (not deleted) the course section
	EndDate	smalldatetime	n/a	16	n/a	The date the course section is to end
	DateDimensionIDCourseSectionEndDate	int	4	10	n/a	The "EndDate" above can be checked against the "FullDate" column of the existing DateDimension table.
	Location	varchar	7	n/a	n/a	Code of the location or campus where the course section will be offered
	LocationDescription	varchar	30	n/a	n/a	Full description of the location or campus where the course section will be offered
	MinimumOrFixedCredit	decimal	n/a	9	5	The number of credits for a fixed credit course or the minimum number of credits in a variable credit course
	MinimumNumberStudentsEnrolled	decimal	n/a	5	0	The least number of students that should be enrolled in this section for it to be offered
	MaximumCredit	decimal	n/a	9	5	The highest number of credits that can be awarded for a variable credit course
	SectionName	varchar	21	n/a	n/a	This field is similar to course name. It is a place to house the section name to not always have to go get the user delimiter when displaying sections. The section name is subject + user delimiter + course number + user delimiter + section number.
	SectionNumber	varchar	7	n/a	n/a	Sourced from the SEC.NO Colleague field. It is the course section number.
	ShortTitle	varchar	40	n/a	n/a	30 character version of the course section title for schedule printing
	ReportingTerm	varchar	7	n/a	n/a	Returns the reporting term from the Terms file allowing the section term to be grouped by its reporting term
	School1	varchar	7	n/a	n/a	The code for the school as derived from the department associated with the course section that is in the 1st position

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourseSection	School1Description	varchar	30	n/a	n/a	The full description for the school as derived from the department associated with the course section that is in the 1st position
	School2	varchar	7	n/a	n/a	The code for the school as derived from the department associated with the course section that is in the 2nd position
	School2Description	varchar	30	n/a	n/a	The full description for the school as derived from the department associated with the course section that is in the 2nd position
	StartDate	smalldatetime	n/a	16	n/a	Date section is to begin
	DateDimensionIDCourseSectionStartDate	int	4	10	n/a	The "StartDate" above can be checked against the "FullDate" column of the existing DateDimension table.
	CurrentStatus	varchar	7	n/a	n/a	The code for the most current status for this course section. It is the first status stored in SEC.STATUS.
	CurrentStatusDescription	varchar	32	n/a	n/a	The full description for the most current status for this course section. It is the first status stored in SEC.STATUS.
	CurrentStatusDate	smalldatetime	n/a	16	n/a	The date associated with the associated SEC.STATUS
	DateDimensionIDCurrentStatusDate	int	4	10	n/a	The "CurrentStatusDate" above can be checked against the "FullDate" column of the existing DateDimension table.
	Subject	varchar	7	n/a	n/a	The code for the subject area of the course section
	SubjectDescription	varchar	30	n/a	n/a	Full description for the subject area of the course section
	Term	varchar	7	n/a	n/a	The term in which this section is active
	TopicCode	varchar	7	n/a	n/a	The code of the topic associated with the section
	TopicCodeDescription	varchar	30	n/a	n/a	The full description of the topic associated with the section
	IsAuditAllowed	varchar	7	n/a	n/a	Indicates that the section allows students to audit
	IsPassOrNoPassGradingAllowed	varchar	7	n/a	n/a	Indicates that the section allows a grade of pass or no pass
	IsWaitListAllowed	varchar	7	n/a	n/a	Indicates that the section allows waitlisting

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourseSection	BillingCredits	decimal	n/a	9	5	The number of billing credits, which may be different from academic credits
	BillingMethod	varchar	7	n/a	n/a	The code that describes if tuition is calculated from the billing tables or from the section billing information
	BillingMethodDescription	varchar	32	n/a	n/a	The full description of billing method that determines if tuition is calculated from the billing tables or from the section billing information
	Comments	text	16	n/a	n/a	Free-form text to record any comments about the section
	MiscellaneousFee	decimal	n/a	8	2	A miscellaneous fee amount used when billing for this section if tuition for the section is calculated by using the reg rates tables
	FirstMeetingDate	smalldatetime	n/a	16	n/a	The first date the section is scheduled to meet
	DateDimensionIDFirstMeetingDate	int	4	10	n/a	The "FirstMeetingDate" above can be checked against the "FullDate" column of the existing DateDimension table.
	FundingAccountingMethod	varchar	7	n/a	n/a	The code for the section method for accounting for requested or received funding
	FundingAccountingMethodDescription	varchar	32	n/a	n/a	The full description for the section method for accounting for requested or received funding
	GeneralLedgerAccountNumber	varchar	30	n/a	n/a	The GL account number which defaults from the course location
	GradeScheme	varchar	7	n/a	n/a	The codes for the grades that may be assigned to the students in this section
	GradeSchemeDescription	varchar	30	n/a	n/a	The full description for the grades that may be assigned to the students in this section
	LastMeetingDate	smalldatetime	n/a	16	n/a	The last date the section is scheduled to meet
	DateDimensionIDLastMeetingDate	int	4	10	n/a	The "LastMeetingDate" above can be checked against the "FullDate" column of the existing DateDimension table.
	NumberOfWeeksTaught	decimal	n/a	3	0	The number of weeks the section will run
	IsPassOrNoPassGradingOnly	varchar	7	n/a	n/a	Indicates the only grades to be given for this section are pass/no pass

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourseSection	PrintedComments	text	16	n/a	n/a	Free-form text that can be printed on the schedule
	GeneralPurpose	varchar	7	n/a	n/a	The code for the general purpose of the section
	GeneralPurposeDescription	varchar	32	n/a	n/a	The full description of the general purpose of the section
	RealStudentCapacity	decimal	n/a	5	0	The "real" capacity for a section, but not used by registration
	ScheduleType	varchar	7	n/a	n/a	The code of the usual scheduled period: evening, etc. Used by the system in calculation of tuition rates for courses whose tuition is billed based on the reg rate tables, but not otherwise used by the system. Defaults from courses, but can be changed.
	ScheduleTypeDescription	varchar	30	n/a	n/a	The full description of the usual scheduled period: evening, etc. Used by the system in calculation of tuition rates for courses whose tuition is billed based on the reg rate tables, but not otherwise used by the system. Defaults from courses, but can be changed.
	Synonym	varchar	11	n/a	n/a	A different way by which the section is known
	TransferabilityStatus	varchar	7	n/a	n/a	The code that indicates the ability of the course to be transferred to other institutions
	TransferabilityStatusDescription	varchar	32	n/a	n/a	The full description that indicates the ability of the course to be transferred to other institutions
	RegistrationRefundPolicyWithdrawal	varchar	10	n/a	n/a	The code that specifies the reg refund policy when a student withdraws from a section
	RegistrationRefundPolicyWithdrawalDescription	varchar	30	n/a	n/a	The full description that specifies the reg refund policy when a student withdraws from a section

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourseSection	CourseNumberActionCode1	varchar	30	n/a	n/a	This is a "Validation Code LookUp" done on the SEC.COURSE.NO (SEC_COURSE_NO) field, where the "Special Action Code 1" is returned. Ellucian's help statement on special action codes is this: "Usually, you would leave this field (special action code) blank. The data you enter in this field is an internal representation of a field's meaning. It relates a code stored in a record to some processing action. Any table using an action code would do so in a way unique to the programs which use the code. When a code table requires that end users specify an action code, the application's manual explains what to enter here."
	LocationActionCode1	varchar	30	n/a	n/a	This is a "Validation Code LookUp" done on the SEC.LOCATION (SEC_LOCATION) field, where the "Special Action Code 1" is returned. Ellucian's help statement on special action codes is this: "Usually, you would leave this field (special action code) blank. The data you enter in this field is an internal representation of a field's meaning. It relates a code stored in a record to some processing action. Any table using an action code would do so in a way unique to the programs which use the code. When a code table requires that end users specify an action code, the application's manual explains what to enter here."
	CourseSectionCrossListId	varchar	10	n/a	n/a	The cross-list of which the course section is a part. If this field is null, then the section is not cross-listed.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	DateDimensionIDColleagueAddDate	int	4	10	n/a	The "ColleagueAddDate" above can be checked against the "FullDate" column of the existing DateDimension table.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	DateDimensionIDColleagueChangeDate	int	4	10	n/a	The "ColleagueChangeDate" above can be checked against the "FullDate" column of the existing DateDimension table.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourseSection	LocalGovernmentCode	varchar	15	n/a	n/a	Sourced from the first value of the COURSE.SECTIONS > SEC.LOCAL.GOV.T.CODES Colleague field. These are the state or province classification codes. Defaults from the course but can be changed. It can be used for reporting purposes. It is meant to be separate from a national classification (such as IPEDS). It is displayed but not otherwise used by the system. Colleague set the length of this field to 15, left justified.
	OdsCourseSectionId	varchar	85	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StCourseSectionCrossList						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CourseSectionCrossListUniqueID	varchar	10	n/a	n/a	Sourced from the COURSE.SEC.XLISTS.ID Colleague field - the system generated key to COURSE.SEC.XLISTS.
	PrimarySection	varchar	19	n/a	n/a	The section that is to be considered the primary section for cross-listing
	CourseSectionCrossListAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added.
	CourseSectionCrossListChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	DateDimensionID	int	4	10	n/a	
	OdsCourseSectionCrossListId	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StCourseSectionFaculty						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CourseSectionFacultyUniqueID	varchar	10	n/a	n/a	System-generated key to the COURSE.SEC.FACULTY file
	CourseSectionID	varchar	19	n/a	n/a	The ID of the course section

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourseSectionFaculty	FacultyColleagueld	varchar	10	n/a	n/a	The Colleague ID of the faculty member teaching this course section
	FacultyWorkload	decimal	n/a	6	2	The workload associated to the course section and faculty
	FacultyTeachingPercent	decimal	n/a	6	2	The percent of the instructional method the faculty member is to teach
	InstructionalMethodCode	varchar	7	n/a	n/a	The code of the instructional method the faculty member will use to teach the course section
	InstructionalMethodDescription	varchar	30	n/a	n/a	The full description of the instructional method the faculty member will use to teach the course section
	CourseSectionFacultyAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added.
	CourseSectionFacultyChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	InstitutionID	tinyint	1	3	n/a	
	ODSCourseSectionFacultyID	varchar	45	n/a	n/a	
	DateDimensionID	int	4	10	n/a	
StCourseSectionInstructionlMethod						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueCourseSectionId	varchar	19	n/a	n/a	Colleague ID of the COURSE.SECTIONS Colleague file. Sourced from the COURSE.SECTIONS.ID field.
	InstructionalMethods	varchar	30	n/a	n/a	Sourced from the SEC.INSTR.METHODS Colleague field. Instructional methods of the course (lecture, lab, video, etc.) with Common Code
	ScheduledPeriodCode	varchar	30	n/a	n/a	Sourced from the SEC.SCHED.TYPE Colleague file. The code of the usual scheduled period: evening, etc. Used by the system in calculation of tuition rates for courses whose tuition is billed based on the reg rate tables, but not otherwise used by the system. Defaults from courses, but can be changed.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourseSectionInstructionMethod	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsCourseSectionInstructionMethodId	varchar	90	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StCourseSectionMeeting						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CourseSectionMeetingUniqueId	varchar	10	n/a	n/a	System generated key to COURSE.SEC.MEETING. Each defined meeting for a course creates a new ID. One course section can have multiple meeting times.
	ClassroomBuilding	varchar	7	n/a	n/a	The code for the building in which the course section normally meets
	BuildingDescription	varchar	30	n/a	n/a	The full name of the building in which the course section normally meets
	RoomCode	varchar	8	n/a	n/a	The code for the room in which the section normally meets
	RoomDescription	varchar	30	n/a	n/a	The full description for the room in which the section normally meets
	ClassStartTime	smalldatetime	n/a	16	n/a	The time this section is to meet
	ClassEndTime	smalldatetime	n/a	16	n/a	The time this section is scheduled to end
	ClassMonday	varchar	7	n/a	n/a	Contains Y if the course section is to meet on Mondays, null otherwise
	ClassTuesday	varchar	7	n/a	n/a	Contains Y if the course section is to meet on Tuesdays, null otherwise
	ClassWednesday	varchar	7	n/a	n/a	Contains Y if the course section is to meet on Wednesdays, null otherwise
	ClassThursday	varchar	7	n/a	n/a	Contains Y if the course section is to meet on Thursdays, null otherwise
	ClassFriday	varchar	7	n/a	n/a	Contains Y if the course section is to meet on Fridays, null otherwise
	ClassSaturday	varchar	7	n/a	n/a	Contains Y if the course section is to meet on Saturdays, null otherwise

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourseSectionMeeting	ClassSunday	varchar	7	n/a	n/a	Contains Y if the course section is to meet on Sundays, null otherwise
	CourseSection	varchar	19	n/a	n/a	This is the course section to which this meeting info applies
	CourseSectionMeetingAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added.
	CourseSectionMeetingChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	OdsCourseSectionMeetingId	varchar	45	n/a	n/a	
	DateDimensionID	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
StCourseSectionType						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CourseSectionUniqueld	varchar	19	n/a	n/a	System-generated key to COURSE.SECTIONS file
	MultiValuePosition	decimal	n/a	10	0	Position of the multivalued field Sec_Course_Types
	SectionCourseType	varchar	7	n/a	n/a	The section's course type (honors, remedial, etc.) to further define the course section
	SectionName	varchar	21	n/a	n/a	This field is similar to course name. It is a place to house the section name to not always have to go get the user delimiter when displaying sections. The section name is subject + user delimiter + course number + user delimiter + section number
	SectionCourseCommonCodes	varchar	30	n/a	n/a	The section's course type (honors, remedial, etc.) to further define the course section with Common Codes
	CourseSectionAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	CourseSectionChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	DateDimensionID	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsCourseSectionId	varchar	85	n/a	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCourseTermOffered	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueCourseId	varchar	10	n/a	n/a	ID of the course
	MultiValuePosition	decimal	n/a	10	0	CRS_TERMS_OFFERED is sourced from Colleague's multi-valued CRS.TERMS.OFFERED field. POS is the position number (position in list) of the value from CRS.TERMS.OFFERED that corresponds to the CRS_TERMS_OFFERED value.
	TermsOffered	varchar	7	n/a	n/a	CRS_TERMS_OFFERED is sourced from Colleague's multi-valued CRS.TERMS.OFFERED field. It shows the terms in which this course has been (or will be) offered. It is system-maintained whenever a course section with an associated term is created for this course.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	OdsCourseTermOfferedId	varchar	75	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionID	int	4	10	n/a	
StCurriculumTrack	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueCurriculumTrackID	varchar	20	n/a	n/a	Sourced from the CURRICULUM.TRACKS > CURRICULUM.TRACKS.ID Colleague field, which is the Colleague ID of CURRICULUM.TRACKS.
	MultiValuePosition	decimal	n/a	10	0	CTK_COURSE_BLOCKS is sourced from Colleague's multi-valued CTK.COURSE.BLOCKS field. POS is the position number (position in list) of the value from CTK.COURSE.BLOCKS that corresponds to the CTK_COURSE_BLOCKS value.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StCurriculumTrack	CurriculumTrackDescription	varchar	30	n/a	n/a	Sourced from the CURRICULUM.TRACKS > CTK.DESC Colleague field. Description of the curriculum track.
	CurriculumTrackEndDate	smalldatetime	n/a	16	n/a	Sourced from the CURRICULUM.TRACKS > CTK.END.DATE Colleague field. The date on which this curriculum track ends.
	CurriculumTrackStartDate	smalldatetime	n/a	16	n/a	Sourced from the CURRICULUM.TRACKS > CTK.START.DATE Colleague field. The start date for this curriculum track.
	CourseBlockID	varchar	20	n/a	n/a	Sourced from the CURRICULUM.TRACKS > CTK.COURSE.BLOCKS Colleague field. The IDs of the course blocks that make up this curriculum track.
	CurriculumTrackAddDate	smalldatetime	n/a	16	n/a	Sourced from the CURRICULUM.TRACKS > CURRICULUM.TRACKS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	CurriculumTrackChangeDate	smalldatetime	n/a	16	n/a	Sourced from the CURRICULUM.TRACKS > CURRICULUM.TRACKS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDCurriculumTrackAddDate	int	4	10	n/a	
	DateDimensionIDCurriculumTrackStartDate	int	4	10	n/a	
	OdsCurriculumTrackID	varchar	82	n/a	n/a	
	DateDimensionIDCurriculumTrackEndDate	int	4	10	n/a	
StEquivalentAcademicCredit						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentAcademicCreditId	varchar	10	n/a	n/a	Colleague ID of the STUDENT.ACAD.CRED Colleague file. Sourced from the STUDENT.ACAD.CRED.ID field.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StEquivalentAcademicCredit	EquivalentAcademicCredentialIds	varchar	10	n/a	n/a	Sourced from the STC.REPEATED.ACAD.CRED Colleague field. This is the list of academic credit IDs (STC.ACAD.CRED.ID list) of records that are considered equivalent to this academic credential.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	OdsStEquivalentAcademicCreditId	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
StFinancialAidCommentCode						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	DeptOfEducationCommentCode	varchar	8	n/a	n/a	Dept of Ed Comment Code
	ResultsCommentText	varchar	759	n/a	n/a	The ISIR Comment texts concatenated into one data field
	SatisfactoryAcademicProgressComments	text	16	n/a	n/a	Free-form comments about the student's SAP status, calcs, or appeals
	CommentImportYear	varchar	8	n/a	n/a	Read from first part of FA_COMMENT_CODES_ID. FA_COMMENT_CODES_ID is comprised of the year concatenated to the 3 digit comment code.
	InstitutionID	tinyint	1	3	n/a	
	OdsFinancialAidCommentCodeId	varchar	45	n/a	n/a	
StGrades						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ActualGrade	varchar	7	n/a	n/a	Sourced from the GRD.GRADE Colleague field. The actual grade that would be assigned to student course or non-course work
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date grade was added.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StGrades	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date grade was changed.
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsStGradesId	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StGraduate						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueGraduateID	varchar	31	n/a	n/a	Sourced from the GRADUATES > GRADUATES.ID Colleague field, which is the Colleague ID of GRADUATES.
	StudentId	varchar	10	n/a	n/a	Sourced from the GRADUATES > GRAD.STUDENT Colleague field, which is part of the key - part of GRADUATES_ID.
	AcademicProgram	varchar	20	n/a	n/a	Sourced from the GRADUATES > GRAD.ACAD.PROGRAM Colleague field, which is part of the key - part of GRADUATES_ID.
	GraduateAddDate	smalldatetime	n/a	16	n/a	Sourced from the GRADUATES > GRADUATES.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	GraduateAddOperator	varchar	20	n/a	n/a	Sourced from the GRADUATES > GRADUATES.ADDOPR Colleague field. Envision-maintained login of person who added this rec.
	GraduateChangeDate	smalldatetime	n/a	16	n/a	Sourced from the GRADUATES > GRADUATES.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	GraduateChangeOperator	varchar	20	n/a	n/a	Sourced from the GRADUATES > GRADUATES.CHGOPR Colleague field.
	IsEligibleForCommencement	varchar	7	n/a	n/a	Sourced from the GRADUATES > GRAD.ALLOW.COMMENCEMENT.FLAG Colleague field. Yes/no flag specifying whether or not the person is eligible to participate in commencement exercises. (bit/boolean field)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StGraduate	CredentialCertDiplomaDate	smalldatetime	n/a	16	n/a	Sourced from the GRADUATES > GRAD.CCD.DATE Colleague field. The date the CCD will have been earned by the person.
	GradCompletionDate	smalldatetime	n/a	16	n/a	Sourced from the GRADUATES > GRAD.CMPL.DATE Colleague field. The date this person completed the academic program.
	GradCommencementDate	smalldatetime	n/a	16	n/a	Sourced from the GRADUATES > GRAD.COMMENCEMENT.DATE Colleague field. The date this person is to graduate - the date this student will participate in commencement.
	IsCommencDateStuProgEndDate	varchar	7	n/a	n/a	Sourced from the GRADUATES > GRAD.COMMENCEMENT.END.FLAG Colleague field. Yes/no flag saying if the commencement date should be used as the default for the completion date that will become the end date of the STUDENT.PROGRAMS record when the GRADUATES information is updated to ACAD.CREDENTIALS via UACF (ACJ025). Yes means the completion date will default from the term commencement date; No means the completion date will be set to the term end date. (bit/boolean field)
	CommencementSite	varchar	7	n/a	n/a	Sourced from the GRADUATES > GRAD.COMMENCEMENT.SITE Colleague field. The site where the student will actually participate in commencement.
	CommencementTime	smalldatetime	n/a	16	n/a	Sourced from the GRADUATES > GRAD.COMMENCEMENT.TIME Colleague field. The time at which the student is to participate in commencement for this academic program.
	Comments	varchar	30	n/a	n/a	Sourced from the GRADUATES > GRAD.COMMENTS Colleague field. Free-form text to record any graduation comments about this person.
	DegreeEarnedDate	smalldatetime	n/a	16	n/a	Sourced from the GRADUATES > GRAD.DEGREE.DATE Colleague field. The date the degree will have been earned by the person.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StGraduate	NameOnDiploma	varchar	120	n/a	n/a	Sourced from the GRADUATES > GRAD.DIPLOMA.NAME Colleague field. The student's name as it is to appear on the diploma.
	Invoice	varchar	10	n/a	n/a	Sourced from the GRADUATES > GRAD.INVOICE Colleague field. The ID of the invoice on which the charge of this graduation application request was posted.
	AreRequirementsCompleted	varchar	7	n/a	n/a	Sourced from the GRADUATES > GRAD.REQMTS.CMPL.FLAG Colleague field. Yes/no flag to say whether or not this student has met all requirements for graduation. (bit/boolean field)
	ReunionClass	varchar	10	n/a	n/a	Sourced from the GRADUATES > GRAD.REUNION.CLASS Colleague field. The reunion class for this graduate.
	GraduationTerm	varchar	7	n/a	n/a	Sourced from the GRADUATES > GRAD.TERM Colleague field. Academic term in which this person is to graduate.
	TranscriptAddressLine1	varchar	30	n/a	n/a	Sourced from the first line of the GRADUATES > GRAD.TRANSCRIPT.ADDRESS multivalued Colleague field. The address lines of the graduation transcript address.
	TranscriptAddressLine2	varchar	30	n/a	n/a	Sourced from the second line of the GRADUATES > GRAD.TRANSCRIPT.ADDRESS multivalued Colleague field. The address lines of the graduation transcript address.
	TranscriptCity	varchar	30	n/a	n/a	Sourced from the GRADUATES > GRAD.TRANSCRIPT.CITY Colleague field. The city of the graduation transcript address.
	TranscriptCountry	varchar	8	n/a	n/a	Sourced from the GRADUATES > GRAD.TRANSCRIPT.COUNTRY Colleague field. The country of the graduation transcript address.
	TranscriptState	varchar	7	n/a	n/a	Sourced from the GRADUATES > GRAD.TRANSCRIPT.STATE Colleague field. The state/province of the graduation transcript address.
	TranscriptZip	varchar	10	n/a	n/a	Sourced from the GRADUATES > GRAD.TRANSCRIPT.ZIP Colleague field.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StGraduate	DateDimensionIDGraduateAddDate	int	4	10	n/a	
	DateDimensionIDCredentialCertDiplomaDate	int	4	10	n/a	
	DateDimensionIDDegreeEarnedDate	int	4	10	n/a	
	DateDimensionIDGradCommencementDate	int	4	10	n/a	
	DateDimensionIDGradCompletionDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsGraduateID	varchar	62	n/a	n/a	
StInstStuInfoRecCalcResult						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueInstStuInfoRecCalcResultID	varchar	21	n/a	n/a	Sourced from the ISIR.CALC.RESULTS > ISIR.CALC.RESULTS.ID Colleague field, which is the Colleague ID of ISIR.CALC.RESULTS.
	ExpectedFamilyContributionForFedAwarding	decimal	n/a	8	0	Sourced from the ISIR.CALC.RESULTS > ICRES.FED.EFC Colleague field. The EFC value used for federal awarding.
	ExpectedFamilyContributionForPellAwarding	decimal	n/a	8	0	"Sourced from the ISIR.CALC.RESULTS > ICRES.PELL.EFC Colleague field. The EFC value used for Pell awarding."
	ExpectedFamilyContributionPrimaryAmount	decimal	n/a	8	0	Sourced from the ISIR.CALC.RESULTS > ICRES.PRI.EFC Colleague field. The primary amount of Family Contribution.
	TotalParentContribution	decimal	n/a	9	0	Sourced from the ISIR.CALC.RESULTS > ICRES.PRI.TPC Colleague field. The total parent contribution.
	TotalStudentContribution	decimal	n/a	9	0	Sourced from the ISIR.CALC.RESULTS > ICRES.PRI.TSC Colleague field. The total student contribution.
	ApplicationRejectionReason1	varchar	7	n/a	n/a	Sourced from the first value of ISIR.CALC.RESULTS > ICRES.REJECT.CODES multivalued Colleague field. The reason the application was rejected.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StInstStuInfoRecCalcResult	ApplicationRejectionReason2	varchar	7	n/a	n/a	Sourced from the second value of the ISIR.CALC.RESULTS > ICRES.REJECT.CODES multivalued Colleague field. The reason the application was rejected.
	ApplicationRejectionReason3	varchar	7	n/a	n/a	Sourced from the third value of the ISIR.CALC.RESULTS > ICRES.REJECT.CODES multivalued Colleague field. The reason the application was rejected.
	ApplicationRejectionReason4	varchar	7	n/a	n/a	Sourced from the fourth value of the ISIR.CALC.RESULTS > ICRES.REJECT.CODES multivalued Colleague field. The reason the application was rejected.
	ApplicationRejectionReason5	varchar	7	n/a	n/a	Sourced from the fifth value of the ISIR.CALC.RESULTS > ICRES.REJECT.CODES multivalued Colleague field. The reason the application was rejected.
	MetSimpleNeedsTestCriteria	varchar	7	n/a	n/a	Sourced from the ISIR.CALC.RESULTS > ICRES.SIMPLE.NEED.IND Colleague field. Whether or not the student has met the Simple Needs Test criteria. Whether or not the student meets certain criteria for tax filing status and income level and is not required to provide asset information. (bit/boolean field)
	InstStuInfoRecCalcResultAddDate	smalldatetime	n/a	16	n/a	Sourced from the ISIR.CALC.RESULTS > ISIR.CALC.RESULTS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	InstStuInfoRecCalcResultChangeDate	smalldatetime	n/a	16	n/a	Sourced from the ISIR.CALC.RESULTS > ISIR.CALC.RESULTS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	OdsInstStuInfoRecCalcResultID	varchar	52	n/a	n/a	
	DateDimensionIDInstStuInfoRecCalcResultAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StMajor						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueMajorId	varchar	7	n/a	n/a	Colleague ID of the MAJORS Colleague file.
	Type	varchar	30	n/a	n/a	Identifies whether major is Academic, Occupational, Undeclared with Common Code
	ClassificationInstructionalPrograms	varchar	9	n/a	n/a	Sourced from the MAJ.CIP Colleague field. The Classification of Instructional Program of this major (also referred to as the Taxonomy of Programs classification).
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date record was last updated.
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsStMajorId	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StMealPlanAssignment						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagMealPlanAssignmentID	varchar	10	n/a	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MEAL.PLAN.ASSIGNMENT.ID Colleague field, which is the Colleague ID of MEAL.PLAN.ASSIGNMENT.
	MealPlanAssignmentAddDate	smalldatetime	n/a	16	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MEAL.PLAN.ASSIGNMENT.ADDDATE Colleague field. Envision-maintained date this record was added.
	MealPlanAssignmtAddOperator	varchar	20	n/a	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MEAL.PLAN.ASSIGNMENT.ADDOPR Colleague field. Envision-maintained login of who added this record.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StMealPlanAssignment	MealPlanAssignmentChangeDate	smalldatetime	n/a	16	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MEAL.PLAN.ASSIGNMENT.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	MealPlanAssignmtChgOperator	varchar	20	n/a	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MEAL.PLAN.ASSIGNMENT.CHGOPR Colleague field. Envision-maintained login of who last updated this rec.
	DoesItemNeedPostedToAR	varchar	7	n/a	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MPAS.AR.POSTED.FLAG Colleague field. This is a flag that says whether or not the item needs to be posted to AR. N means the assignment has not yet been posted; Y means it has already been posted. (bit/boolean field)
	Comments	varchar	30	n/a	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MPAS.COMMENTS Colleague field. Free-form text about this meal plan assignment.
	EndDate	smalldatetime	n/a	16	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MPAS.END.DATE Colleague field. The date the meal plan assignment ends.
	MealCardNumber	varchar	20	n/a	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MPAS.MEAL.CARD Colleague field. This is the number of the meal card associated with the meal plan assignment.
	MealPlan	varchar	10	n/a	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MPAS.MEAL.PLAN Colleague field. Meal plan to which this person is being assigned.
	NumberOfRatePeriodsPurchased	decimal	n/a	3	0	Sourced from the MEAL.PLAN.ASSIGNMENT > MPAS.NO.RATE.PERIODS Colleague field. The number of rate periods purchased by the individual - the number of rate periods that will be multiplied by the rate to get the total amount charged.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StMealPlanAssignment	PersonID	varchar	10	n/a	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MPAS.PERSON.ID Colleague field. The ID of the person to whom this meal plan is being assigned.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MPAS.START.DATE Colleague field. The start date of this meal plan assignment.
	CurrentStatusDate	smalldatetime	n/a	16	n/a	Sourced from the first value of the MEAL.PLAN.ASSIGNMENT > MPAS.STATUS.DATE multivalued Colleague field. The date the associated status was effective.
	CurrentStatus	varchar	7	n/a	n/a	Sourced from the first value of the MEAL.PLAN.ASSIGNMENT > MPAS.STATUS multivalued Colleague field. The history of the statuses a person's meal assignment went through.
	Term	varchar	7	n/a	n/a	Sourced from the MEAL.PLAN.ASSIGNMENT > MPAS.TERM Colleague field. The term for which this meal plan assignment is valid
	OriginalBilledAmtPercentgUsed	decimal	n/a	3	0	Sourced from the MEAL.PLAN.ASSIGNMENT > MPAS.USED.PCT Colleague field. The percentage of the original billed amount which was used.
	UsedRatePeriods	decimal	n/a	3	0	Sourced from the MEAL.PLAN.ASSIGNMENT > MPAS.USED.RATE.PERIODS Colleague field. The used portion of the number of rate periods charged - the number of units (rate periods) the individual used.
	DateDimensionIDEndDate	int	4	10	n/a	
	DateDimensionIDStartDate	int	4	10	n/a	
	DateDimensionIDCurrentStatusDate	int	4	10	n/a	
	DateDimensionIDMealPlanAssignmentAdd Date	int	4	10	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StMealPlanAssignment	InstitutionID	tinyint	1	3	n/a	
	OdsMealPlanAssignmentID	varchar	41	n/a	n/a	
StMiscellaneousDataAcademicYear						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueMiscellaneousDataAcademicYearId	varchar	10	n/a	n/a	Colleague ID of the YS.ACYR Colleague file. Sourced from the YS.STUDENT.ID field.
	SuiteYearInstance	varchar	10	n/a	n/a	Sourced from the YS.STUDENT.ID Colleague field. File suite of the YS.ACYR file
	DecisionCodes	varchar	7	n/a	n/a	Sourced from the YS.DECISION Colleague field. The decision Code(s) for a student
	MiscellaneousData1	varchar	30	n/a	n/a	Sourced from the YS.MISC1 Colleague field. User defined miscellaneous data.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	The date that this record was added to the file, in Colleague.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	The date of the last change to this record, in Colleague.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsStMiscellaneousDataAcademicYearId	varchar	55	n/a	n/a	
StPersonEducationalGoal						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleaguePersonStudentId	varchar	10	n/a	n/a	Colleague ID of the PERSON.ST Colleague file. Sourced from the PERSON.ST.ID Colleague field.
	MultiValuePosition	decimal	n/a	10	0	Position number of the EDUCATIONAL_GOAL and EDUCATIONAL_GOAL_CHANGE_DATE values - the position number of these values in the corresponding multivalued lists in Colleague.
	EducationalGoal	varchar	30	n/a	n/a	Sourced from the PST.EDUC.GOALS Colleague field. Tracks the education goals of a person.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StPersonEducationalGoal	EducationalGoalChangeDate	smalldatetime	n/a	16	n/a	The date the associated education goal was changed.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date of when this record was added.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	OdsStPersonEducationalGoalId	varchar	45	n/a	n/a	
	DateDimensionIDEducationalGoalChangeDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
StPersonRestrictions						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleaguePersonStudentId	varchar	10	n/a	n/a	Sourced from the PERSON.ST > PERSON.ST.ID Colleague field, which is the Colleague ID of PERSON.ST.
	ActiveRestrictions	varchar	30	n/a	n/a	Sourced from the PERSON.ST > PST.ACTIVE.RESTRICTIONS Colleague computed column. The active restrictions for a student.
	ActiveRestrictionDescriptions	varchar	30	n/a	n/a	Sourced from the RESTRICTIONS > REST.DESC Colleague field (per PERSON.ST > PST.ACTIVE.RESTRICTIONS). The descriptions of the active restrictions for a student.
	PersonStudentAddDate	smalldatetime	n/a	16	n/a	Sourced from the PERSON.ST > PERSON.ST.ADDDATE Colleague field. Envision-maintained date of when this record was added.
	PersonStudentAddOperator	varchar	20	n/a	n/a	Sourced from the PERSON.ST > PERSON.ST.ADDOPR Colleague field. Envision-maintained login of who added this record.
	PersonStudentChangeDate	smalldatetime	n/a	16	n/a	Sourced from the PERSON.ST > PERSON.ST.CHGDATE Colleague field. Envision-maintained date this record was last updated.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StPersonRestrictions	PersonStudentChgOperator	varchar	20	n/a	n/a	Sourced from the PERSON.ST > PERSON.ST.CHGOPR Colleague field. Envision-maintained login of who last updated this rec.
	OdsPersonRestrictionsID	varchar	41	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDPersonStudentAddDate	int	4	10	n/a	
StProspectApplicationStatus						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagProspectApplctnStatusID	varchar	10	n/a	n/a	Sourced from the APPLICATIONS > APPLICATIONS.ID Colleague field, which is the Colleague ID of APPLICATIONS.
	MultiValuePosition	varchar	30	n/a	n/a	APPL_PROSPECT_STATUS is sourced from Colleague's multi-valued APPL.PROSPECT.STATUS field. STATUS_POS is the position number (position in list) of the value from APPL.PROSPECT.STATUS that corresponds to the APPL_PROSPECT_STATUS value.
	Status	varchar	7	n/a	n/a	Sourced from the APPLICATIONS > APPL.PROSPECT.STATUS Colleague field. The status of the person's application as a prospect.
	StatusDate	smalldatetime	n/a	16	n/a	Sourced from the APPLICATIONS > APPL.PROSPECT.STATUS.DATE Colleague field. The date the associated status was added.
	DateDimensionIDStatusDate	int	4	10	n/a	
	OdsProspectApplicationStatusID	varchar	72	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StRegistrationPriority						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueRegistrationPriorityID	varchar	10	n/a	n/a	ColleagueRegistrationPriorityID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StRegistrationPriority	RegistrationPriorityAddDate	smalldatetime	n/a	16	n/a	Sourced from the REG.PRIORITIES > REG.PRIORITIES.ADDDATE Colleague field. Envision maintained date this record was added to the file.
	RegistratnPriorityAddOperator	varchar	20	n/a	n/a	Sourced from the REG.PRIORITIES > REG.PRIORITIES.ADDOPR Colleague field. The login ID of the person who added this record to the file.
	RegistrationPriorityChgDate	smalldatetime	n/a	16	n/a	Sourced from the REG.PRIORITIES > REG.PRIORITIES.CHGDATE Colleague field. The Envision maintained date of when this record was last updated.
	RegistratnPriorityChgOperator	varchar	20	n/a	n/a	Sourced from the REG.PRIORITIES > REG.PRIORITIES.CHGOPR Colleague field. The login ID of the person who last updated this record.
	EndDate	smalldatetime	n/a	16	n/a	Sourced from the REG.PRIORITIES > RGPR.END.DATE Colleague field. The end date for this registration priority.
	EndTime	smalldatetime	n/a	16	n/a	Sourced from the REG.PRIORITIES > RGPR.END.TIME Colleague field. The end time for this registration priority.
	PriorityNumber	decimal	n/a	10	0	Sourced from the REG.PRIORITIES > RGPR.PRIORITY Colleague field. The actual priority number assigned to this student for this time period.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the REG.PRIORITIES > RGPR.START.DATE Colleague field. the start date for student registration.
	StartTime	smalldatetime	n/a	16	n/a	Sourced from the REG.PRIORITIES > RGPR.START.TIME Colleague field. The start time when this record will allow the student to register.
	StudentID	varchar	10	n/a	n/a	Sourced from the REG.PRIORITIES > RGPR.STUDENT Colleague field. The student assigned to this reg priorities record.
	Term	varchar	7	n/a	n/a	Sourced from the REG.PRIORITIES > RGPR.TERM Colleague field. The term to which the registration is to apply.
	DateDimensionIDEndDate	int	4	10	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StRegistrationPriority	DateDimensionIDRegistrationPriorityAddDate	int	4	10	n/a	
	DateDimensionIDStartDate	int	4	10	n/a	
	OdsRegistrationPriorityID	varchar	41	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StStuAdvisementOtherCohort						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentAcademicLevelId	varchar	16	n/a	n/a	Sourced from the STUDENT.ACAD.LEVELS > STUDENT.ACAD.LEVELS.ID Colleague field, which is the Colleague ID of STUDENT.ACAD.LEVELS.
	MultiValuePosition	decimal	n/a	10	0	STA_OTHER_COHORT_GROUPS is sourced from Colleague's multi-valued STA.OTHER.COHORT.GROUPS field. POS is the position number (position in list) of the value from STA.OTHER.COHORT.GROUPS that corresponds to the STA_OTHER_COHORT_GROUPS value.
	StudentId	varchar	10	n/a	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.STUDENT Colleague field, which is part of the key - part of STUDENT_ACAD_LEVELS_ID.
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.ACAD.LEVEL Colleague field, which is part of the key - part of STUDENT_ACAD_LEVELS_ID.
	AcademicLevelDescription	varchar	30	n/a	n/a	Sourced from the ACAD.LEVELS > ACLV.DESC Colleague field (per STUDENT.ACAD.LEVELS > STA.ACAD.LEVEL). The description of the academic level.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStuAdvisementOtherCohort	CohortEndDates	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.OTHER.COHORT.END.DATES Colleague field. The dates the associated institutional cohort group ended for the student.
	OtherCohortGroups	varchar	7	n/a	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.OTHER.COHORT.GROUPS Colleague field. The list of any institutional cohort groups with which this student in this academic level is to be associated.
	OtherCohortGroupDescriptions	varchar	32	n/a	n/a	Sourced from the valcode lookup of the STUDENT.ACAD.LEVELS > STA.OTHER.COHORT.GROUPS Colleague field. The descriptions of any institutional cohort groups with which this student in this academic level is to be associated.
	CohortStartDates	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.OTHER.COHORT.START.DATES Colleague field. The date the associated institutional cohort group began.
	StudentAcadLevelAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.ACAD.LEVELS > STUDENT.ACAD.LEVELS.ADDDATE Colleague field. Envision-maintained date this record was added to the file.
	StudentAcadLevelChgDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.ACAD.LEVELS > STUDENT.ACAD.LEVELS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDStudentAcadLevelAddDate	int	4	10	n/a	
	DateDimensionIDCohortEndDates	int	4	10	n/a	
	OdsStuAdvisementOtherCohortID	varchar	64	n/a	n/a	
	DateDimensionIDCohortStartDates	int	4	10	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudent	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentId	varchar	10	n/a	n/a	Colleague ID of the STUDENTS Colleague file. Sourced from the STUDENTS.ID field.
	AccountsReceivableBalance	decimal	n/a	14	2	Sourced from the STUDENTS > STU.AR.BALANCE Colleague computed column. The student's accounts receivable balance.
	CurrentHomeLocationCode	varchar	7	n/a	n/a	Sourced from the STU.CURRENT.HOME.LOCATION Colleague computed column. The code of the current home location of a student.
	CurrentHomeLocationDescription	varchar	30	n/a	n/a	Sourced from the LOC.DESC Colleague field. The full description of the current home location of a student.
	ResidencyStatus	varchar	30	n/a	n/a	Sourced from the first value (position) of the STU.RESIDENCY.STATUS Colleague field. The overall residency status of a student, such as in-state, out of country, etc.
	ResidencyStatusDescription	varchar	30	n/a	n/a	Sourced from the RESIDENCY.STATUSES > RES.DESC Colleague field (per STUDENTS > STU.RESIDENCY.STATUS). The description of the residency status of the student, such as in-state, out of county, etc.
	CurrentType	varchar	7	n/a	n/a	Sourced from the STUDENTS > STU.CURRENT.TYPE Colleague computed column. The current student type of the student.
	CurrentTypeDescription	varchar	30	n/a	n/a	Sourced from the STUDENT.TYPES > STT.DESC Colleague field (per STUDENTS > STU.CURRENT.TYPE). The current student type of the student.
	Comments	varchar	-1	n/a	n/a	Sourced from the STUDENTS > STU.COMMENTS Colleague field. Free-form text to record any comments about this student.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudent	HomeNewspaperAssociation	varchar	10	n/a	n/a	Sourced from the first value of the STUDENTS > STU.HOME.NEWSPAPERS multivalued Colleague field. List of PERSON IDs of the hometown newspapers with which the student might be associated.
	ResidencyStatusReport	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the first value of the STUDENTS > STU.RESIDENCY.STATUS Colleague multivalued field, using the W67_RESIDENCY_STATUS_MAP valcode lookup table. The overall residency status of a student, such as in-state, out of county, etc.
	HomeLocationStartDate	smalldatetime	n/a	16	n/a	Sourced from the STU.HOME.LOCATION.START.DATE Colleague field. The date the associated location is to be used for the student.
	HomeLocationEndDate	smalldatetime	n/a	16	n/a	Sourced from the STU.HOME.LOCATION.END.DATE Colleague field. The date the associated location stopped being the primary location for the student.
	CurrentHomeLocatnW ithinDateRange	varchar	12	n/a	n/a	Sourced from the STU.SGDS.SHL.DATE Colleague computed column. Returns the students current home location within the current date and the end date.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	Miscellaneous2Line1	varchar	10	n/a	n/a	Sourced from the first value of the STUDENTS > STU.MISC2 multivalued Colleague field. User-specified free form miscellaneous text.
	Miscellaneous2Line2	varchar	10	n/a	n/a	Sourced from the second value of the STUDENTS > STU.MISC2 multivalued Colleague field. User-specified free form miscellaneous text.
	InstitutionID	tinyint	1	3	n/a	
	OdsStStudentId	varchar	72	n/a	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudent	DateDimensionIDHomeLocationEndDate	int	4	10	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	DateDimensionIDHomeLocationStartDate	int	4	10	n/a	
StStudentAcademicCredit						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentAcademicCreditId	varchar	10	n/a	n/a	Colleague ID of the STUDENT.ACAD.CRED Colleague file. Sourced from the STUDENT.ACAD.CRED.ID field.
	PersonId	varchar	10	n/a	n/a	Sourced from the STC.PERSON.ID Colleague field. The Colleague ID of the person whose academic activity this is.
	Term	varchar	7	n/a	n/a	Sourced from the STC.TERM Colleague file. The term to which this academic credit applies.
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the STC.ACAD.LEVEL Colleague field. The academic level to which the credit applies.
	AcademicLevelDescription	varchar	20	n/a	n/a	Sourced from the ACLV.DESC Colleague field. Full description of the academic level.
	VerifiedFinalGrade	varchar	10	n/a	n/a	Sourced from the STC.VERIFIED.GRADE Colleague field. The verified final grade of the student's academic credit.
	VerifiedFinalGradeDate	smalldatetime	n/a	16	n/a	Sourced from the STC.VERIFIED.GRADE.DATE Colleague field. The date the verified grade was added or changed.
	ColleagueCourseId	varchar	10	n/a	n/a	Sourced from the STC.COURSE Colleague field. ID of the course associated with this academic credit.
	ContinuingEducationUnits	decimal	n/a	6	2	Sourced from the STC.CEUS Colleague field. The number of continuing education units (CEUs) a student will receive for this entry.
	CourseLevel	varchar	7	n/a	n/a	Sourced from the STC.COURSE.LEVEL Colleague field. Course level for which credit is valid.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentAcademicCredit	CourseLevelDescription	varchar	15	n/a	n/a	Read from the COURSE.LEVELS valcode table in ST in Colleague. The full description for the course level, i.e. freshman, sophomore or 1st year, 2nd year
	CourseName	varchar	15	n/a	n/a	Sourced from the STC.COURSE.NAME Colleague field. The name of the course when the student took it.
	RegisteredAttemptedCredits	decimal	n/a	9	5	Sourced from the STC.CRED Colleague field. The number of credits or clock hours for which the person registered or is attempting to gain for this entry.
	CreditTypeCode	varchar	7	n/a	n/a	Sourced from the STC.CRED.TYPE Colleague field. Credit type code for this academic credit.
	CreditTypeDescription	varchar	25	n/a	n/a	Sourced from the CRTP.DESC Colleague field. Full description for the student academic credit type for this course section used in GPA calculation. Defaults from course, but can be changed.
	DepartmentCode1	varchar	7	n/a	n/a	Sourced from the first value (position) of the STC.DEPTS Colleague file. The department code to which this academic credit applies.
	DepartmentDescription1	varchar	30	n/a	n/a	Sourced from the DEPTS.DESC Colleague field. The department description associated with the department that is in the 1st position.
	DepartmentCode2	varchar	7	n/a	n/a	Sourced from the second value (position) of the STC.DEPTS Colleague file. The department code to which this academic credit applies.
	DepartmentDescription2	varchar	10	n/a	n/a	Sourced from the DEPTS.DESC Colleague field. The department description associated with the department that is in the 2nd position.
	DivisionCode1	varchar	7	n/a	n/a	Sourced from the first value (position) of the STC.DIVISIONS Colleague field. The code for the division as derived from the department associated with the course section.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentAcademicCredit	DivisionDescription1	varchar	20	n/a	n/a	Sourced from the DIV.DESC Colleague field. The full description for the division as derived from the department associated with the course section that is in the 1st position.
	DivisionCode2	varchar	7	n/a	n/a	Sourced from the second value (position) of the STC.DIVISIONS Colleague field. The code for the division as derived from the department associated with the course section.
	DivisionDescription2	varchar	10	n/a	n/a	The full description for the division as derived from the department associated with the course section that is in the 2nd position
	EndDate	smalldatetime	n/a	16	n/a	Sourced from the STC.END.DATE Colleague field. Date this academic credit has finished or is scheduled to finish.
	ActualGrade	varchar	7	n/a	n/a	Sourced from the STC.GRADE Colleague computed column. The actual grade.
	GradeValue	decimal	n/a	8	5	Sourced from the STC.GRADE Colleague computed column. The actual grade.
	ReplaceCode	varchar	7	n/a	n/a	Sourced from the STC.REPL.CODE Colleague field. Colleague uses the replace code associated with a particular academic credit record to determine which course in the list of repeats to consider "official."
	ReportingTerm	varchar	7	n/a	n/a	Sourced from the STC.REPORTING.TERM Colleague field. The term to which this student academic credit is related for reports.
	SchoolCode1	varchar	7	n/a	n/a	Sourced from the first value (position) of the STC.SCHOOLS Colleague file. School codes associated with the divisions or departments associated with this academic credit.
	SchoolDescription1	varchar	30	n/a	n/a	Sourced from the SCHOOLS.DESC Colleague field. The full description for the school associated with the divisions or departments associated with this academic credit, that is in the 1st position.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentAcademicCredit	SchoolCode2	varchar	7	n/a	n/a	Sourced from the second value (position) of the STC.SCHOOLS.Colleague file. School codes associated with the divisions or departments associated with this academic credit.
	SchoolDescription2	varchar	10	n/a	n/a	Sourced from the SCHOOLS.DESC Colleague field. The full description for the school associated with the divisions or departments associated with this academic credit, that is in the 2nd position.
	CourseSectionNumber	varchar	7	n/a	n/a	Sourced from the STC.SECTION.NO Colleague field. This is the number of the course section if this academic credit record was created from a course section.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the STC.START.DATE Colleague field. The date this academic credit was started.
	CurrentStatus	varchar	7	n/a	n/a	Sourced from the STC.CURRENT.STATUS Colleague field. The code of the most current (first) student academic credit status.
	CurrentStatusActionCode1	varchar	7	n/a	n/a	Read from the STUDENT.ACAD.CRED.STATUSSES valcode table in ST in Colleague, per STC_CURRENT_STATUS.
	CurrentStatusDescription	varchar	25	n/a	n/a	Read from the STUDENT.ACAD.CRED.STATUSSES valcode table in ST in Colleague, per STC_CURRENT_STATUS. The full description for the status of the student academic credit entry in the first position.
	CurrentStatusDate	smalldatetime	n/a	16	n/a	Sourced from the STC.CURRENT.STATUS.DATE Colleague field. The current status date.
	Subject	varchar	7	n/a	n/a	Sourced from the STC.SUBJECT Colleague field. Subject to which this academic credit applies.
	Title	varchar	30	n/a	n/a	Sourced from the STC.TITLE Colleague field. Description of this academic credit record.
	CompletedCredits	decimal	n/a	9	5	Sourced from the STC.CMPL.CRED Colleague field. The number of credits attempted that were actually completed.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentAcademicCredit	AttemptedCredits	decimal	n/a	9	5	Sourced from the STC.ATT.CRED Colleague field. The number of credits that will be counted towards credits attempted.
	AlternativCumulativCompltdCredits	decimal	n/a	9	5	Sourced from the STC.ALT.CUM.CONTRIB.CMPL.CRED Colleague field. The number of credits completed that will be counted towards the alternate cumulative credits completed.
	CumulativeCreditsCompleted	decimal	n/a	9	5	Sourced from the STC.CUM.CONTRIB.CMPL.CRED Colleague field. The number of credits completed that will be counted towards cumulative credits completed.
	TermCreditHoursCompleted	decimal	n/a	10	5	Student's completed credits for a specific term.
	TermCreditHoursAttempted	decimal	n/a	10	5	Student's attempted credits for a specific term.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	OdsStStudentAcademicCreditId	varchar	15	n/a	n/a	
	DateDimensionIDCurrentStatusDate	int	4	10	n/a	
	DateDimensionIDVerifiedFinalGradeDate	int	4	10	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDStartDate	int	4	10	n/a	
	DateDimensionIDEndDate	int	4	10	n/a	
StStudentAcademicLevel						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentAcademicLevelId	varchar	16	n/a	n/a	Colleague ID of the STUDENT.ACAD.LEVELS Colleague field. Sourced from the STA.STUDENT and STA.ACAD.LEVEL key fields.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentAcademicLevel	StudentID	varchar	10	n/a	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.STUDENT Colleague field which is part of the key - part of STUDENT_ACAD_LEVELS_ID.
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.ACAD.LEVEL Colleague field which is part of the key - part of STUDENT_ACAD_LEVELS_ID.
	CurrentClassLevel	varchar	7	n/a	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.CLASS Colleague field. The current class level of the student, such as first year, sophomore, etc.
	ClassLevelDescription	varchar	30	n/a	n/a	Sourced from the CLASSES > CLS.DESC Colleague field (per STUDENT.ACAD.LEVELS > STA.CLASS). The description for the current class level of the student.
	EnrollmentStatus	varchar	7	n/a	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.ENROLL.STATUS Colleague field. The enrollment status of the student in this academic level.
	EnrollmentStatusDescription	varchar	30	n/a	n/a	Sourced from the ENROLL.STATUSES > ENRS.DESC Colleague field (per STUDENT.ACAD.LEVELS > STA.ENROLL.STATUS). A description of the enrollment status.
	EndDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.END.DATE Colleague field. The date the student's participation in this academic level ended - the student's last date in this academic level.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.START.DATE Colleague field. The date the student's participation in this academic level began - the student's start date in this academic level.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentAcademicLevel	CumulativeGpa	decimal	n/a	6	5	Sourced from the STU.ACAD.LEVELS.CC > STA.STORED.CUM.GPA stored computed column (per STUDENT.ACAD.LEVELS > STUDENT.ACAD.LEVELS.ID). The cumulative GPA for the acad level.
	Gpa1	decimal	n/a	6	5	Sourced from the STU.ACAD.LEVELS.CC > STA.STORED.GPA1 stored computed column (per STUDENT.ACAD.LEVELS > STUDENT.ACAD.LEVELS.ID). The GPA1
	Gpa2	decimal	n/a	6	5	Sourced from the STU.ACAD.LEVELS.CC > STA.STORED.GPA2 stored computed column (per STUDENT.ACAD.LEVELS > STUDENT.ACAD.LEVELS.ID). The GPA2
	FederalCohortGroup	varchar	7	n/a	n/a	Sourced from the STUDENT.ACAD.LEVELS > STA.FED.COHORT.GROUP Colleague field. The federal cohort group required by the student right to know act.
	FederalCohortGroupDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the STUDENT.ACAD.LEVELS > STA.FED.COHORT.GROUP Colleague field. The federal cohort group required by the student right to know act.
	StartTerm	varchar	7	n/a	n/a	Sourced from the STA.START.TERM Colleague field. The term this student started in this academic level with Common Code format.
	AdmitStatus	varchar	7	n/a	n/a	Sourced from the STA.ADMIT.STATUS Colleague field. The admit status of the student into this academic level (e.g., first time freshman, transfer student, etc.).
	AdmitStatusActionCode1	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the STUDENT.ACAD.LEVELS > STA.ADMIT.STATUS Colleague field, using the W67_ADMIT_STATUS_MAP valcode lookup table.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentAcademicLevel	AdmitStatusReport	varchar	30	n/a	n/a	Sourced from the STA.ADMIT.STATUS Colleague field. The admit status of the student into this academic level (e.g., first time freshman, transfer student, etc.).
	StartTermActionCode1	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the STUDENT.ACAD.LEVELS > STA.START.TERM Colleague field, using the W67_STA_START_TERM_MAP valcode lookup table.
	StartTermReport	varchar	30	n/a	n/a	Sourced from the STA.START.TERM Colleague field. The term this student started in this academic level with Common Code format.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	DateDimensionIDStartDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDEndDate	int	4	10	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsStStudentAcademicLevelId	varchar	47	n/a	n/a	
StStudentAcademicStanding						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	CurrentAcademicStanding	varchar	7	n/a	n/a	Sourced from the STS.ACAD.STANDING Colleague field. The student's current academic standing.
	CurrentAcademicStandingDescription	varchar	32	n/a	n/a	Read from the ACAD.STANDINGS valcode table in ST in Colleague. The student's current academic standing description.
	PersonId	varchar	10	n/a	n/a	Sourced from the STS.STUDENT Colleague file. ID of the student whose academic standing this is. Points to the STUDENTS Colleague file.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentAcademicStanding	ReportingTerm	varchar	10	n/a	n/a	Sourced from the STUDENT.STANDINGS > STS.REPORTING.TERM Colleague computed column. This is provided to allow the standings term to be grouped by its reporting term.
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the STS.ACAD.LEVEL Colleague field. The academic level to which this academic standing applies.
	AcademicStandingDate	smalldatetime	n/a	16	n/a	Sourced from the STS.ACAD.STANDING.DATE Colleague field. The date the academic standing was changed.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	The Envision-maintained date the record was added to the file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsStStudentAcademicStandingId	varchar	45	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDAcademicStandingDate	int	4	10	n/a	
StStudentAdvisement						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentAdvisementID	varchar	10	n/a	n/a	Sourced from the STUDENT.ADVISEMENT > STUDENT.ADVISEMENT.ID Colleague field, which is the Colleague ID of STUDENT.ADVISEMENT.
	StudentID	varchar	10	n/a	n/a	Sourced from the STUDENT.ADVISEMENT > STAD.STUDENT Colleague field. Student ID pointer to the PERSON.ST file.
	FacultyID	varchar	10	n/a	n/a	Sourced from the STUDENT.ADVISEMENT > STAD.FACULTY Colleague field. The ID of the faculty advisor - points to the FACULTY file.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentAdvisement	AdvisorType	varchar	7	n/a	n/a	Sourced from the STUDENT.ADVISEMENT > STAD.TYPE Colleague field. The type of advisor the person is to the student.
	AdvisorTypeDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the STUDENT.ADVISEMENT > STAD.TYPE Colleague field. The description of the type of advisor the person is to the student.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.ADVISEMENT > STAD.START.DATE Colleague field. The date the student was assigned as an advisee to the faculty member.
	EndDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.ADVISEMENT > STAD.END.DATE Colleague field. The date the faculty member stopped advising this person.
	StudentAdvisementAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.ADVISEMENT > STUDENT.ADVISEMENT.ADDDATE Colleague field. Envision-maintained date this record was added.
	StudentAdvisementChangeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.ADVISEMENT > STUDENT.ADVISEMENT.CHGDATE Colleague field. Envision-maintained date this record was updated.
	DateDimensionIDEndDate	int	4	10	n/a	
	DateDimensionIDStudentAdvisementAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsStudentAdvisementID	varchar	41	n/a	n/a	
	DateDimensionIDStartDate	int	4	10	n/a	
StStudentCourseSection						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentCourseSection	ColleagueStudentCourseSectionId	varchar	10	n/a	n/a	Colleague ID of the STUDENT.COURSE.SEC Colleague file. Sourced from the STUDENT.COURSE.SEC.ID field.
	LocationCode	varchar	7	n/a	n/a	Sourced from the SCS.LOCATION Colleague field. The location code that indicates where the student took the course.
	LocationDescription	varchar	30	n/a	n/a	Sourced from the LOC.DESC Colleague field. The full description that indicates where the student took the course
	ColleagueCourseSectionId	varchar	19	n/a	n/a	Sourced from the SCS.COURSE.SECTION Colleague field. This is the ID of the student course section with which the academic credit is associated
	Comments	varchar	-1	n/a	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.COMMENTS Colleague field. Free-form text associated with this student course section.
	LastAttendDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.LAST.ATTEND.DATE Colleague field. The date the student last attended this course section.
	FirstIntermediateGradeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.MID.GRADE.DATE1 Colleague field. The date associated with the first intermediate grade
	SecondIntermediateGradeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.MID.GRADE.DATE2 Colleague field. The date associated with the second intermediate grade.
	ThirdIntermediateGradeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.MID.GRADE.DATE3 Colleague field. The date associated with the third intermediate grade.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentCourseSection	FourthIntermediateGradeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.MID.GRADE.DATE4 Colleague field. The date associated with the fourth intermediate grade.
	FifthIntermediateGradeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.MID.GRADE.DATE5 Colleague field. The date associated with the fifth intermediate grade.
	SixthIntermediateGradeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.MID.GRADE.DATE6 Colleague field. The date associated with the sixth intermediate grade.
	FirstIntermediateGrade	varchar	10	n/a	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.MID.TERM.GRADE1 Colleague field. The first of any intermediate grades prior to the final grade.
	SecondIntermediateGrade	varchar	10	n/a	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.MID.TERM.GRADE2 Colleague field. The second of any intermediate grades prior to the final grade.
	ThirdIntermediateGrade	varchar	10	n/a	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.MID.TERM.GRADE3 Colleague field. The third of any intermediate grades prior to the final grade.
	FourthIntermediateGrade	varchar	10	n/a	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.MID.TERM.GRADE4 Colleague field. The fourth of any intermediate grades prior to the final grade.
	FifthIntermediateGrade	varchar	10	n/a	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.MID.TERM.GRADE5 Colleague field. The fifth of any intermediate grades prior to the final grade.
	SixthIntermediateGrade	varchar	10	n/a	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.MID.TERM.GRADE6 Colleague field. The sixth of any intermediate grades prior to the final grade.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentCourseSection	DidStudentNeverAttendClass	varchar	7	n/a	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.NEVER.ATTENDED.FLAG Colleague field. Indicate that the student never attended the class. (bit/boolean field)
	PassNoPassAudit	varchar	7	n/a	n/a	Sourced from the SCS.PASS.AUDIT Colleague field. Indicates if this course is being taken as pass/no pass or audit.
	PrintedComments	varchar	-1	n/a	n/a	Sourced from the SCS.PRINTED.COMMENTS Colleague field. Free-form text that can be printed on transcripts, reports, etc.
	RegistrationMethod	varchar	7	n/a	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.REG.METHOD Colleague field. This is the method used for registration, such as phone, standard, etc.
	RegistrationMethodDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the STUDENT.COURSE.SEC > SCS.REG.METHOD Colleague field. The description of the method used for registration, such as phone, standard, etc.
	RegistrationReason	varchar	10	n/a	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.REG.REASON Colleague field. The reason for taking this course.
	RegistrationReasonDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the STUDENT.COURSE.SEC > SCS.REG.REASON Colleague field. The description of the reason for taking this course.
	FinalNote1	varchar	7	n/a	n/a	Sourced from the first value of the STUDENT.COURSE.SEC > SCS.FINAL.NOTES multivalued Colleague field. The final notes that are to be associated with the student course section - notes about this student's final grades in this course section.
	FinalNote1AddDate	smalldatetime	n/a	16	n/a	Sourced from the first value of the STUDENT.COURSE.SEC > SCS.FINAL.NOTES.ADDDATE multivalued Colleague field. The date this note was added for this student course section.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentCourseSection	FinalNote1AddOperator	varchar	20	n/a	n/a	Sourced from the STUDENT.COURSE.SEC > SCS.FINAL.NOTES.ADDOPR multivalued Colleague field. The login ID of the person who added the note for this student.
	FinalNote1ActionCode1	varchar	30	n/a	n/a	Sourced from the UT.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the first value of the STUDENT.COURSE.SEC > SCS.FINAL.NOTES multivalued Colleague field, using the W67_SCS_FINAL_NOTES_MAP valcode table. The final notes that are to be associated with the student course section - notes about this student's final grades in this course section.
	FinalNotes	varchar	30	n/a	n/a	Sourced from the SCS.FINAL.NOTES Colleague field. Final notes that are to be associated with the student course section.
	ColleagueStudentAcademicCreditId	varchar	10	n/a	n/a	Sourced from the SCS.STUDENT.ACAD.CRED Colleague field. Pointer to the STUDENT.ACAD.CRED Colleague file, to the corresponding record associated with this student course section.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	DateDimensionIDFirstIntermediateGradeDate	int	4	10	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	DateDimensionIDFinalNote1AddDate	int	4	10	n/a	
	DateDimensionIDFourthIntermediateGradeDate	int	4	10	n/a	
	DateDimensionIDFifthIntermediateGradeDate	int	4	10	n/a	
	DateDimensionIDSecondIntermediateGradeDate	int	4	10	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentCourseSection	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDSixthIntermediateGradeDate	int	4	10	n/a	
	OdsStStudentCourseSectionId	varchar	45	n/a	n/a	
	DateDimensionIDLastAttendDate	int	4	10	n/a	
	DateDimensionIDThirdIntermediateGradeDate	int	4	10	n/a	
StStudentNonCourse						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStStudentNonCourseId	varchar	10	n/a	n/a	Colleague ID of the STUDENT.NON.COURSES Colleague file. Sourced from the STUDENT.NON.COURSES.ID field.
	Category	varchar	7	n/a	n/a	Sourced from the STUDENT.NON.COURSES > STNC.CATEGORY Colleague field. Values of tests versus other non-course work. There is a further distinction between placement versus admissions tests. In order to have some control when assigning non-courses to people we need to know if the non-course is for use by admissions (such as SAT scores) or to give credit for courses (such as CLEP tests).
	CategoryDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the STUDENT.NON.COURSES > STNC.CATEGORY Colleague field. Description of the values of tests versus other non-course work.
	EndDate	smalldatetime	n/a	16	n/a	Sourced from the STNC.END.DATE Colleague field. The date this non-course work ended or will end.
	ActualGrade	varchar	7	n/a	n/a	Sourced from the GRADES > GRD.GRADE Colleague field (per STUDENT.NON.COURSES > STNC.GRADE). The actual grade of this non-course work - the grade received for this noncourse by this student.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentNonCourse	NonCourse	varchar	10	n/a	n/a	Sourced from the STUDENT.NON.COURSES > STNC.NON.COURSE Colleague field. The ID of the noncourse from which this person's noncourse work came.
	Description	varchar	30	n/a	n/a	Sourced from the NON.COURSES > NCRS.SHORT.TITLE Colleague field (per STUDENT.NON.COURSES > STNC.NON.COURSE). One line description of the non-course entry - the noncourse title.
	Type	varchar	7	n/a	n/a	Sourced from the NON.COURSES > NCRS.TYPE Colleague field (per STUDENT.NON.COURSES > STNC.NON.COURSE). The type of non-course, such as TEST, COMMunity work, etc.
	TypeDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the NON.COURSES > NCRS.TYPE Colleague field (per STUDENT.NON.COURSES > STNC.NON.COURSE). The description of the type of non-course, such as TEST, COMMunity work, etc.
	ColleaguePersonStudentId	varchar	10	n/a	n/a	Sourced from the STNC.PERSON.ID field. Points to the PERSON.ST Colleague file, pointing to the person who completed or is participating in the non-course work.
	Score	decimal	n/a	5	0	Sourced from the STNC.SCORE Colleague field. The score achieved by the person for the non-course work.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the STNC.START.DATE Colleague field. The date this non-course work was started or will start.
	StatusCode	varchar	7	n/a	n/a	Sourced from the STNC.STATUS Colleague field. The code for the status of the non-course work.
	StatusDescription	varchar	32	n/a	n/a	Read from the STUDENT.NON.COURSE.STATUSSES valcode table in ST in Colleague. The full description for the status of the non-course work.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentNonCourse	StatusActionCode1	varchar	30	n/a	n/a	Sourced from the ST.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the STUDENT.NON.COURSES > STNC.STATUS Colleague field. The status of the non-course work.
	PercentileRanking	decimal	n/a	3	0	Sourced from the STUDENT.NON.COURSES > STNC.PCT Colleague field. The percentile ranking of the individual for this noncourse work - the percentile ranking of a person's test scores.
	Title	varchar	30	n/a	n/a	Sourced from the STNC.TITLE Colleague field. The title of the non-course work.
	NonCourseId	varchar	30	n/a	n/a	Sourced from the STNC.NON.COURSE Colleague field. The ID of the noncourse from which this person's non-course work came with Common Codes.
	StatusDate	smalldatetime	n/a	16	n/a	Sourced from the STNC.STATUS.DATE Colleague field. The date the status was assigned or changed.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date record was last updated.
	Comments	varchar	-1	n/a	n/a	Sourced from the STUDENT.NON.COURSES > STNC.COMMENTS Colleague field. Any free-form text about this student non-course - comments about the individual's performance on this noncourse work.
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsStStudentNonCourseId	varchar	45	n/a	n/a	
	DateDimensionIDStatusDate	int	4	10	n/a	
	DateDimensionIDStartDate	int	4	10	n/a	
	DateDimensionIDEndDate	int	4	10	n/a	
StStudentNonCourseSubComponent						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentNonCourseSubComponent	ColleagueStStudentNonCourseId	varchar	10	n/a	n/a	Colleague ID of the STUDENT.NON.COURSES Colleague file. Sourced from the STUDENT.NON.COURSES.ID field.
	MultiValuePosition	decimal	n/a	10	0	Position number of the STNC.SUBCOMPONENTS and STNC.SUBCOMPONENT_SCORES values - the position number of these values in the corresponding multivalued lists in Colleague.
	SubComponents	varchar	10	n/a	n/a	Sourced from the STNC.SUBCOMPONENTS Colleague field. Some scores, such as SAT, have components that are scored as well as subcomponents to those components that have their own scores.
	SubComponentScores	decimal	n/a	9	5	Sourced from the STNC.SUBCOMPONENT.Scores Colleague field. Score associated with related subcomponent.
	TestScorePercentileRanking	decimal	n/a	3	0	Sourced from the STUDENT.NON.COURSES > STNC.SUBCOMPONENT.PCTS Colleague field. The percentile ranking of a person's subcomponent test scores.
	StudntNonCoursSubCompntAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.NON.COURSES > STUDENT.NON.COURSES.ADDDATE Colleague field. Envision-maintained date record was added to file.
	StudntNonCoursSubCompntChgDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.NON.COURSES > STUDENT.NON.COURSES.CHGDATE Colleague field. Envision-maintained date record was last updated.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDStudntNonCoursSubCompntAddDate	int	4	10	n/a	
	OdsStudntNonCoursSubCompntId	varchar	72	n/a	n/a	
StStudentPlanStudies						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentPlanStudies	ColleagueStudentPlanStudiesID	varchar	10	n/a	n/a	Sourced from the STUDENT.PLAN.STUDIES > STUDENT.PLAN.STUDIES.ID Colleague field, which is the Colleague ID of STUDENT.PLAN.STUDIES.
	EdPlanAcademicProgram	varchar	20	n/a	n/a	Sourced from the STUDENT.ED.PLANS > SEP.ACAD.PROGRAM Colleague field (per STUDENT.PLAN.STUDIES > SPLS.STUDENT.ED.PLAN). The academic program that was used for the student when this ed plan was prepared - the academic program to which this ed plan applies.
	IsCourseApprovedForStuEdPlan	varchar	7	n/a	n/a	Sourced from the STUDENT.PLAN.STUDIES > SPLS.APPROVED.FLAG Colleague field. Indicates whether this course is part of the official student ed plan or not - Enter Y to approve this course for the official Student Ed Plan. (bit/boolean field)
	EdPlanAcademicProgramCatalog	varchar	7	n/a	n/a	Sourced from the STUDENT.ED.PLANS > SEP.CATALOG Colleague field (per STUDENT.PLAN.STUDIES > SPLS.STUDENT.ED.PLAN). The catalog associated with the acad program of the ed plan.
	Course	varchar	10	n/a	n/a	Sourced from the STUDENT.PLAN.STUDIES > SPLS.COURSE Colleague field. The course to be taken during the specified term.
	CourseAcademicLevel	varchar	7	n/a	n/a	Sourced from the COURSES > CRS.ACAD.LEVEL Colleague field (per STUDENT.PLAN.STUDIES > SPLS.COURSE). The academic level of the course that is to be taken during the specified term.
	CourseAcademicLevelDescription	varchar	30	n/a	n/a	Sourced from the ACAD.LEVELS > ACLV.DESC Colleague ? (per STUDENT.PLAN.STUDIES > SPLS.COURSE >> COURSES > CRS.ACAD.LEVEL). The description of the academic level of the course that is to be taken during the specified term.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentPlanStudies	CourseLevel	varchar	7	n/a	n/a	Sourced from the first value of the COURSES > CRS.LEVELS multivalued Colleague field (per STUDENT.PLAN.STUDIES > SPLS.COURSE). The course level, for example, sophomore, third year, etc.
	CourseLevelDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the first value of the COURSES > CRS.LEVELS multivalued Colleague field (per STUDENT.PLAN.STUDIES > SPLS.COURSE). The description of the course level.
	CourseName	varchar	15	n/a	n/a	Sourced from the COURSES > CRS.NAME Colleague field (per STUDENT.PLAN.STUDIES > SPLS.COURSE). The course name, which consists of the subject, delimiter, and course number.
	CourseSourceCode	varchar	7	n/a	n/a	Sourced from the STUDENT.PLAN.STUDIES > SPLS.SOURCE Colleague field. Indicates how this course was added to the plan. Any course that defaults onto the worksheet from a Curriculum Track should be given a source code of "T". Any course that was entered on the Student Ed Plan forms will have a source code of "A" from the post-install conversion utility. Any course that was added via any other means should be given a source code of "S".
	StudentID	varchar	10	n/a	n/a	Sourced from the STUDENT.ED.PLANS > SEP.STUDENT Colleague field (per STUDENT.PLAN.STUDIES > SPLS.STUDENT.ED.PLAN). ID of the student for whom education plan is being prepared.
	StudentAcadCredID	varchar	10	n/a	n/a	Sourced from the STUDENT.PLAN.STUDIES > SPLS.STUDENT.ACAD.CRED Colleague field. The key of the STUDENT.ACAD.CRED record that is the implementation of this planned course.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentPlanStudies	Term	varchar	7	n/a	n/a	Sourced from the STUDENT.PLAN.STUDIES > SPLS.TERM Colleague field. The term in which the student is planning to take the course or other educational activity.
	TermDescription	varchar	30	n/a	n/a	Sourced from the TERMS > TERM.DESC Colleague field (per STUDENT.PLAN.STUDIES > SPLS.TERM). The description of the term in which the student is planning to take the course or other educational activity.
	Credits	decimal	n/a	9	5	Sourced from the STUDENT.PLAN.STUDIES > SPLS.CRED Colleague field. The number of credits for which this student plans to take this course.
	StudentPlanStudiesAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PLAN.STUDIES > STUDENT.PLAN.STUDIES.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	StudentPlanStudiesChangeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PLAN.STUDIES > STUDENT.PLAN.STUDIES.CHGDATE Colleague field. Date this record was last updated in Colleague.
	OdsStudentPlanStudiesID	varchar	41	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDStudentPlanStudiesAddDate	int	4	10	n/a	
StStudentProgAdditionalSpecializations						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentProgramID	varchar	32	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ID Colleague field, which is the Colleague ID of STUDENT.PROGRAMS.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgAdditionalSpecializations	MultiValuePosition	decimal	n/a	10	0	STPR_SPECIALIZATIONS is sourced from Colleague's multi-valued STPR.SPECIALIZATIONS field. POS is the position number (position in list) of the value from STPR.SPECIALIZATIONS that corresponds to the STPR_SPECIALIZATIONS value.
	StudentId	varchar	11	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.STUDENT Colleague field, which is part of the key - part of STUDENT_PROGRAMS_ID.
	AcademicLevel	varchar	25	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.LEVEL computed column. The academic level.
	AcademicLevelDescription	varchar	30	n/a	n/a	Sourced from the ACAD.LEVELS > ACLV.DESC Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.LEVEL). The description of the academic level.
	AcademicProgram	varchar	20	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.PROGRAM Colleague field, which is part of the key - part of STUDENT_PROGRAMS_ID. The academic program with which the person is to be associated.
	AdditionalSpecializations	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.SPECIALIZATIONS Colleague field. Any specializations in addition to the specializations normally associated with the academic program.
	AdditionalSpecializationDescriptions	varchar	30	n/a	n/a	Sourced from the SPECIALIZATIONS > SPEC.DESC Colleague field (per STUDENT.PROGRAMS > STPR.SPECIALIZATIONS). The description of the additional minors.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgAdditionalSpecializations	AdditionalSpecializationEndDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STPR.SPECIALIZATION.END Colleague field. The date the associated specialization ended, and the date the specialization is removed as a requirement to the program.
	AdditionalSpecializationStartDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STPR.SPECIALIZATION.START Colleague field. The date the associated specialization became active for the student.
	AcadProgSpecializationsCount	decimal	n/a	5	0	Sourced from the ACAD.PROGRAMS > ACPG.SPECIALIZATIONS multivalued Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.PROGRAM). The count of all the values in ACPG.SPECIALIZATIONS.
	StudentProgramAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	StudentProgramChangeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	DateDimensionIDAdditionalSpecializationStartDate	int	4	10	n/a	
	DateDimensionIDStudentProgramAddDate	int	4	10	n/a	
	DateDimensionIDAdditionalSpecializationEndDate	int	4	10	n/a	
	OdsStudentProgAdditionalSpecializationsID	varchar	94	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StStudentProgram						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgram	ColleagueStudentProgramId	varchar	32	n/a	n/a	Colleague ID of the STUDENT.PROGRAMS Colleague file, sourced from the STPR.STUDENT and STPR.ACAD.PROGRAM keys.
	PersonId	varchar	12	n/a	n/a	Sourced from the STPR.STUDENT Colleague field. Colleague ID of the student.
	AcademicProgram	varchar	20	n/a	n/a	Sourced from the STPR.ACAD.PROGRAM Colleague field. Academic Program to which the student is to be associated.
	AcademicLevel	varchar	25	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.ACAD.LEVEL Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.PROGRAM). The academic level associated with this academic program.
	AcademicLevelDescription	varchar	30	n/a	n/a	Sourced from the ACAD.LEVELS > ACLV.DESC Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.LEVEL). The description of the academic level.
	AdmitStatus	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ADMIT.STATUS Colleague field. The admit status for this student into this academic program.
	AdmitStatusDescription	varchar	30	n/a	n/a	Sourced from the ADMIT.STATUSES > ADMS.DESC Colleague field. (per STUDENT.PROGRAMS > STPR.ADMIT.STATUS). The description of the admission status of the student in this academic program.
	AnticipatedCompletionDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ANT.CMPL.DATE Colleague field. The date this program was (or is anticipated being) completed by the student.
	Catalog	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.CATALOG Colleague field. The catalog to be associated with this student's academic program.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgram	EvaluatorCombinedCreditsCounted	decimal	n/a	9	5	Sourced from the STUDENT.PROGRAMS > STPR.EVAL.COMBINED.CRED Colleague field. The combined credits counted by the DA evaluator routine the last time it evaluated this academic program for the student.
	EvaluatorCombinedGpaCalculated	decimal	n/a	8	5	Sourced from the STUDENT.PROGRAMS > STPR.EVAL.COMBINED.GPA Colleague field. The combined GPA calculated by the DA evaluator routine the last time it evaluated this program.
	Department	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.DEPT Colleague field. The department where this student is taking this academic program.
	DepartmentDescription	varchar	30	n/a	n/a	Sourced from the DEPTS > DEPTS.DESC Colleague field (per STUDENT.PROGRAMS > STPR.DEPT). The description of the department where this student is taking this academic program.
	DepartmentDivision	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.DIVISION Colleague field. The division associated with the department under which the student is taking this academic program.
	DepartmentDivisionDescription	varchar	35	n/a	n/a	Sourced from the DIVISIONS > DIV.DESC Colleague field (per STUDENT.PROGRAMS > STPR.DIVISION). The description or name of the division associated with the department under which the student is taking this academic program.
	EvaluatorInstitutionalCreditsFound	decimal	n/a	9	5	Sourced from the STUDENT.PROGRAMS > STPR.EVAL.INSTITUTION.CRED Colleague field. The number of institutional credits found by the DA evaluator the last time it evaluated the program.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgram	EvaluatorInstitutionalGpaCalculated	decimal	n/a	8	5	Sourced from the STUDENT.PROGRAMS > STPR.EVAL.INSTITUTION.GPA Colleague field. The institutional GPA calculated by the DA evaluator the last time it evaluated this program.
	Location	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.LOCATION Colleague field. The location with which this student's academic program is to be associated.
	LocationDescription	varchar	30	n/a	n/a	Sourced from the LOCATIONS > LOC.DESC Colleague field (per STUDENT.PROGRAMS > STPR.LOCATION). The description or name of the location which this student's academic program is to be associated.
	School	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.SCHOOL Colleague field. The school associated with either the department or the division under which this student is taking this academic program.
	SchoolDescription	varchar	30	n/a	n/a	Sourced from the SCHOOLS > SCHOOLS.DESC Colleague field (per STUDENT.PROGRAMS > STPR.SCHOOL). The description of the school associated with either the department or the division under which this student is taking this academic program.
	CurrentStatus	varchar	7	n/a	n/a	Sourced from the STPR.CURRENT.STATUS Colleague computed column. The code for the current status of the student's academic program.
	CurrentStatusDescription	varchar	32	n/a	n/a	Read from the STUDENT.PROGRAM.STATUSES valcode table in ST in Colleague. The full description for the current status of the student's academic program.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the first value (position) of the STPR.START.DATE Colleague field. The date the student's academic program is to start.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgram	Title	varchar	60	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.TITLE Colleague field. The title of the student's program. This is only filled in if the program is customized, if it is not, the field is null.
	EndDate	smalldatetime	n/a	16	n/a	Sourced from the first value of the STPR.END.DATE Colleague field. The date the student's academic program is considered ended.
	CurrentStatusDate	smalldatetime	n/a	16	n/a	Sourced from the STPR.CURRENT.STATUS.DATE Colleague computed column. The date when the current status became effective.
	CurrentStatusActionCode1	varchar	30	n/a	n/a	Sourced from the ST.VALCODES > VAL.ACTION.CODE.1 valcode lookup of the first value of the STUDENT.PROGRAMS > STPR.STATUS multivalued Colleague field, using the STUDENT.PROGRAM.STATUSSES valcode lookup table. The most current student academic program status.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	DegreeAuditEvaluationDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STPR.EVAL.DATE Colleague field. Date on which the Degree Audit evaluator routine last evaluated this program.
	DegreeAuditEvaluation	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.EVAL.STATUS Colleague field. Status set by the Degree Audit evaluator routine the last time it evaluated this program.
	OdsStudentProgramId	varchar	63	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	DateDimensionIDCurrentStatusDate	int	4	10	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgram	DateDimensionIDStartDate	int	4	10	n/a	
	DateDimensionIDAnticipatedCompletionDate	int	4	10	n/a	
	DateDimensionIDEndDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
StStudentProgramAdditionalCclds						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentProgramID	varchar	32	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ID Colleague field, which is the Colleague ID of STUDENT.PROGRAMS.
	MultiValuePosition	decimal	n/a	10	0	STPR_CCDS is sourced from Colleague's multi-valued STPR.CCDS field. POS is the position number (position in list) of the value from STPR.CCDS that corresponds to the STPR_CCDS value.
	StudentId	varchar	11	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.STUDENT Colleague field, whis is part of the key - part of STUDENT_PROGRAMS_ID.
	AcademicProgram	varchar	20	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.PROGRAM Colleague field, whis is part of the key - part of STUDENT_PROGRAMS_ID. The academic program with which the person is to be associated.
	AcademicLevel	varchar	25	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.LEVEL computed column. The academic level.
	AcademicLevelDescription	varchar	30	n/a	n/a	Sourced from the ACAD.LEVELS > ACLV.DESC Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.LEVEL). The description of the academic level.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgramAdditionalCcdfs	AdditionalCredentialCertificateDiploma	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.CCDS Colleague field. Any credentials, certificates or diplomas the student will receive in addition to any normally offered by the academic program.
	AdditionalCredntlCertDiplomaDescrptn	varchar	30	n/a	n/a	Sourced from the CCDS > CCD.DESC Colleague field (per STUDENT.PROGRAMS > STPR.CCDS). The description of any credentials, certificates or diplomas the student will receive in addition to any normally offered by the academic program.
	CredntlCertDiplomaStartDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STPR.CCDS.START.DATE Colleague field. The date this student will start trying to get the CCD.
	CredntlCertDiplomaEndDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STPR.CCDS.END.DATE Colleague field. The date the student decided to stop pursuing the additional CCD.
	AcadProgCredntlCertDiplomaCount	decimal	n/a	5	0	Sourced from the ACAD.PROGRAMS > ACPG.CCDS multivalued Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.PROGRAM). The count of all the values in ACPG.CCDS.
	StudentProgramAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	StudentProgramChangeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDCredntlCertDiplomaStart Date	int	4	10	n/a	
	OdsStudentProgramAdditionalCcdfsID	varchar	94	n/a	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgramAddionalCcds	DateDimensionIDStudentProgramAddDate	int	4	10	n/a	
	DateDimensionIDCredntlCertDiplomaEndDate	int	4	10	n/a	
StStudentProgramAddionalMajor						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentProgramID	varchar	32	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ID Colleague field, which is the Colleague ID of STUDENT.PROGRAMS.
	MultiValuePosition	decimal	n/a	10	0	STPR_ADDNL_MAJORS is sourced from Colleague's multi-valued STPR.ADDNL.MAJORS field. POS is the position number (position in list) of the value from STPR.ADDNL.MAJORS that corresponds to the STPR_ADDNL_MAJORS value.
	StudentId	varchar	11	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.STUDENT Colleague field, whis is part of the key - part of STUDENT_PROGRAMS_ID.
	AcademicLevel	varchar	25	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.LEVEL computed column. The academic level.
	AcademicLevelDescription	varchar	30	n/a	n/a	Sourced from the ACAD.LEVELS > ACLV.DESC Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.LEVEL). The description of the academic level.
	AcademicProgram	varchar	20	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.PROGRAM Colleague field, whis is part of the key - part of STUDENT_PROGRAMS_ID. The academic program with which the person is to be associated.
	AdditionalMajors	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ADDNL.MAJORS Colleague field. The Majors in addition to the ones associated with the standard program.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgramAddionalMajor	AdditionalMajorDescriptions	varchar	30	n/a	n/a	Sourced from the MAJORS > MAJ.DESC Colleague field (per STUDENT.PROGRAMS > STPR.ADDNL.MAJORS). The description of the additional majors.
	AdditionalMajorEndDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ADDNL.MAJOR.END.DATE Colleague field. The date the major is removed as a requirement in the program.
	AdditionalMajorStartDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ADDNL.MAJOR.START.DATE Colleague field. The date when this additional major was associated with the student, and the date the major is added as a requirement to the program.
	AcadProgMajorsCount	decimal	n/a	5	0	Sourced from the ACAD.PROGRAMS > ACPG.MAJORS multivalued Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.PROGRAM). The count of all the values in ACPG.MAJORS.
	StudentProgramAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	StudentProgramChangeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	InstitutionID	tinyint	1	3	n/a	
	OdsStudentProgramAddionalMajorID	varchar	94	n/a	n/a	
	DateDimensionIDAdditionalMajorEndDate	int	4	10	n/a	
	DateDimensionIDAdditionalMajorStartDate	int	4	10	n/a	
	DateDimensionIDStudentProgramAddDate	int	4	10	n/a	
StStudentProgramAddionalMinor						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgramAddionalMinor	ColleagueStudentProgramID	varchar	32	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ID Colleague field, which is the Colleague ID of STUDENT.PROGRAMS.
	MultiValuePosition	decimal	n/a	10	0	TPR_MINORS is sourced from Colleague's multi-valued STPR.MINORS field. POS is the position number (position in list) of the value from STPR.MINORS that corresponds to the STPR_MINORS value.
	StudentId	varchar	11	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.STUDENT Colleague field, whis is part of the key - part of STUDENT_PROGRAMS_ID.
	AcademicLevel	varchar	25	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.LEVEL computed column. The academic level.
	AcademicLevelDescription	varchar	30	n/a	n/a	Sourced from the ACAD.LEVELS > ACLV.DESC Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.LEVEL). The description of the academic level.
	AcademicProgram	varchar	20	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.PROGRAM Colleague field, whis is part of the key - part of STUDENT_PROGRAMS_ID. The academic program with which the person is to be associated.
	AdditionalMinors	varchar	7	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.MINORS Colleague field. Any additional minors that the student is taking that are not already associated with the academic program.
	AdditionalMinorDescriptions	varchar	30	n/a	n/a	Sourced from the MINORS > MINORS.DESC Colleague field (per STUDENT.PROGRAMS > STPR.MINORS). The description of the additional minors.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgramAddionalMinor	AdditionalMinorEndDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STPR.MINOR.END.DATE Colleague field. The date the associated minor was ended for the student, and the date the minor is removed as a requirement to the program.
	AdditionalMinorStartDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STPR.MINOR.START.DATE Colleague field. The date the additional minor started for the student , and the date the minor is added to the program as a requirement.
	AcadProgMinorsCount	decimal	n/a	5	0	Sourced from the ACAD.PROGRAMS > ACPG.MINORS multivalued Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.PROGRAM). The count of all the values in ACPG.MINORS.
	StudentProgramAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	StudentProgramChangeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	OdsStudentProgramAddionalMinorID	varchar	94	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDStudentProgramAddDate	int	4	10	n/a	
	DateDimensionIDAdditionalMinorStartDate	int	4	10	n/a	
	DateDimensionIDAdditionalMinorEndDate	int	4	10	n/a	
StStudentProgramMajor						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentProgramId	varchar	32	n/a	n/a	Colleague ID of the STUDENT.PROGRAMS Colleague file, sourced from the STPR.STUDENT and STPR.ACAD.PROGRAM keys.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgramMajor	Major	varchar	7	n/a	n/a	Sourced from the ACPG.MAJORS Colleague field. Points to the MAJORS Colleague file, pointing to the majors associated with this program.
	MajorName	varchar	30	n/a	n/a	Description field in the MAJORS code file
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsStStudentProgramMajorId	varchar	65	n/a	n/a	
StStudentProgramMinor						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentProgramID	varchar	32	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ID Colleague field, which is the Colleague ID of STUDENT.PROGRAMS.
	MultiValuePosition	decimal	n/a	10	0	MINOR is sourced from Colleague's multi-valued ACPG.MINORS field. POS is the position number (position in list) of the value from ACPG.MINORS that corresponds to the MINOR value.
	StudentId	varchar	11	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.STUDENT Colleague field, which is part of the key - part of STUDENT_PROGRAMS_ID.
	AcademicProgram	varchar	20	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.PROGRAM Colleague ID, which is part of the key - part of STUDENT_PROGRAMS_ID. The academic program with which the person is to be associated.
	AcademicLevel	varchar	25	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.LEVEL Colleague computed column. The academic level.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentProgramMinor	AcademicLevelDescription	varchar	30	n/a	n/a	Sourced from the ACAD.LEVELS > ACLV.DESC Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.LEVEL). The description of the academic level.
	Minor	varchar	7	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.MINORS Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.PROGRAM). The minors associated with this academic program.
	MinorDescription	varchar	30	n/a	n/a	Sourced from the MINORS > MINORS.DESC Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.PROGRAM >> ACAD.PROGRAMS > ACPG.MINORS). The description of the minor.
	StudentProgramAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	StudentProgramChangeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDStudentProgramAddDate	int	4	10	n/a	
	OdsStudentProgramMinorID	varchar	94	n/a	n/a	
StStudentRemarks						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentRemarksID	varchar	10	n/a	n/a	Sourced from the STUDENT.REMARKS > STUDENT.REMARKS.ID Colleague field, which is the Colleague ID of STUDENT.REMARKS.
	StudentRemarksAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.REMARKS > STUDENT.REMARKS.ADDDATE Colleague field. Envision-maintained date record was added to file.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentRemarks	StudentRemarksAddOperator	varchar	20	n/a	n/a	Sourced from the STUDENT.REMARKS > STUDENT.REMARKS.ADDOPR Colleague field. Envision-maintained login of person adding this record.
	StudentRemarksChangeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.REMARKS > STUDENT.REMARKS.CHGDATE Colleague field. Envision-maintained date record was last updated.
	StudentRemarksChgOperator	varchar	20	n/a	n/a	Sourced from the STUDENT.REMARKS > STUDENT.REMARKS.CHGOPR Colleague field.
	RemarksAuthorID	varchar	7	n/a	n/a	Sourced from the STUDENT.REMARKS > STU.REMARKS.AUTHOR Colleague field. The ID of the staff member who entered these remarks. Points to the STAFF Colleague file.
	RemarkSourceCode	varchar	20	n/a	n/a	Sourced from the STUDENT.REMARKS > STU.REMARKS.CODE Colleague field. Used to show the office or other source of the note - the code representing the source of the information for the remarks.
	RemarkSourceDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the STUDENT.REMARKS > STU.REMARKS.CODE Colleague field. The description of the office or other source of the note - the description of thecode representing the source of the information for the remarks.
	RemarksDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.REMARKS > STU.REMARKS.DATE Colleague field. The date on which the remarks were created.
	StudentID	varchar	10	n/a	n/a	Sourced from the STUDENT.REMARKS > STU.REMARKS.STUDENTS.ID Colleague field. The key to the STUDENTS Colleague file.
	RemarksText	varchar	30	n/a	n/a	Sourced from the STUDENT.REMARKS > STU.REMARKS.TEXT Colleague field. The content of the remarks.
	RemarksType	varchar	20	n/a	n/a	Sourced from the STUDENT.REMARKS > STU.REMARKS.TYPE Colleague field. The type of remark recorded.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentRemarks	RemarksTypeDescription	varchar	32	n/a	n/a	Sourced from the valcode description of the STUDENT.REMARKS > STU.REMARKS.TYPE Colleague field. The description of the type of remark recorded.
	InstitutionID	tinyint	1	3	n/a	
	OdsStudentRemarksID	varchar	41	n/a	n/a	
	DateDimensionIDRemarksDate	int	4	10	n/a	
	DateDimensionIDStudentRemarksAddDate	int	4	10	n/a	
StStudentResidency						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentId	varchar	10	n/a	n/a	Sourced from the STUDENTS > STUDENTS.ID Colleague field, which is the Colleague ID of STUDENTS.
	MultiValuePosition	decimal	n/a	10	0	STU_RESIDENCY_STATUS is sourced from Colleague's multi-valued STU.RESIDENCY.STATUS field. POS is the position number (position in list) of the value from STU.RESIDENCY.STATUS that corresponds to the STU_RESIDENCY_STATUS value.
	StudentAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENTS > STUDENTS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	StudentChangeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENTS > STUDENTS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	Status	varchar	7	n/a	n/a	Sourced from the STUDENTS > STU.RESIDENCY.STATUS Colleague field. The overall residency status of a student, such as in-state, out of county, etc.
	StatusDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENTS > STU.RESIDENCY.STATUS.DATE Colleague field. The date of the associated residency status.
	InstitutionID	tinyint	1	3	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentResidency	DateDimensionIDStudentAddDate	int	4	10	n/a	
	OdsStudentResidencyID	varchar	78	n/a	n/a	
	DateDimensionIDStatusDate	int	4	10	n/a	
StStudentRestriction						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentRestrictionID	varchar	10	n/a	n/a	Sourced from the STUDENT.RESTRICTIONS > STUDENT.RESTRICTIONS.ID Colleague field, which is the Colleague ID of STUDENT.RESTRICTIONS.
	StudentID	varchar	10	n/a	n/a	Sourced from the STUDENT.RESTRICTIONS > STR.STUDENT Colleague field. The ID of the student to which the restriction applies - points to the PERSON.ST Colleague file.
	Restriction	varchar	7	n/a	n/a	Sourced from the STUDENT.RESTRICTIONS > STR.RESTRICTION Colleague field. The ID of the restriction being applied to the student. Points to the RESTRICTIONS Colleague file.
	RestrictionDescription	varchar	30	n/a	n/a	Sourced from the RESTRICTIONS > REST.DESC Colleague ? (per STUDENT.RESTRICTIONS > STR.RESTRICTION).
	SeverityCode	decimal	n/a	3	0	Sourced from the STUDENT.RESTRICTIONS > STR.SEVERITY Colleague field. The severity code of the restriction.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.RESTRICTIONS > STR.START.DATE Colleague field. The start date of the restriction.
	EndDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.RESTRICTIONS > STR.END.DATE Colleague field. The date on which the restriction ends.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentRestriction	Comments	varchar	30	n/a	n/a	Sourced from the STUDENT.RESTRICTIONS > STR.COMMENTS Colleague field. Any free-form text associated with this student restriction.
	IsRestrictionActive	varchar	7	n/a	n/a	Sourced from the STUDENT.RESTRICTIONS > STR.ACTIVE.RESTRICTION Colleague computed column. This will check whether or not a restriction is active by looking at the end date and if it is null or is a future date it will return a value of 'Y' otherwise it will return a value of 'N'. (bit/boolean field)
	StudentRestrictionAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.RESTRICTIONS > STUDENT.RESTRICTIONS.ADDDATE Colleague field.
	StudentRestrictionChgDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.RESTRICTIONS > STUDENT.RESTRICTIONS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	DateDimensionIDStudentRestrictionAddDate	int	4	10	n/a	
	OdsStudentRestrictionID	varchar	41	n/a	n/a	
	DateDimensionIDStartDate	int	4	10	n/a	
	DateDimensionIDEndDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
StStudentsMiscellaneous						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentId	varchar	10	n/a	n/a	Colleague ID of the STUDENTS Colleague file.
	MultiValuePosition	decimal	n/a	10	0	Position number of the STU_MISC1 values - the position number of these values in the corresponding multivalued list in Colleague.
	Miscellaneous1	varchar	7	n/a	n/a	Sourced from the STU.MISC1 Colleague field. User specified miscellaneous field.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentsMiscellaneous	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	OdsStStudentsMiscellaneousId	varchar	45	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
StStudentTerm						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentTermId	varchar	24	n/a	n/a	Colleague ID of the STUDENT.TERMS Colleague file, comprised of the STTR.STUDENT, STTR.TERM, and STTR.ACAD.LEVEL keys.
	PersonId	varchar	10	n/a	n/a	Colleague ID of the student.
	AcademicYear	varchar	30	n/a	n/a	Sourced from the TERM.REPORTING.YEAR Colleague field. The reporting year to which this term belongs.
	Term	varchar	7	n/a	n/a	The term for the student and academic level.
	AcademicLevel	varchar	7	n/a	n/a	The academic level for the student and term.
	AcademicLevelDescription	varchar	30	n/a	n/a	Sourced from the ACAD.LEVELS > ACLV.DESC Colleague field (per STUDENT.TERMS > STTR.ACAD.LEVEL). The description of the academic level.
	TermGpa	decimal	n/a	7	5	Student's GPA for a specific term.
	CumulativeGpa	decimal	n/a	7	5	Student's cumulative GPA as of a specific term.
	CurrentStatusCode	varchar	7	n/a	n/a	Sourced from the STTR.CURRENT.STATUS Colleague field. The code for the most current student term status.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentTerm	CurrentStatusDescription	varchar	32	n/a	n/a	Read from the STUDENT.TERM.STATUSES valcode table in ST in Colleague. The full description for the student's current status for a specific term.
	StuCurrentAcadStanding	varchar	7	n/a	n/a	Sourced from the STUDENT.TERMS > STTR.CURRENT.STANDING Colleague computed column. The most recent standing for the record's term.
	StuCurrentAcadStandingDescription	varchar	32	n/a	n/a	Sourced from the valcode lookup description of the STUDENT.TERMS > STTR.CURRENT.STANDING Colleague computed column. The description of the most recent standing for the record's term.
	StudentLoad	varchar	7	n/a	n/a	Sourced from the STUDENT.TERMS > STTR.STUDENT.LOAD Colleague field. The full or part time enrollment status for this student for the term. Calculated from all registered courses whose start or end dates for the student fall within the term if a STUDENT.TERMS record exists for the term.
	StudentLoadDescription	varchar	32	n/a	n/a	Sourced from the valcode lookup description of the STUDENT.TERMS > STTR.STUDENT.LOAD Colleague field. The description of the full or part time enrollment status for this student for the term. Calculated from all registered courses whose start or end dates for the student fall within the term if a STUDENT.TERMS record exists for the term.
	TermStartDate	smalldatetime	n/a	16	n/a	Sourced from the STTR.TERM.START.DATE Colleague computed column. The start date of the term.
	TermEndDate	smalldatetime	n/a	16	n/a	Sourced from the STTR.TERM.END.DATE Colleague computed column. The end date of the term.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStudentTerm	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDTermEndDate	int	4	10	n/a	
	DateDimensionIDTermStartDate	int	4	10	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	OdsStStudentTermId	varchar	55	n/a	n/a	
StStudentTermNote						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentTermNoteId	varchar	30	n/a	n/a	Colleague ID of the STUDENT.TERM.NOTES Colleague file. Comprised of the STTN.STUDENT and STTN.TERM keys.
	PersonId	varchar	10	n/a	n/a	Sourced from the STTN.STUDENT Colleague field. Colleague ID of the student with which this term note is associated.
	Term	varchar	7	n/a	n/a	Sourced from the STTN.TERM Colleague field. Term with which the student term note is associated.
	NoteCode	varchar	7	n/a	n/a	"Sourced from the STTN.NOTES Colleague field. The note code for this student for this academic term." "
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	InstitutionID	tinyint	1	3	n/a	
	OdsStStudentTermNoteId	varchar	60	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
StStuInstInfoRecordResults						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStuInstInfoRecordResultsID	varchar	21	n/a	n/a	Sourced from the ISIR.RESULTS > ISIR.RESULTS.ID Colleague field, which is the Colleague ID of ISIR.RESULTS.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStuInstInfoRecordResults	DoesMatchDeptHomelandSecurity	varchar	28	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.DHS.MATCH Colleague field. The DHS Match Flag. The results from a match with the Department of Homeland Security. (bit/boolean field)
	DeptHomelandSecurityVerificationNumber	varchar	15	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.DHS.VERIF Colleague field. The DHS verification number. The Identification number provided by the Department of Homeland Security indicating that primary verification was performed.
	FatherSsnMatch	varchar	7	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.FATHER.SSN.MATCH Colleague field. The father's/stepfather's SSN match flag. Results from SSN Match with Social Security Administration. (boolean field by purpose, but not necessarily by actual value)
	IsGraduate	varchar	7	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.GRAD.FLAG Colleague field. The graduate flag. (bit/boolean field)
	MotherSsnMatch	varchar	7	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.MOTHER.SSN.MATCH Colleague field. (boolean field by purpose, but not necessarily by actual value)
	DoesMatchNationalStuLoanDataSystem	varchar	20	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.NSLDS.MATCH Colleague field. The NSLDS match flag - the results of a match with NSLDS (National Student Loan Data System). (boolean field by purpose, but not necessarily by actual value)
	ApplicationReceiptDate	smalldatetime	n/a	16	n/a	Sourced from the ISIR.RESULTS > IRES.RECEIPT.DT Colleague field. The application receipt date. The date the application was received by the IDC or School for data entry or the date the student entered record on the Web.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStuInstlInfoRecordResults	SarCDoesMatch	varchar	7	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.SAR.C.FLAG Colleague field. The SAR C Flag. A value of Y indicates that resolution is required on one or more of the match results. There is no documentation readily available that explains what ""SAR C"" is. (bit/boolean field)
	SelectiveServiceDoesMatch	varchar	28	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.SS.MATCH Colleague field. The selective service match flag. Results from SS Match for applicants who met criteria to be sent to match. (bit/boolean field)
	SelectServiceRegistDoesMatch	varchar	7	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.SS.REG.MATCH Colleague field. The selective service registration match. This field contains the results from the student's request to be registered with Selective Service.
	CitizenDoesMatchSocSecAdmin	varchar	7	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.SSA.CITIZEN.IND Colleague field. The SSA citizenship indicator. The results from a citizenship match with the Social Security Administration. (boolean field by purpose, but not necessarily by actual value)
	SsnDoesMatchSocSecurityAdmin	varchar	11	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.SSN.MATCH Colleague field. The results of an SSN match. This field contains the results of an SSN match with the Social Security Administration.
	CentralProcSysTransNumber	varchar	7	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.TRANS.NBR Colleague field. The CPS transaction number of this ISIR. This is the Department of Education's Central Processing System (CPS) transaction number of this Institutional Student Information Record (ISIR).

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStulnstlInfoRecordResults	CentralProcSysTransDate	smalldatetime	n/a	16	n/a	Sourced from the ISIR.RESULTS > IRES.TRANS.PROC.DATE Colleague field. The transaction processed date. The date the transaction was processed by CPS.
	DoesMatchVeteranAffairsDbs	varchar	7	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.VA.MATCH.FLAG Colleague field. The VA match flag - the results of a match to the Veteran's Affairs database.
	StulnstlInfoRecordResultsAddDate	smalldatetime	n/a	16	n/a	Sourced from the ISIR.RESULTS > ISIR.RESULTS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	StulnstlInfoRecordResultsChangeDate	smalldatetime	n/a	16	n/a	Sourced from the ISIR.RESULTS > ISIR.RESULTS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	DateDimensionIDCentralProcSysTransDate	int	4	10	n/a	
	DateDimensionStulnstlInfoRecordResultsAddDate	int	4	10	n/a	
	DateDimensionIDApplicationReceiptDate	int	4	10	n/a	
	OdsStulnstlInfoRecordResultsID	varchar	52	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StStulInstitutionalInfoRecordCommentCodes						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStulInstitutionalInfoRecordResultsID	varchar	21	n/a	n/a	Colleague ID of the ISIR.RESULTS Colleague file.
	MultiValuePosition	decimal	n/a	10	0	Position number of the IRES_COMMENT_CODES values - the position number of these values in the corresponding multivalued list in Colleague.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStuInstitutionalInfoRecordCommentCodes	CommentCodes	varchar	7	n/a	n/a	Sourced from the IRES.COMMENT.CODES Colleague field. Comments provided to CPS to further communicate important results and processing information
	ImportYear	varchar	7	n/a	n/a	Sourced from the IFAF.IMPORT.YEAR Colleague field. Year of the ISIR.FAFSA record.
	ColleagueAddDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was added to file.
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	Envision-maintained date this record was last updated.
	OdsStStuInstitutionalInfoRecordCommentCodesId	varchar	55	n/a	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
StStuInstitutionalInfoRecordFafsa						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStuInstitutionalInfoRecordFafsaId	varchar	21	n/a	n/a	Colleague ID of the ISIR.FAFSA file.
	IfafCorrectionID	varchar	21	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.CORRECTION.ID Colleague field. This field contains the key to another ISIR.FAFSA record. The data in that record is the correction to the ISIR record imported. There is no information readily available on what "IFAF" stands for.
	IfafCorrectedFromID	varchar	21	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.CORRECTED.FROM.ID Colleague field. This points back to the original ISIR.FAFSA record for which the current record is a correction. There is no information readily available on what "IFAF" stands for.
	ImportYear	varchar	7	n/a	n/a	Sourced from the IFAF.IMPORT.YEAR Colleague field. Year of this ISIR.FAFSA record
	PersonId	varchar	10	n/a	n/a	Sourced from the IFAF.STUDENT.ID Colleague field. Person ID for this record.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStuInstitutionalInfoRecordFafsa	StudentCollegeGradeLevel	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.YR.IN.COLLEGE field. The student's college grade level. There is no information readily available on what "IFAF" stands for.
	StudentState	varchar	7	n/a	n/a	Sourced from the ISIR.DEMO > IDEM.STATE Colleague field (per ISIR.FAFSA > ISIR.FAFSA.ID). The student's permanent state.
	StudentStateDescription	varchar	30	n/a	n/a	Sourced from the STATES > ST.DESC Colleague ? (per ISIR.FAFSA > ISIR.FAFSA.ID >> ISIR.DEMO > IDEM.STATE).
	InstStuInfoRecType	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.ISIR.TYPE Colleague field. The type of ISIR record. There is no information readily available on what "IFAF" stands for.
	IsStuSelectedForVerification	varchar	7	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.VERIF.FLAG Colleague field (per ISIR.FAFSA > ISIR.FAFSA.ID). Whether or not the student is selected for verification. (bit/boolean field)
	IsCentralProcSysPellAwardEligible	varchar	7	n/a	n/a	Sourced from the ISIR.RESULTS > IRES.CPS.PELL.ELIG Colleague field (per ISIR.FAFSA > ISIR.FAFSA.ID). The CPS (Central Processing System) Pell Elig flag. This field indicates whether the data contained on this transaction makes the student eligible for a Pell award. (bit/boolean field)
	AssocInstStuInfoRecCorrectionStatus	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.CORR.STATUS Colleague field (per ISIR.FAFSA > IFAF.CORRECTION.ID). Status of correction. This field indicates whether the record was successfully sent to EDE via either the Initial Application Export (IAPX) or the Correction Application Export (CAPX) process. A status of "E" indicates that the record had errors and did not get sent. A status of "B" indicates that the record was sent in the batch. There is no information readily available on what "IFAF" stands for.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStulInstitutionalInfoRecordFafsa	InstStulInfoRecCorrectionStatus	varchar	21	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.CORR.STATUS Colleague field. Status of correction. This field indicates whether the record was successfully sent to EDE via either the Initial Application Export (IAPX) or the Correction Application Export (CAPX) process. A status of "E" indicates that the record had errors and did not get send. A status of "B" indicates that the record was sent in the batch. There is no information readily available on what "IFAF" stands for.
	AssocInstStulInfoRecCorrcnStatusDate	smalldatetime	n/a	16	n/a	Sourced from the ISIR.FAFSA > IFAF.CORR.SENT.DATE Colleague field (per ISIR.FAFSA > IFAF.CORRECTION.ID). The date the IFAF.CORR.STATUS (ASSOC_ISIR_CORR_STATUS) was last updated. There is no information readily available on what "IFAF" stands for.
	InstStulInfoRecCorrectionStatusDate	smalldatetime	n/a	16	n/a	Sourced from the ISIR.FAFSA > IFAF.CORR.SENT.DATE Colleague field. The date the IFAF.CORR.STATUS (ASSOC_ISIR_CORR_STATUS) was last updated. There is no information readily available on what "IFAF" stands for.
	IsMale	varchar	7	n/a	n/a	Sourced from the ISIR.DEMO > IDEM.MALE Colleague field (per ISIR.FAFSA > ISIR.FAFSA.ID). Flags whether or not the student is a male. (bit/boolean field)
	ApplicationReceiptDate	smalldatetime	n/a	16	n/a	Sourced from the ISIR.RESULTS > IRES.RECEIPT.DT Colleague field (per ISIR.FAFSA > ISIR.FAFSA.ID). The application receipt date. The date the application was received by the IDC or School for data entry or the date the student entered record.
	EnrollmentStatus	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.ENRL.STAT Colleague field. The enrollment status. There is no information readily available on what "IFAF" stands for.
	StuParentAdjustedGrossIncome	decimal	n/a	7	0	Sourced from the IFAF.P.AGI Colleague field. Student's parents' adjusted gross income (AGI)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStuInstitutionalInfoRecordFafsa	FatherIncomeEarned	decimal	n/a	7	0	Sourced from the ISIR.FAFSA > IFAF.P.FATHER.INC Colleague field. The father/stepfather's income earned from work. There is no information readily available on what "IFAF" stands for.
	MotherIncomeEarned	decimal	n/a	7	0	Sourced from the ISIR.FAFSA > IFAF.P.MOTHER.INC Colleague field. The mother's/stepmother's income earned from work. There is no information readily available on what "IFAF" stands for.
	StudentAdjustedGrossIncome	decimal	n/a	7	0	Sourced from the IFAF.S.AGI Colleague field. Student's adjusted gross income (AGI).
	StudentStateOfLegalResidence	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.S.LEGAL.RES Colleague field. The student's state of legal residence. There is no information readily available on what "IFAF" stands for.
	StudentIncomeEarned	decimal	n/a	7	0	Sourced from the ISIR.FAFSA > IFAF.S.STUDENT.INC Colleague field. The student's income earned from work. There is no information readily available on what "IFAF" stands for.
	SpouseIncomeEarned	decimal	n/a	7	0	Sourced from the ISIR.FAFSA > IFAF.S.SPOUSE.INC Colleague field. The spouse's income earned from work. There is no information readily available on what "IFAF" stands for.
	IfafApplicationReceiptDate	smalldatetime	n/a	16	n/a	Sourced from the ISIR.FAFSA > IFAF.TRANS.RECEIPT.DT Colleague field. The ""appl receipt date"". The date the transaction was received by the IDC or School for data entry or the date the student entered record on the Web. There is no information readily available on what "IFAF" stands for.
	DemolImportYear	varchar	7	n/a	n/a	Sourced from the IDEM.IMPORT.YEAR Colleague field. Year of the import record.
	TitleIvSchoolCode1	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.TITLEIV.1 Colleague field. A valid Title IV school code for the student. There is no information readily available on what "IFAF" stands for.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStuInstitutionalInfoRecordFafsa	TitlelvSchoolCode2	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.TITLEIV.2 Colleague field. A valid Title IV school code for the student. There is no information readily available on what "IFAF" stands for.
	TitlelvSchoolCode3	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.TITLEIV.3 Colleague field. A valid Title IV school code for the student. There is no information readily available on what "IFAF" stands for.
	TitlelvSchoolCode4	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.TITLEIV.4 Colleague field. A valid Title IV school code for the student. There is no information readily available on what "IFAF" stands for.
	TitlelvSchoolCode5	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.TITLEIV.5 Colleague field. A valid Title IV school code for the student. There is no information readily available on what "IFAF" stands for.
	TitlelvSchoolCode6	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.TITLEIV.6 Colleague field. A valid Title IV school code for the student. There is no information readily available on what "IFAF" stands for.
	TitlelvSchoolCode7	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.TITLEIV.7 Colleague field. A valid Title IV school code for the student. There is no information readily available on what "IFAF" stands for.
	TitlelvSchoolCode8	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.TITLEIV.8 Colleague field. A valid Title IV school code for the student. There is no information readily available on what "IFAF" stands for. There is no information readily available on what "IFAF" stands for.
	TitlelvSchoolCode9	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.TITLEIV.9 Colleague field. A valid Title IV school code for the student. There is no information readily available on what "IFAF" stands for.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStuInstitutionalInfoRecordFafsa	TitleIvSchoolCode10	varchar	7	n/a	n/a	Sourced from the ISIR.FAFSA > IFAF.TITLEIV.10 Colleague field. A valid Title IV school code for the student. There is no information readily available on what "IFAF" stands for.
	HousingCode1	varchar	20	n/a	n/a	Sourced from the IFAF.HOUSING.1 Colleague field. Contains a housing code for the student.
	HousingCode10	varchar	20	n/a	n/a	Sourced from the IFAF.HOUSING.10 Colleague field. Contains a housing code for the student.
	HousingCode2	varchar	20	n/a	n/a	Sourced from the IFAF.HOUSING.2 Colleague field. Contains a housing code for the student.
	HousingCode3	varchar	20	n/a	n/a	Sourced from the IFAF.HOUSING.3 Colleague field. Contains a housing code for the student.
	HousingCode4	varchar	20	n/a	n/a	Sourced from the IFAF.HOUSING.4 Colleague field. Contains a housing code for the student.
	HousingCode5	varchar	20	n/a	n/a	Sourced from the IFAF.HOUSING.5 Colleague field. Contains a housing code for the student.
	HousingCode6	varchar	20	n/a	n/a	Sourced from the IFAF.HOUSING.6 Colleague field. Contains a housing code for the student.
	HousingCode7	varchar	20	n/a	n/a	Sourced from the IFAF.HOUSING.7 Colleague field. Contains a housing code for the student.
	HousingCode8	varchar	20	n/a	n/a	Sourced from the IFAF.HOUSING.8 Colleague field. Contains a housing code for the student.
	HousingCode9	varchar	20	n/a	n/a	Sourced from the IFAF.HOUSING.9 Colleague field. Contains a housing code for the student.
	DateApplicationSigned	smalldatetime	n/a	16	n/a	Sourced from the IFAF.DATE.SIGN Colleague field. The date the application was signed.
	DateDimensionIDIfafApplicationReceiptDate	int	4	10	n/a	
	DateDimensionIDDateApplicationSigned	int	4	10	n/a	

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStuInstitutionalInfoRecordFafsa	OdsStStuInstitutionalInfoRecordFafsaId	varchar	65	n/a	n/a	
	DateDimensionIDAssocInstStuInfoRecCorrctnStatusDate	int	4	10	n/a	
	ColleagueChangeDate	smalldatetime	n/a	16	n/a	
	InstitutionID	tinyint	1	3	n/a	
	ColleagueAddDate	smalldatetime	n/a	16	n/a	
	DateDimensionIDApplicationReceiptDate	int	4	10	n/a	
	DateDimensionIDColleagueAddDate	int	4	10	n/a	
	DateDimensionIDInstStuInfoRecCorrectionStatusDate	int	4	10	n/a	
StStuProgramCertCredDiploma						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStudentProgramID	varchar	32	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ID Colleague field, which is the Colleague ID of STUDENT.PROGRAMS.
	MultiValuePosition	decimal	n/a	10	0	CCD is sourced from Colleague's multi-valued ACPG.CCDS field. POS is the position number (position in list) of the value from ACPG.CCDS that corresponds to the CCD value.
	StudentId	varchar	11	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.STUDENT Colleague field, which is part of the key - part of STUDENT_PROGRAMS_ID.
	AcademicLevel	varchar	25	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.LEVEL Colleague computed column. The academic level.
	AcademicLevelDescription	varchar	30	n/a	n/a	Sourced from the ACAD.LEVELS > ACLV.DESC Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.LEVEL). The description of the academic level.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStuProgramCertCredDiploma	AcademicProgram	varchar	20	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.PROGRAM Colleague ID, which is part of the key - part of STUDENT_PROGRAMS_ID. The academic program with which the person is to be associated.
	CertificateCredentialDiploma	varchar	7	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.CCDS Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.PROGRAM). Any certificate, credential, or diploma to be awarded for this program. This can be in addition to or instead of any degrees.
	CertCredentialDiplomaDescription	varchar	30	n/a	n/a	Sourced from the CCDS > CCD.DESC Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.PROGRAM >> ACAD.PROGRAMS > ACPG.CCDS). The description of the certificate credential, or diploma.
	StudentProgramAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	StudentProgramChangeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	DateDimensionIDStudentProgramAddDate	int	4	10	n/a	
	OdsStuProgramCertCredDiplomaID	varchar	94	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StStuProgramSpecialization						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueStuProgramSpecializationID	varchar	32	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ID Colleague field, which is the Colleague ID of STUDENT.PROGRAMS.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStuProgramSpecialization	MultiValuePosition	decimal	n/a	10	0	SPECIALIZATION is sourced from Colleague's multi-valued ACPG.SPECIALIZATIONS field. POS is the position number (position in list) of the value from ACPG.SPECIALIZATIONS that corresponds to the SPECIALIZATION value.
	StudentId	varchar	11	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.STUDENT Colleague field, which is part of the key - part of STUDENT_PROGRAMS_ID.
	AcademicProgram	varchar	20	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.PROGRAM Colleague ID, which is part of the key - part of STUDENT_PROGRAMS_ID. The academic program with which the person is to be associated.
	AcademicLevel	varchar	25	n/a	n/a	Sourced from the STUDENT.PROGRAMS > STPR.ACAD.LEVEL Colleague computed column. The academic level.
	AcademicLevelDescription	varchar	30	n/a	n/a	Sourced from the ACAD.LEVELS > ACLV.DISC Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.LEVEL). The description of the academic level.
	Specialization	varchar	7	n/a	n/a	Sourced from the ACAD.PROGRAMS > ACPG.SPECIALIZATIONS Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.PROGRAM). The specializations associated with this academic program.
	SpecializationDescription	varchar	30	n/a	n/a	Sourced from the SPECIALIZATIONS > SPEC.DISC Colleague field (per STUDENT.PROGRAMS > STPR.ACAD.PROGRAM >> ACAD.PROGRAMS > ACPG.SPECIALIZATIONS). The description of the specialization.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StStuProgramSpecialization	StudentProgramAddDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.ADDDATE Colleague field. Envision-maintained date this record was added to file.
	StudentProgramChangeDate	smalldatetime	n/a	16	n/a	Sourced from the STUDENT.PROGRAMS > STUDENT.PROGRAMS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	InstitutionID	tinyint	1	3	n/a	
	OdsStuProgramSpecializationID	varchar	94	n/a	n/a	
	DateDimensionIDStudentProgramAddDate	int	4	10	n/a	
StTerm						
	ColleagueTermID	varchar	30	n/a	n/a	Sourced from the TERMS > TERMS.ID Colleague field, which is the Colleague ID of TERMS.
	Description	varchar	30	n/a	n/a	Sourced from the TERMS > TERM.DESC Colleague field. The description of the term.
	EndDate	smalldatetime	n/a	16	n/a	Sourced from the TERMS > TERM.END.DATE Colleague field. The last date of this academic term.
	ReportingYear	decimal	n/a	4	0	Sourced from the TERMS > TERM.REPORTING.YEAR Colleague field. The reporting year to which this term belongs.
	StartDate	smalldatetime	n/a	16	n/a	Sourced from the TERMS > TERM.START.DATE Colleague field. The beginning date of the academic term.
	RegistrationPeriodEndDate	smalldatetime	n/a	16	n/a	Sourced from the TERMS > TERM.REG.END.DATE Colleague field. The end date of the regular registration period.
	RegistrationPeriodStartDate	smalldatetime	n/a	16	n/a	Sourced from the TERMS > TERM.REG.START.DATE Colleague field. The start date of the registration period for the term.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StTerm	PreRegstnPeriodEndDate	smalldatetime	n/a	16	n/a	Sourced from the TERMS > TERM.PREREG.END.DATE Colleague field. The end date of the preregistration period.
	PreRegstnPeriodStartDate	smalldatetime	n/a	16	n/a	Sourced from the TERMS > TERM.PREREG.START.DATE Colleague field. The start date of the preregistration period.
	TermAddDate	smalldatetime	n/a	16	n/a	Sourced from the TERMS > TERMS.ADDDATE Colleague field. Envision-maintained date of when the record was added.
	TermChangeDate	smalldatetime	n/a	16	n/a	Sourced from the TERMS > TERMS.CHGDATE Colleague field. Envision-maintained date this record was last updated.
	DateDimensionIDRegistrationPeriodEndDa te	int	4	10	n/a	
	DateDimensionIDPreRegstnPeriodStartDat e	int	4	10	n/a	
	DateDimensionIDTermAddDate	int	4	10	n/a	
	DateDimensionIDRegistrationPeriodStartD ate	int	4	10	n/a	
	VendorClientIdentifier	char	3	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsTermID	varchar	38	n/a	n/a	
	DateDimensionIDStartDate	int	4	10	n/a	
	DateDimensionIDEndDate	int	4	10	n/a	
	DateDimensionIDPreRegstnPeriodEndDat e	int	4	10	n/a	
StXEnrollDetail						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID. (Local college use only.)
	ColleagueXEnrollDetailId	varchar	24	n/a	n/a	Colleague ID of the X.ENROLL.DETAIL custom Colleague file. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetail	PersonId	varchar	10	n/a	n/a	Sourced from the XEDF.PERSON.ID custom Colleague field. (Local college use only.)
	Term	varchar	7	n/a	n/a	Sourced from the XEDF.TERM custom Colleague field. (Local college use only.)
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the XEDF.ACAD.LEVEL custom Colleague field. The academic level. (Local college use only.)
	ReportingTerm	varchar	7	n/a	n/a	Sourced from the XEDF.REPORTING.TERM custom Colleague field. The reporting term. (Local college use only.)
	AcademicLevelStartTerm	varchar	7	n/a	n/a	Sourced from the XEDF.STA.START.TERM custom Colleague field. The term this student started in this academic level. (Local college use only.)
	EnrollmentCreditSum	decimal	n/a	9	5	Sourced from the XEDF.STU.ENR.CRED custom Colleague field. The sum of the student's enrollment credit. (Local college use only.)
	NonAuditEnrollmentCreditSum	decimal	n/a	9	5	Sourced from the XEDF.NONAUD.ENRL.CREDS custom Colleague field. The sum of the student's non-audit enrollment credit. (Local college use only.)
	CompletedCumulativeCreditSum	decimal	n/a	9	5	Sourced from the XEDF.PROGRAM.CREDIT custom Colleague field. The student's total completed cumulative credits. (Local college use only.)
	AllAcademicCreditSum	decimal	n/a	9	5	Sourced from the XEDF.ALL.STU.STC.CREDS custom Colleague field. The sum of all academic credit for the student. (Local college use only.)
	Gender	varchar	7	n/a	n/a	Sourced from the XEDF.GENDER custom Colleague field. The student's gender. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetail	AcademicLevelAdmitStatus	varchar	7	n/a	n/a	Sourced from the XEDF.STA.ADMIT.STATUS custom Colleague field. The admit status of the student into this academic level (e.g., first time freshman, transfer student, etc.). (Local college use only.)
	EducationalGoal	varchar	7	n/a	n/a	Sourced from the XEDF.EDUC.GOAL custom Colleague field. The student's most recent educational goal. (Local college use only.)
	ActiveMajor	varchar	7	n/a	n/a	Sourced from the XEDF.MAJOR custom Colleague field. Student's active major. (Local college use only.)
	CurrentHomeLocation	varchar	8	n/a	n/a	Sourced from the XEDF.STU.CRNT.HOME.LOC custom Colleague field. The student's current home location. (Local college use only.)
	ColumnANumber	varchar	7	n/a	n/a	Sourced from the XEDF.A.COL custom Colleague field. The column number of Part A where the student's headcount is placed, in the enrollment report. (Local college use only.)
	LineANumber	varchar	7	n/a	n/a	Sourced from the XEDF.A.LINE custom Colleague field. The line number of the obsolete Part A where the student's headcount is placed, in the enrollment report. (Local college use only.)
	StudentId	varchar	10	n/a	n/a	Sourced from the XEDF.STU.ID custom Colleague field. The student's Colleague ID. (Local college use only.)
	CollegeCode	varchar	7	n/a	n/a	Sourced from the XEDF.COLLEGE.CODE custom Colleague field. The college code that is the abbreviation of the college's name. (Local college use only.)
	HomeState	varchar	7	n/a	n/a	Sourced from the XEDF.STU.HOME.STATE custom Colleague field. The student's home state. (Local college use only.)
	FirstName	varchar	15	n/a	n/a	Sourced from the XEDF.FIRST.NAME custom Colleague computed column. The student's first name. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetail	MiddleName	varchar	20	n/a	n/a	Sourced from the XEDF.MIDDLE.NAME custom Colleague computed column. The student's middle name. (Local college use only.)
	LastName	varchar	25	n/a	n/a	Sourced from the XEDF.LAST.NAME custom Colleague computed column. The student's last name. (Local college use only.)
	SSN	varchar	11	n/a	n/a	Sourced from the XEDF.SSN custom Colleague computed column. The student's SSN. (Local college use only.)
	DigitSSN	varchar	9	n/a	n/a	Sourced from the XEDF.DIGIT.SSN custom Colleague computed column. The SSN with just numbers and no dashes. (Local college use only.)
	BirthDate	datetime	8	23	n/a	Sourced from the XEDF.BIRTH.DATE custom Colleague computed column. The student's birth date. (Local college use only.)
	IsWoman	varchar	7	n/a	n/a	Sourced from the XEDF.WOMAN custom Colleague computed column. Flags female students, and is null for male students. (Local college use only.)
	IsMan	varchar	7	n/a	n/a	Sourced from the XEDF.MAN custom Colleague computed column. Flags male students, and is null for female students. (Local college use only.)
	EthnicCode	varchar	30	n/a	n/a	Sourced from the XEDF.ETHNIC custom Colleague field. Ethnic group to which this student belongs. (Local college use only.)
	EthnicDescription	varchar	30	n/a	n/a	Sourced from the XEDF.ETHNIC.DESC custom Colleague field. Ethnic group description. (Local college use only.)
	IsBlack	varchar	7	n/a	n/a	Sourced from the XEDF.BLACK custom Colleague computed column. Flags black students, and is null for all other students. (Local college use only.)
	IsWhite	varchar	7	n/a	n/a	Sourced from the XEDF.WHITE custom Colleague computed column. Flags white students, and is null for all other students. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetail	IsAsian	varchar	7	n/a	n/a	Sourced from the XEDF.ASIAN custom Colleague computed column. Flags Asian students, and is null for all other students. (Local college use only.)
	IsHispanic	varchar	7	n/a	n/a	Sourced from the XEDF.HISPANIC custom Colleague computed column. Flags Hispanic students, and is null for all other students. (Local college use only.)
	IsIndian	varchar	7	n/a	n/a	Sourced from the XEDF.INDIAN custom Colleague computed column. Flags Indian students, and is null for all other students. (Local college use only.)
	IsForeign	varchar	7	n/a	n/a	Sourced from the XEDF.FOREIGN custom Colleague computed column. Flags Foreign students, and is null for all other students. (Local college use only.)
	IsFirstTime	varchar	7	n/a	n/a	Sourced from the XEDF.FIRST.TIME custom Colleague computed column. Flags first time students, and is null for all other students. (Local college use only.)
	IsFullTime	varchar	7	n/a	n/a	Sourced from the XEDF.FULL.TIME custom Colleague computed column. Flags full time students, and is null for all other students. (Local college use only.)
	IsPartTime	varchar	7	n/a	n/a	Sourced from the XEDF.PART.TIME custom Colleague computed column. Flags part time students, and is null for all other students. (Local college use only.)
	CourseSectionAcademicCreditIds	varchar	700	n/a	n/a	Sourced from the XEDF.STTR.COURSE.SEC custom Colleague computed column. List of the academic credit representing course sections for the student for the term for the academic level. (Local college use only.)
	AcademicCreditIds	varchar	200	n/a	n/a	Sourced from the XEDF.STTR.STUDENT.ACAD.CRED custom Colleague computed column. Keys to all the academic credit for the student for the term for the academic level, including course equivalencies that specified a term. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetail	AcademicLevelAcademicCreditIds	varchar	200	n/a	n/a	Sourced from the XEDF.STA.STUDENT.ACAD.CRED custom Colleague computed column. All the student academic credit records for this academic level. (Local college use only.)
	ReportingTermYear	varchar	50	n/a	n/a	Sourced from the XEDF.RPT.TERM.YEAR custom Colleague computed column. Reporting term year. (Local college use only.)
	ReportingSession	varchar	50	n/a	n/a	Sourced from the XEDF.RPT.SESSIO custom Colleague computed column. (Local college use only.)
	CurrentAcademicCreditStatuses	varchar	50	n/a	n/a	Sourced from the XEDF.STC.CURRENT.STATUSES custom Colleague computed column. A list of all the student's current academic credit statuses. (Local college use only.)
	VerifiedFinalGrades	varchar	100	n/a	n/a	Sourced from the XEDF.STC.VFD.GRADES custom Colleague computed column. A list of all the student's verified final grades, of the academic credits. (Local college use only.)
	FullTimeEquivalency	decimal	n/a	7	2	Sourced from the XEDF.FTE custom Colleague computed column. The student's full time equivalency. (Local college use only.)
	InstitutionsAttendedIds	varchar	500	n/a	n/a	Sourced from the XEDF.INSTITUTIONS.ATTEND custom Colleague computed column. A list of all the ID's of all the institutions attended by the student. (Local college use only.)
	InstitutionsAttendedTitles	varchar	100	n/a	n/a	Sourced from the XEDF.INSTITUTION.TITLES custom Colleague computed column. A list of all the names of all the institutions attended by the student. (Local college use only.)
	InstitutionsAttendedTypes	varchar	30	n/a	n/a	Sourced from the XEDF.INST.TYPES custom Colleague computed column. A list of all the types of all the institutions attended by the student. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetail	InstitutionsAttendedStartYears	varchar	40	n/a	n/a	Sourced from the XEDF.IA.START.YEARS custom Colleague computed column. A list of all the attendance-start-years of all the institutions attended by the student. (Local college use only.)
	InstitutionsAttendedEndYears	varchar	40	n/a	n/a	Sourced from the XEDF.IA.END.YEARS custom Colleague computed column. A list of all the attendance-end-years of all the institutions attended by the student. (Local college use only.)
	EducationalGoals	varchar	40	n/a	n/a	Sourced from the XEDF.PST.EDUC.GOALS custom Colleague computed column. A list of all of the student's educational goals. (Local college use only.)
	DegreeDates	varchar	100	n/a	n/a	Sourced from the XEDF.ACAD.DEGREE.DATES custom Colleague computed column. A list of all the student's degree dates - the dates the degrees were received. (Local college use only.)
	Class	varchar	35	n/a	n/a	Sourced from the XEDF.STA.CLASS custom Colleague computed column. A list of all the student's classes (such as "freshman" or "sophomore"). (Local college use only.)
	HomeLocations	varchar	40	n/a	n/a	Sourced from the XEDF.STU.HOME.LOCATIONS custom Colleague computed column. A list of all the student's primary locations. (Local college use only.)
	HomeLocationStartDate	smalldatetime	n/a	16	n/a	Sourced from the XEDF.STU.HOME.LOCATION.SD custom Colleague computed column. A list of all the start dates of all the student's primary locations. (Local college use only.)
	HomeLocationEndDate	smalldatetime	n/a	16	n/a	Sourced from the XEDF.STU.HOME.LOCATION.ED custom Colleague computed column. A list of all the end dates of all the student's primary locations. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetail	StateOfResidence	varchar	30	n/a	n/a	Sourced from the XEDF.RES.STATE custom Colleague computed column. The state where the student primarily lives. (Local college use only.)
	CountyOfResidence	varchar	30	n/a	n/a	Sourced from the XEDF.RES.COUNTY custom Colleague computed column. The student's primary county of residence. (Local college use only.)
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDHomeLocationEndDate	int	4	10	n/a	
	DateDimensionIDHomeLocationStartDate	int	4	10	n/a	
	OdsStXEnrollDetailId	varchar	60	n/a	n/a	
StXEnrollDetailMultiValue						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueXEnrollDetailId	varchar	24	n/a	n/a	Colleague ID of the X.ENROLL.DETAIL custom Colleague file.
	MultiValuePosition	decimal	n/a	10	0	Position number of the XEDF_CRS_CREDS_LIST values - the position number of these values in the corresponding multivalued list in Colleague.
	PersonId	varchar	10	n/a	n/a	Sourced from the XEDF.PERSON.ID custom Colleague field.
	Term	varchar	7	n/a	n/a	Sourced from the XEDF.TERM custom Colleague field.
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the XEDF.ACAD.LEVEL custom Colleague field.
	EnrollmentCreditsList	decimal	n/a	9	5	Sourced from the XEDF.CRS.CREDS.LIST custom Colleague field.
	InstitutionID	tinyint	1	3	n/a	
	OdsStXEnrollDetailMultiValueId	varchar	90	n/a	n/a	
StXEnrollDetailNewEthnic						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetailNewEthnic	ColleagueXEnrollDetailNewEthnicId	varchar	24	n/a	n/a	Colleague ID of the X.NETH.ENRL.DET custom Colleague file. (Local college use only.)
	PersonId	varchar	10	n/a	n/a	Sourced from the XNED.PERSON.ID custom Colleague field. (Local college use only.)
	Term	varchar	7	n/a	n/a	Sourced from the XNED.TERM custom Colleague field. (Local college use only.)
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the XNED.ACAD.LEVEL custom Colleague field. The academic level. (Local college use only.)
	ReportingTerm	varchar	7	n/a	n/a	Sourced from the XNED.REPORTING.TERM custom Colleague field. The reporting term. (Local college use only.)
	AcademicLevelStartTerm	varchar	7	n/a	n/a	Sourced from the XNED.STA.START.TERM custom Colleague field. The term this student started in this academic level. (Local college use only.)
	EnrollmentCreditSum	decimal	n/a	9	5	Sourced from the XNED.STU.ENR.CRED custom Colleague field. The sum of the student's enrollment credit. (Local college use only.)
	NonAuditEnrollmentCreditSum	decimal	n/a	9	5	Sourced from the XNED.NONAUD.ENRL.CREDS custom Colleague field. The sum of the student's non-audit enrollment credit. (Local college use only.)
	CompletedCumulativeCreditSum	decimal	n/a	9	5	Sourced from the XNED.PROGRAM.CREDIT custom Colleague field. The student's total completed cumulative credits. (Local college use only.)
	AllAcademicCreditSum	decimal	n/a	9	5	Sourced from the XNED.ALL.STU.STC.CREDS custom Colleague field. The sum of all academic credit for the student. (Local college use only.)
	Gender	varchar	7	n/a	n/a	Sourced from the XNED.GENDER custom Colleague field. The student's gender. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetailNewEthnic	AcademicLevelAdmitStatus	varchar	7	n/a	n/a	Sourced from the XNED.STA.ADMIT.STATUS custom Colleague field. The admit status of the student into this academic level (e.g., first time freshman, transfer student, etc.). (Local college use only.)
	EducationalGoal	varchar	8	n/a	n/a	Sourced from the XNED.EDUC.GOAL custom Colleague field. The student's most recent educational goal. (Local college use only.)
	ActiveMajor	varchar	7	n/a	n/a	Sourced from the XNED.MAJOR custom Colleague field. Student's active major. (Local college use only.)
	CurrentHomeLocation	varchar	8	n/a	n/a	Sourced from the XNED.STU.CRNT.HOME.LOC custom Colleague field. The student's current home location. (Local college use only.)
	ColumnANumber	varchar	7	n/a	n/a	Sourced from the XNED.A.COL custom Colleague field. The column number of Part A where the student's headcount is placed, in the enrollment report. (Local college use only.)
	LineANumber	varchar	7	n/a	n/a	Sourced from the XNED.A.LINE custom Colleague field. The line number of the obsolete Part A where the student's headcount is placed, in the enrollment report. (Local college use only.)
	StudentId	varchar	10	n/a	n/a	Sourced from the XNED.STU.ID custom Colleague field. The student's Colleague ID. (Local college use only.)
	CollegeCode	varchar	7	n/a	n/a	Sourced from the XNED.COLLEGE.CODE custom Colleague field. The college code that is the abbreviation of the college's name. (Local college use only.)
	HomeState	varchar	7	n/a	n/a	Sourced from the XNED.STU.HOME.STATE custom Colleague field. The student's home state. (Local college use only.)
	FirstName	varchar	16	n/a	n/a	Sourced from the XNED.FIRST.NAME custom Colleague computed column. The student's first name. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetailNewEthnic	MiddleName	varchar	25	n/a	n/a	Sourced from the XNED.MIDDLE.NAME custom Colleague computed column. The student's middle name. (Local college use only.)
	LastName	varchar	25	n/a	n/a	Sourced from the XNED.LAST.NAME custom Colleague computed column. The student's last name. (Local college use only.)
	Ssn	varchar	11	n/a	n/a	Sourced from the XNED.SSN custom Colleague computed column. The student's SSN. (Local college use only.)
	DigitSsn	varchar	9	n/a	n/a	Sourced from the XNED.DIGIT.SSN custom Colleague computed column. The SSN with just numbers and no dashes. (Local college use only.)
	BirthDate	datetime	8	23	n/a	Sourced from the XNED.BIRTH.DATE custom Colleague computed column. The student's birth date. (Local college use only.)
	IsWoman	varchar	7	n/a	n/a	Sourced from the XNED.WOMAN custom Colleague computed column. Flags female students, and is null for male students. (Local college use only.)
	IsMan	varchar	7	n/a	n/a	Sourced from the XNED.MAN custom Colleague computed column. Flags male students, and is null for female students. (Local college use only.)
	EthnicCodes	varchar	20	n/a	n/a	Sourced from the XNED.ETHNICS custom Colleague computed column. A list of all the student's ethnics, as ethnic codes. (Local college use only.)
	EthnicDescriptions	varchar	100	n/a	n/a	Sourced from the XNED.ETHNIC.DESCS custom Colleague computed column. A list of all the student's ethnic descriptions. (Local college use only.)
	RaceCodes	varchar	20	n/a	n/a	Sourced from the XNED.RACES custom Colleague computed column. A list of all the person's races, as race codes. (Local college use only.)
	RaceDescriptions	varchar	100	n/a	n/a	Sourced from the XNED.RACE.DESCS custom Colleague computed column. A list of all the student's race descriptions. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetailNewEthnic	IsHispanicAnyRace	varchar	7	n/a	n/a	Sourced from the XNED.HISP.ANY.RACE custom Colleague computed column. Flags "Hispanic Any Race" students, and is null for all other students. (Local college use only.)
	IsNonHispanicIndianOrAlaskanNative	varchar	7	n/a	n/a	Sourced from the XNED.NON.HISP.IND.OR.ALA custom Colleague computed column. Flags "Non-Hispanic American Indian or Alaskan Native" students, and is null for all other students. (Local college use only.)
	IsNonHispanicAsian	varchar	7	n/a	n/a	Sourced from the XNED.NON.HISP.ASIAN custom Colleague computed column. Flags "Non-Hispanic Asian" students, and is null for all other students. (Local college use only.)
	IsNonHispanicBlackOrAfricanAmerican	varchar	7	n/a	n/a	Sourced from the XNED.NON.HISP.BLK.OR.AFAM custom Colleague computed column. Flags "Non-Hispanic Black or African American" students, and is null for all other students. (Local college use only.)
	IsNonHispanicNativeHawaiianOrOthPacificIslander	varchar	7	n/a	n/a	Sourced from the XNED.NON.HISP.HAW.OR.PAC custom Colleague computed column. Flags "Non-Hispanic Native Hawaiian or Other Pacific Islander" students, and is null for all other students. (Local college use only.)
	IsNonHispanicWhite	varchar	7	n/a	n/a	Sourced from the XNED.NON.HISP.WHITE custom Colleague computed column. Flags "Non-Hispanic White" students, and is null for all other students. (Local college use only.)
	IsNonHispanicTwoOrMoreRaces	varchar	7	n/a	n/a	Sourced from the XNED.NON.HISP.TWO.RACES custom Colleague computed column. Flags "Non-Hispanic Two or More Races" students, and is null for all other students. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetailNewEthnic	IsNonResidentAlien	varchar	7	n/a	n/a	Sourced from the XNED.NON.RES.ALIEN custom Colleague computed column. Flags "Non Resident Alien" students, and is null for all other students. (Local college use only.)
	IsUnknownEthnicityAndRace	varchar	7	n/a	n/a	Sourced from the XNED.UNK.ETH.AND.RACE custom Colleague computed column. Flags "Unknown Ethnicity and Race" students, and is null for all other students. (Local college use only.)
	IsFirstTime	varchar	7	n/a	n/a	Sourced from the XNED.FIRST.TIME custom Colleague computed column. Flags first time students, and is null for all other students. (Local college use only.)
	IsFullTime	varchar	7	n/a	n/a	Sourced from the XNED.FULL.TIME custom Colleague computed column. Flags full time students, and is null for all other students. (Local college use only.)
	IsPartTime	varchar	7	n/a	n/a	Sourced from the XNED.PART.TIME custom Colleague computed column. Flags part time students, and is null for all other students. (Local college use only.)
	ReportingTermYear	decimal	n/a	4	0	Sourced from the XNED.RPT.TERM.YEAR custom Colleague computed column. Reporting term year. (Local college use only.)
	ReportingSession	varchar	7	n/a	n/a	Sourced from the XNED.RPT.SESSIO custom Colleague computed column. (Local college use only.)
	CurrentAcademicCreditStatuses	varchar	85	n/a	n/a	Sourced from the XNED.STC.CURRENT.STATUSES custom Colleague computed column. A list of all the student's current academic credit statuses. (Local college use only.)
	VerifiedFinalGrades	varchar	100	n/a	n/a	Sourced from the XNED.STC.VFD.GRADES custom Colleague computed column. A list of all the student's verified final grades, of the academic credits. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetailNewEthnic	FullTimeEquivalency	decimal	n/a	7	2	Sourced from the XNED.FTE custom Colleague computed column. The student's full time equivalency (Local college use only.)
	CumulativeGpa	decimal	n/a	7	5	Sourced from the XNED.CUM.GPA custom Colleague computed column. The student's cumulative GPA. (Local college use only.)
	InstitutionsAttendedIds	varchar	500	n/a	n/a	Sourced from the XNED.INSTITUTIONS.ATTEND custom Colleague computed column. A list of all the ID's of all the institutions attended by the student. (Local college use only.)
	EducationalGoals	varchar	40	n/a	n/a	Sourced from the XNED.PST.EDUC.GOALS custom Colleague computed column. A list of all of the student's educational goals. (Local college use only.)
	DegreeDates	varchar	100	n/a	n/a	Sourced from the XNED.ACAD.DEGREE.DATES custom Colleague computed column. A list of all the student's degree dates - the dates the degrees were received. (Local college use only.)
	Class	varchar	35	n/a	n/a	Sourced from the XNED.STA.CLASS custom Colleague computed column. A list of all the student's classes (such as "freshman" or "sophomore"). (Local college use only.)
	HomeLocations	varchar	40	n/a	n/a	Sourced from the XNED.STU.HOME.LOCATIONS custom Colleague computed column. A list of all the student's primary locations. (Local college use only.)
	HomeLocationStartDate	smalldatetime	n/a	16	n/a	Sourced from the XNED.STU.HOME.LOCATION.SD custom Colleague computed column. A list of all the start dates of all the student's primary locations. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetailNewEthnic	HomeLocationEndDate	smalldatetime	n/a	16	n/a	Sourced from the XNED.STU.HOME.LOCATION.ED custom Colleague computed column. A list of all the end dates of all the student's primary locations. (Local college use only.)
	StateOfResidence	varchar	30	n/a	n/a	Sourced from the XNED.RES.STATE custom Colleague computed column. The state where the student primarily lives. (Local college use only.)
	CountyOfResidence	varchar	30	n/a	n/a	Sourced from the XNED.RES.COUNTY custom Colleague computed column. The student's primary county of residence. (Local college use only.)
	DateDimensionIDHomeLocationStartDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	OdsStXEnrollDetailNewEthnicId	varchar	55	n/a	n/a	
	DateDimensionIDHomeLocationEndDate	int	4	10	n/a	
StXEnrollDetailNewEthnicMultiValue						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID. (Local college use only.)
	ColleagueXEnrollDetailNewEthnicMultiValueId	varchar	24	n/a	n/a	Colleague ID of the X.NETH.ENRL.DET custom Colleague file. (Local college use only.)
	MultiValuePosition	decimal	n/a	10	0	Position number of the XNED_CRS_CREDS_LIST values - the position number of these values in the corresponding multivalued list in Colleague. (Local college use only.)
	PersonId	varchar	10	n/a	n/a	Sourced from the XNED.PERSON.ID custom Colleague field. (Local college use only.)
	Term	varchar	7	n/a	n/a	Sourced from the XNED.TERM custom Colleague field. (Local college use only.)
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the XNED.ACAD.LEVEL custom Colleague field. (Local college use only.)
	EnrollmentCreditsList	decimal	n/a	9	5	Sourced from the XNED.CRS.CREDS.LIST custom Colleague field. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXEnrollDetailNewEthnicMultiValue	InstitutionID	tinyint	1	3	n/a	
	OdsStXEnrollDetailNewEthnicMultiValueId	varchar	55	n/a	n/a	
StXExtraHathawayApplicants						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID
	ColleagueXExtraHathawayApplicantsId	varchar	15	n/a	n/a	Colleague ID of the X67.EXTRA.HATH.APPLS custom Colleague file. Sourced from the XEHA.STU.TERM.ID custom Colleague field.
	CumulativeStatus	varchar	7	n/a	n/a	Sourced from the XEHA.CUMULATIVE.STATUS custom Colleague field. The student's CUMULATIVE_STATUS.
	HighSchoolCity	varchar	60	n/a	n/a	Sourced from the XEHA.HS.CITY custom Colleague field. The student's HS_CITY
	HighSchoolGraduationDate	varchar	7	n/a	n/a	Sourced from the XEHA.HS.GRAD.DATE custom Colleague field. The student's HS_GRAD_DATE
	HighSchoolName	varchar	60	n/a	n/a	Sourced from the XEHA.HS.NAME custom Colleague field. The student's HS_NAME
	NonEnrollmentReason	varchar	7	n/a	n/a	Sourced from the XEHA.NON.ENROLLMENT.REASON custom Colleague field. The student's NON_ENROLLMENT_REASON
	SapStatus	varchar	7	n/a	n/a	Sourced from the XEHA.SAP.STATUS custom Colleague field. The student's SAP_STATUS
	SemesterStatus	varchar	7	n/a	n/a	Sourced from the XEHA.SEMESTER.STATUS custom Colleague field. The student's SEMESTER_STATUS
	OdsStXExtraHathawayApplicantsId	varchar	50	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StXHathawayDataEntry						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXHathawayDataEntry	ColleagueXHathawayDataEntryId	varchar	15	n/a	n/a	Colleague ID of the custom X67.HATH.DATA.ENTRY Colleague file. Sourced from the XHDE.STU.TERM.ID custom field.
	CumulativeStatus	varchar	7	n/a	n/a	Sourced from the XHDE.CUMULATIVE.STATUS custom Colleague field. The student's CUMULATIVE_STATUS
	HighSchoolCity	varchar	60	n/a	n/a	Sourced from the XHDE.HS.CITY custom Colleague field. The student's HS_CITY.
	HighSchoolGraduationDate	varchar	7	n/a	n/a	Sourced from the XHDE.HS.GRAD.DATE custom Colleague field. The student's HS_GRAD_DATE.
	HighSchoolName	varchar	60	n/a	n/a	Sourced from the XHDE.HS.NAME custom Colleague field. The student's HS_NAME.
	IsInitialApplicant	varchar	7	n/a	n/a	Sourced from the XHDE.INITIAL.APPLICANT custom Colleague field. Flags students who are initial applicants for Hathaway. (bit/boolean field)
	NonEnrollmentReason	varchar	7	n/a	n/a	Sourced from the XHDE.NON.ENROLLMENT.REASON custom Colleague field. Flags students who are initial applicants for Hathaway. The student's NON_ENROLLMENT_REASON
	SapStatus	varchar	7	n/a	n/a	Sourced from the XHDE.SAP.STATUS custom Colleague field. The student's SAP_STATUS.
	SemesterStatus	varchar	7	n/a	n/a	Sourced from the XHDE.SEMESTER.STATUS custom Colleague field. The student's SEMESTER_STATUS
	OdsStXHathawayDataEntryId	varchar	50	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
StXHathawayHoldScreenData						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXHathawayHoldScreenData	ColleagueIdXHathawayHoldScreenDataId	varchar	7	n/a	n/a	Colleague ID of the custom X67.HATH.TABLE Colleague file. Sourced from the XHT.ID custom field. (Local college use only.)
	MultiValuePosition	decimal	n/a	10	0	POS is the position number (position in list) of the values from all the "XHT.LIST..." custom source Colleague multi-value fields that corresponds to the "XHT_LIST..." values. (Local college use only.)
	PersonId	varchar	15	n/a	n/a	Sourced from the XHT.LIST1 custom Colleague field. (Local college use only.)
	LastName	varchar	25	n/a	n/a	Sourced from the XHT.LIST2 custom Colleague field. (Local college use only.)
	FirstName	varchar	15	n/a	n/a	Sourced from the XHT.LIST3 custom Colleague field. (Local college use only.)
	MiddleName	varchar	15	n/a	n/a	Sourced from the XHT.LIST4 custom Colleague field. (Local college use only.)
	DateOfBirth	smalldatetime	n/a	16	n/a	Sourced from the XHT.LIST5 custom Colleague field. (Local college use only.)
	HighSchoolName	varchar	60	n/a	n/a	Sourced from the XHT.LIST6 custom Colleague field. (Local college use only.)
	PriorHighSchoolGraduationDate	varchar	7	n/a	n/a	Sourced from the XHT.LIST7 custom Colleague field. (Local college use only.)
	HighSchoolId	varchar	7	n/a	n/a	Sourced from the XHT.LIST8 custom Colleague field. (Local college use only.)
	HighSchoolName2	varchar	60	n/a	n/a	Sourced from the XHT.LIST9 custom Colleague field. (Local college use only.)
	HighSchoolGraduationYear	varchar	7	n/a	n/a	Sourced from the XHT.LIST10 custom Colleague field. (Local college use only.)
	NonEnrollmentReason	varchar	7	n/a	n/a	Sourced from the XHT.LIST11 custom Colleague field. (Local college use only.)
	Ssn	varchar	11	n/a	n/a	Sourced from the XHT.LIST12 custom Colleague field. (Local college use only.)
	IsInitialApplicant	varchar	7	n/a	n/a	Sourced from the XHT.LIST13 custom Colleague field. (Local college use only.)
	SemesterStatus	varchar	7	n/a	n/a	Sourced from the XHT.LIST14 custom Colleague field. (Local college use only.)
	CumulativeStatus	varchar	7	n/a	n/a	Sourced from the XHT.LIST15 custom Colleague field. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXHathawayHoldScreenData	HathawayInReportingTermOnly	varchar	7	n/a	n/a	Sourced from the XHT.LIST16 custom Colleague field. (Local college use only.)
	HighSchoolCity	varchar	60	n/a	n/a	Sourced from the XHT.LIST17 custom Colleague field. (Local college use only.)
	InstitutionID	tinyint	1	3	n/a	
	OdsStXHathawayHoldScreenDataId	varchar	70	n/a	n/a	
StXlpedsDetail						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID. (Local college use only.)
	ColleagueXlpedsDetailId	varchar	24	n/a	n/a	Colleague ID of the X.IPEDS.DETAIL custom Colleague file. (Local college use only.)
	PersonId	varchar	10	n/a	n/a	Sourced from the XIDF.PERSON.ID custom Colleague field. (Local college use only.)
	Term	varchar	7	n/a	n/a	Sourced from the XIDF.TERM custom Colleague field. (Local college use only.)
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the XIDF.ACAD.LEVEL custom Colleague field. (Local college use only.)
	AllAcademicCreditSum	decimal	n/a	9	5	Sourced from the XIDF.ALL.STU.STC.CREDS custom Colleague field. The sum of all academic credit for the student. (Local college use only.)
	AuditAddNewAcademicCreditCount	int	4	10	n/a	Sourced from the XIDF.AN.AUD.STC.COUNT custom Colleague field. The total number of audit "enrolled - add or new" academic credit records processed for the student. (Local college use only.)
	IsAsian	varchar	7	n/a	n/a	Sourced from the XIDF.ASIAN custom Colleague computed column. Flags Asian students, and is null for all other students. (Local college use only.)
	AuditAcademicCreditCount	int	4	10	n/a	Sourced from the XIDF.AUDIT.STC.COUNT custom Colleague computed column. The total number of audit academic credit records processed for the student. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXlpedsDetail	ColumnANumber	varchar	7	n/a	n/a	Sourced from the XIDF.A.COL custom Colleague field. The column number of Part A where the student's headcount is placed, in the IPEDS enrollment report.
	LineANumber	varchar	7	n/a	n/a	Sourced from the XIDF.A.LINE custom Colleague field. The line number of the obsolete Part A where the student's headcount is placed, in the IPEDS enrollment report. (Local college use only.)
	BirthDate	datetime	8	23	n/a	Sourced from the XIDF.BIRTH.DATE custom Colleague computed column. The student's birth date. (Local college use only.)
	IsBlack	varchar	7	n/a	n/a	Sourced from the XIDF.BLACK custom Colleague computed column. Flags black students, and is null for all other students. (Local college use only.)
	CollegeCode	varchar	7	n/a	n/a	Sourced from the XIDF.COLLEGE.CODE custom Colleague field. The college code that is the abbreviation of the college's name. (Local college use only.)
	CumulativeGpa	decimal	n/a	7	5	Sourced from the XIDF.CUM.GPA custom Colleague computed column. The student's cumulative GPA. (Local college use only.)
	DigitSsn	varchar	9	n/a	n/a	Sourced from the XIDF.DIGIT.SSN custom Colleague computed column. The SSN with just numbers and no dashes. (Local college use only.)
	EducationalGoal	varchar	7	n/a	n/a	Sourced from the XIDF.EDUC.GOAL custom Colleague field. The student's most recent educational goal. (Local college use only.)
	EthnicCode	varchar	7	n/a	n/a	Sourced from the XIDF.ETHNIC custom Colleague field. Ethnic group to which this student belongs. (Local college use only.)
	EthnicDescription	varchar	30	n/a	n/a	Sourced from the XIDF.ETHNIC.DESC custom Colleague field. Ethnic group description. (Local college use only.)
	FirstName	varchar	15	n/a	n/a	Sourced from the XIDF.FIRST.NAME custom Colleague computed column. The student's first name. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXlpedsDetail	IsFirstTime	varchar	7	n/a	n/a	Sourced from the XIDF.FIRST.TIME custom Colleague computed column. Flags first time students, and is null for all other students. (Local college use only.)
	IsForeign	varchar	7	n/a	n/a	Sourced from the XIDF.FOREIGN custom Colleague computed column. Flags Foreign students, and is null for all other students. (Local college use only.)
	FullTimeEquivalency	decimal	n/a	7	2	Sourced from the XIDF.FTE custom Colleague computed column. The student's full time equivalency. (Local college use only.)
	IsFullTime	varchar	7	n/a	n/a	Sourced from the XIDF.FULL.TIME custom Colleague computed column. Flags full time students, and is null for all other students. (Local college use only.)
	Gender	varchar	7	n/a	n/a	Sourced from the XIDF.GENDER custom Colleague field. The student's gender. (Local college use only.)
	IsHispanic	varchar	7	n/a	n/a	Sourced from the XIDF.HISPANIC custom Colleague computed column. Flags Hispanic students, and is null for all other students. (Local college use only.)
	IsIndian	varchar	7	n/a	n/a	Sourced from the XIDF.INDIAN custom Colleague computed column. Flags Indian students, and is null for all other students. (Local college use only.)
	LastName	varchar	25	n/a	n/a	Sourced from the XIDF.LAST.NAME custom Colleague computed column. The student's last name. (Local college use only.)
	ActiveMajor	varchar	7	n/a	n/a	Sourced from the XIDF.MAJOR custom Colleague field. Student's active major. (Local college use only.)
	IsMan	varchar	7	n/a	n/a	Sourced from the XIDF.MAN custom Colleague computed column. Flags male students, and is null for female students. (Local college use only.)
	MiddleName	varchar	15	n/a	n/a	Sourced from the XIDF.MIDDLE.NAME custom Colleague computed column. The student's middle name. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXlpedsDetail	NonAuditEnrollmentCreditSum	decimal	n/a	9	5	Sourced from the XIDF.NONAUD.ENRL.CREDS custom Colleague field. The sum of the student's non-audit enrollment credit. (Local college use only.)
	IsPartTime	varchar	7	n/a	n/a	Sourced from the XIDF.PART.TIME custom Colleague computed column. Flags part time students, and is null for all other students. (Local college use only.)
	CompletedCumulativeCreditSum	decimal	n/a	9	5	Sourced from the XIDF.PROGRAM.CREDIT custom Colleague field. The student's total completed cumulative credits. (Local college use only.)
	ReportingTerm	varchar	7	n/a	n/a	Sourced from the XIDF.REPORTING.TERM custom Colleague field. The reporting term. (Local college use only.)
	CountyOfResidence	varchar	30	n/a	n/a	Sourced from the XIDF.RES.COUNTY custom Colleague computed column. The student's primary county of residence. (Local college use only.)
	StateOfResidence	varchar	30	n/a	n/a	Sourced from the XIDF.RES.STATE custom Colleague computed column. The state where the student primarily lives. (Local college use only.)
	ReportingSession	varchar	7	n/a	n/a	Sourced from the XIDF.RPT.SESSION custom Colleague computed column. (Local college use only.)
	ReportingTermYear	decimal	n/a	4	0	Sourced from the XIDF.RPT.TERM.YEAR custom Colleague computed column. Reporting term year. (Local college use only.)
	Ssn	varchar	11	n/a	n/a	Sourced from the XEDF.SSN custom Colleague computed column. The student's SSN. (Local college use only.)
	AcademicLevelAdmitStatus	varchar	7	n/a	n/a	Sourced from the XIDF.STA.ADMIT.STATUS custom Colleague field. The admit status of the student into this academic level (e.g., first time freshman, transfer student, etc.). (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXlpedsDetail	Class	varchar	35	n/a	n/a	Sourced from the XIDF.STA.CLASS custom Colleague computed column. A list of all the student's classes (such as "freshman" or "sophomore"). (Local college use only.)
	AcademicLevelStartTerm	varchar	7	n/a	n/a	Sourced from the XIDF.STA.START.TERM custom Colleague field. The term this student started in this academic level. (Local college use only.)
	CourseSectionAcademicRecordCount	int	4	10	n/a	Sourced from the XIDF.STC.COUNT custom Colleague field. The student's total number of course section academic credit records processed in the IPEDS enrollment report. (Local college use only.)
	CurrentHomeLocation	varchar	8	n/a	n/a	Sourced from the XIDF.STU.CRNT.HOME.LOC custom Colleague field. The student's current home location. (Local college use only.)
	EnrollmentCreditSum	decimal	n/a	9	5	Sourced from the XIDF.STU.ENR.CRED custom Colleague field. The sum of the student's enrollment credit. (Local college use only.)
	HomeState	varchar	7	n/a	n/a	Sourced from the XIDF.STU.HOME.STATE custom Colleague field. The student's home state. (Local college use only.)
	StudentId	varchar	10	n/a	n/a	Sourced from the XIDF.STU.ID custom Colleague field. The student's Colleague ID. (Local college use only.)
	AuditWithdrawnDroppedAcademicCreditCount	int	4	10	n/a	Sourced from the XIDF.WD.AUD.STC.COUNT custom Colleague field. The total number of audit "enrolled - dropped or withdrawn" academic credit records processed for the student. (Local college use only.)
	IsWhite	varchar	7	n/a	n/a	Sourced from the XIDF.WHITE custom Colleague computed column. Flags white students, and is null for all other students. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXlpedsDetail	IsWoman	varchar	7	n/a	n/a	Sourced from the XIDF.WOMAN custom Colleague computed column. Flags female students, and is null for male students. (Local college use only.)
	InstitutionID	tinyint	1	3	n/a	
	OdsStXlpedsDetailId	varchar	55	n/a	n/a	
StXlpedsDetailNewEthnic						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID. (Local college use only.)
	ColleagueXlpedsDetailNewEthnicId	varchar	24	n/a	n/a	Colleague ID of the X.NETH.ENRL.DET custom Colleague file. (Local college use only.)
	PersonId	varchar	10	n/a	n/a	Sourced from the XNID.PERSON.ID custom Colleague field. (Local college use only.)
	Term	varchar	7	n/a	n/a	Sourced from the XNID.TERM custom Colleague field. (Local college use only.)
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the XNID.ACAD.LEVEL custom Colleague field. (Local college use only.)
	DegreeDates	varchar	50	n/a	n/a	Sourced from the XNID.ACAD.DEGREE.DATES custom Colleague computed column. A list of all the student's degree dates - the dates the degrees were received. (Local college use only.)
	AllAcademicCreditSum	decimal	n/a	9	5	Sourced from the XNID.ALL.STU.STC.CREDS custom Colleague field. The sum of all academic credit for the student. (Local college use only.)
	AuditAddNewAcademicCreditCount	int	4	10	n/a	Sourced from the XNID.AN.AUD.STC.COUNT custom Colleague field. The total number of audit "enrolled - add or new" academic credit records processed for the student. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXlpedsDetailNewEthnic	AuditAcademicCreditCount	int	4	10	n/a	Sourced from the XNID.AUDIT.STC.COUNT custom Colleague computed column. The total number of audit academic credit records processed for the student. (Local college use only.)
	ColumnANumber	varchar	7	n/a	n/a	Sourced from the XNID.A.COL custom Colleague field. The column number of Part A where the student's headcount is placed, in the enrollment report. (Local college use only.)
	LineANumber	varchar	7	n/a	n/a	Sourced from the XNID.A.LINE custom Colleague field. The line number of the obsolete Part A where the student's headcount is placed, in the enrollment report. (Local college use only.)
	BirthDate	datetime	8	23	n/a	Sourced from the XNID.BIRTH.DATE custom Colleague computed column. The student's birth date. (Local college use only.)
	CollegeCode	varchar	7	n/a	n/a	Sourced from the XNID.COLLEGE.CODE custom Colleague field. The college code that is the abbreviation of the college's name. (Local college use only.)
	CumulativeGpa	decimal	n/a	7	5	Sourced from the XNID.CUM.GPA custom Colleague computed column. The student's cumulative GPA. (Local college use only.)
	DigitSsn	varchar	9	n/a	n/a	Sourced from the XNID.DIGIT.SSN custom Colleague computed column. The SSN with just numbers and no dashes. (Local college use only.)
	EducationalGoal	varchar	8	n/a	n/a	Sourced from the XNID.EDUC.GOAL custom Colleague field. The student's most recent educational goal. (Local college use only.)
	EthnicCodes	varchar	20	n/a	n/a	Sourced from the XNID.ETHNICS custom Colleague computed column. A list of all the student's ethnics, as ethnic codes. (Local college use only.)
	EthnicDescriptions	varchar	100	n/a	n/a	Sourced from the XNID.ETHNIC.DESCS custom Colleague computed column. A list of all the student's ethnic descriptions. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXlpedsDetailNewEthnic	FirstName	varchar	16	n/a	n/a	Sourced from the XNID.FIRST.NAME custom Colleague computed column. The student's first name. (Local college use only.)
	IsFirstTime	varchar	7	n/a	n/a	Sourced from the XNID.FIRST.TIME custom Colleague computed column. Flags first time students, and is null for all other students. (Local college use only.)
	FullTimeEquivalency	decimal	n/a	7	2	Sourced from the XNID.FTE custom Colleague computed column. The student's full time equivalency. (Local college use only.)
	IsFullTime	varchar	7	n/a	n/a	Sourced from the XNID.FULL.TIME custom Colleague computed column. Flags full time students, and is null for all other students. (Local college use only.)
	Gender	varchar	7	n/a	n/a	Sourced from the XNID.GENDER custom Colleague field. The student's gender. (Local college use only.)
	IsHispanicAnyRace	varchar	7	n/a	n/a	Sourced from the XNID.HISP.ANY.RACE custom Colleague computed column. Flags "Hispanic Any Race" students, and is null for all other students. (Local college use only.)
	InstitutionsAttendedEndYears	varchar	60	n/a	n/a	Sourced from the XNID.IA.END.YEARS custom Colleague computed column. A list of all the attendance-end-years of all the institutions attended by the student. (Local college use only.)
	InstitutionsAttendedStartYears	varchar	60	n/a	n/a	Sourced from the XNID.IA.START.YEARS custom Colleague computed column. A list of all the attendance-start-years of all the institutions attended by the student. (Local college use only.)
	InstitutionsAttendedIds	varchar	90	n/a	n/a	Sourced from the XNID.INSTITUTIONS.ATTEND custom Colleague computed column. A list of all the ID's of all the institutions attended by the student. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXlpedsDetailNewEthnic	InstitutionsAttendedTypes	varchar	35	n/a	n/a	Sourced from the XNID.INST.TYPES custom Colleague computed column. A list of all the types of all the institutions attended by the student. (Local college use only.)
	LastName	varchar	25	n/a	n/a	Sourced from the XNID.LAST.NAME custom Colleague computed column. The student's last name. (Local college use only.)
	ActiveMajor	varchar	7	n/a	n/a	Sourced from the XNID.MAJOR custom Colleague field. Student's active major. (Local college use only.)
	IsMan	varchar	7	n/a	n/a	Sourced from the XNID.MAN custom Colleague computed column. Flags male students, and is null for female students. (Local college use only.)
	MiddleName	varchar	25	n/a	n/a	Sourced from the XNID.MIDDLE.NAME custom Colleague computed column. The student's middle name. (Local college use only.)
	NonAuditEnrollmentCreditSum	decimal	n/a	9	5	Sourced from the XNED.NONAUD.ENRL.CREDS custom Colleague field. The sum of the student's non-audit enrollment credit. (Local college use only.)
	IsNonHispanicAsian	varchar	7	n/a	n/a	Sourced from the XNID.NON.HISP.ASIAN custom Colleague computed column. Flags "Non-Hispanic Asian" students, and is null for all other students. (Local college use only.)
	IsNonHispanicBlackOrAfricanAmerican	varchar	7	n/a	n/a	Sourced from the XNID.NON.HISP.BLK.OR.AFAM custom Colleague computed column. Flags "Non-Hispanic Black or African American" students, and is null for all other students. (Local college use only.)
	IsNonHispanicNativeHawaiianOrOthPacificIslander	varchar	7	n/a	n/a	Sourced from the XNED.NON.HISP.HAW.OR.PAC custom Colleague computed column. Flags "Non-Hispanic Native Hawaiian or Other Pacific Islander" students, and is null for all other students. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXlpedsDetailNewEthnic	IsNonHispanicIndianOrAlaskanNative	varchar	7	n/a	n/a	Sourced from the XNID.NON.HISP.IND.OR.ALA custom Colleague computed column. Flags "Non-Hispanic American Indian or Alaskan Native" students, and is null for all other students. (Local college use only.)
	IsNonHispanicTwoOrMoreRaces	varchar	7	n/a	n/a	Sourced from the XNID.NON.HISP.TWO.RACES custom Colleague computed column. Flags "Non-Hispanic Two or More Races" students, and is null for all other students. (Local college use only.)
	IsNonHispanicWhite	varchar	7	n/a	n/a	Sourced from the XNID.NON.HISP.WHITE custom Colleague computed column. Flags "Non-Hispanic White" students, and is null for all other students. (Local college use only.)
	IsNonResidentAlien	varchar	7	n/a	n/a	Sourced from the XNID.NON.RES.ALIEN custom Colleague computed column. Flags "Non Resident Alien" students, and is null for all other students. (Local college use only.)
	IsPartTime	varchar	7	n/a	n/a	Sourced from the XNID.PART.TIME custom Colleague computed column. Flags part time students, and is null for all other students. (Local college use only.)
	CompletedCumulativeCreditSum	decimal	n/a	9	5	Sourced from the XNID.PROGRAM.CREDIT custom Colleague field. The student's total completed cumulative credits. (Local college use only.)
	RaceCodes	varchar	20	n/a	n/a	Sourced from the XNID.RACES custom Colleague computed column. A list of all the person's races, as race codes. (Local college use only.)
	RaceDescriptions	varchar	100	n/a	n/a	Sourced from the XNID.RACE.DESCS custom Colleague computed column. A list of all the student's race descriptions. (Local college use only.)
	ReportingTerm	varchar	7	n/a	n/a	Sourced from the XNID.REPORTING.TERM custom Colleague field. The reporting term. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXlpedsDetailNewEthnic	CountyOfResidence	varchar	30	n/a	n/a	Sourced from the XNID.RES.COUNTY custom Colleague computed column. The student's primary county of residence. (Local college use only.)
	StateOfResidence	varchar	30	n/a	n/a	Sourced from the XNID.RES.STATE custom Colleague computed column. The state where the student primarily lives. (Local college use only.)
	ReportingSession	varchar	7	n/a	n/a	Sourced from the XNID.RPT.SESSIO custom Colleague computed column. (Local college use only.)
	ReportingTermYear	decimal	n/a	4	0	Sourced from the XNID.RPT.TERM.YEAR custom Colleague computed column. Reporting term year. (Local college use only.)
	Ssn	varchar	11	n/a	n/a	Sourced from the XNID.SSN custom Colleague computed column. The student's SSN. (Local college use only.)
	AcademicLevelAdmitStatus	varchar	7	n/a	n/a	Sourced from the XNID.STA.ADMIT.STATUS custom Colleague field. The admit status of the student into this academic level (e.g., first time freshman, transfer student, etc.). (Local college use only.)
	Class	varchar	35	n/a	n/a	Sourced from the XNID.STA.CLASS custom Colleague computed column. A list of all the student's classes (such as "freshman" or "sophomore"). (Local college use only.)
	AcademicLevelStartTerm	varchar	7	n/a	n/a	Sourced from the XNID.STA.START.TERM custom Colleague field. The term this student started in this academic level. (Local college use only.)
	CourseSectionAcademicRecordCount	int	4	10	n/a	Sourced from the XNID.STC.COUNT custom Colleague field. The student's total number of course section academic credit records processed in the IPEDS enrollment report. (Local college use only.)
	CurrentHomeLocation	varchar	8	n/a	n/a	Sourced from the XNID.STU.CRNT.HOME.LOC custom Colleague field. The student's current home location. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXlpedsDetailNewEthnic	EnrollmentCreditSum	decimal	n/a	9	5	Sourced from the XNID.STU.ENR.CRED custom Colleague field. The sum of the student's enrollment credit. (Local college use only.)
	HomeLocations	varchar	40	n/a	n/a	Sourced from the XNID.STU.HOME.LOCATIONS custom Colleague computed column. A list of all the student's primary locations. (Local college use only.)
	HomeLocationEndDate	smalldatetime	n/a	16	n/a	Sourced from the XNID.STU.HOME.LOCATION.ED custom Colleague computed column. A list of all the end dates of all the student's primary locations. (Local college use only.)
	HomeLocationStartDate	smalldatetime	n/a	16	n/a	Sourced from the XNID.STU.HOME.LOCATION.SD custom Colleague computed column. A list of all the start dates of all the student's primary locations. (Local college use only.)
	HomeState	varchar	7	n/a	n/a	Sourced from the XNID.STU.HOME.STATE custom Colleague field. The student's home state. (Local college use only.)
	StudentId	varchar	10	n/a	n/a	Sourced from the XNID.STU.ID custom Colleague field. The student's Colleague ID. (Local college use only.)
	IsUnknownEthnicityAndRace	varchar	7	n/a	n/a	Sourced from the XNID.UNK.ETH.AND.RACE custom Colleague computed column. Flags "Unknown Ethnicity and Race" students, and is null for all other students. (Local college use only.)
	AuditWithdrawnDroppedAcademicCreditCount	int	4	10	n/a	Sourced from the XNID.WD.AUD.STC.COUNT custom Colleague field. The total number of audit "enrolled - dropped or withdrawn" academic credit records processed for the student. (Local college use only.)
	IsWoman	varchar	7	n/a	n/a	Sourced from the XNID.WOMAN custom Colleague computed column. Flags female students, and is null for male students. (Local college use only.)

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
StXlpedsDetailNewEthnic	OdsStXlpedsDetailNewEthnicId	varchar	55	n/a	n/a	
	DateDimensionIDHomeLocationStartDate	int	4	10	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDHomeLocationEndDate	int	4	10	n/a	
StXlpedsDetailNewEthnicMultiValue						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID. (Local college use only.)
	ColleagueXlpedsDetailNewEthnicMultiValueId	varchar	24	n/a	n/a	Colleague ID of the X.NETH.IPDS.DET custom Colleague file. (Local college use only.)
	MultiValuePosition	decimal	n/a	10	0	Position number of the XNID_CRS_CREDS_LIST values - the position number of these values in the corresponding multivalued list in Colleague. (Local college use only.)
	PersonId	varchar	10	n/a	n/a	Sourced from the XNID.PERSON.ID custom Colleague field. (Local college use only.)
	Term	varchar	7	n/a	n/a	Sourced from the XNID.TERM custom Colleague field. (Local college use only.)
	AcademicLevel	varchar	7	n/a	n/a	Sourced from the XNID.ACAD.LEVEL custom Colleague field. (Local college use only.)
	EnrollmentCreditsList	decimal	n/a	9	5	Sourced from the XNID.CRS.CREDS.LIST custom Colleague field. (Local college use only.)
	InstitutionID	tinyint	1	3	n/a	
	OdsStXlpedsDetailNewEthnicMultiValueId	varchar	55	n/a	n/a	
ValidationCode						
	VendorClientIdentifier	char	3	n/a	n/a	Ellucian Client ID

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
ValidationCode	MultiValuePosition	decimal	n/a	10	0	ODS_VAL_EXTL_REPRESENTATION is sourced from Colleague's multi-valued VAL.EXTERNAL.REPRESENTATION field. POS is the position number (position in list) of the value from VAL.EXTERNAL.REPRESENTATION that corresponds to the ODS_VAL_EXTL_REPRESENTATION value.
	ColleagueApplication	varchar	7	n/a	n/a	Sourced from the VALCODES > VAL.APPLICATION Colleague field. Stores application from which valcodes was created.
	ColleagueValidationCodeID	varchar	40	n/a	n/a	Sourced from VALCODES > VAL.CODE.ID. This valcodes table has records for CF, CORE, HR, and ST. Therefore there is not any "Cf", "Core", "Hr", or "St" prefixes on the new table name.
	MinimumInputString	varchar	36	n/a	n/a	Sourced from the VALCODES > VAL.MINIMUM.INPUT.STRING Colleague field. The Minimum string (in upper case) to uniquely isolate this code item in the validation process.
	ExternalRepresentation	varchar	32	n/a	n/a	Sourced from VALCODES > VAL.EXTERNAL.REPRESENTATION. This valcodes table has records for CF, CORE, HR, and ST. Therefore there is not any "Cf", "Core", "Hr", or "St" prefixes on the new table name.
	ActionCode1	varchar	30	n/a	n/a	Sourced from the VALCODES > VAL.ACTION.CODE.1 Colleague field. Special action identified with some codes.
	ActionCode2	varchar	30	n/a	n/a	Sourced from the VALCODES > VAL.ACTION.CODE.2 Colleague field. Second action code when needed by a particular code.
	ActionCode3	varchar	30	n/a	n/a	Sourced from the VALCODES > VAL.ACTION.CODE.3 Colleague field. Special action identified with some codes.
	ActionCode4	varchar	30	n/a	n/a	Sourced from the VALCODES > VAL.ACTION.CODE.4 Colleague field. Special action identified with some codes.

TABLE NAME	COLUMN NAME	DATA TYPE	MAXIMUM LENGTH	NUMERIC PRECISION (Total Digits)	NUMERIC SCALE (Digits to right of decimal)	Description
ValidationCode	ValidationCodeAddDate	smalldatetime	n/a	16	n/a	Sourced from the VALCODES > VALCODES.ADD.DATE Colleague field. The date this valcode was created.
	ValidationCodeChangeDate	smalldatetime	n/a	16	n/a	Sourced from the VALCODES > VALCODES.CHANGE.DATE Colleague field. Record stamp field automatically updated by the generator.
	ColleagueValicationCodeID	varchar	40	n/a	n/a	Sourced from the VALCODES > VALCODE.ID Colleague field which is the Colleague ID of VALCODES.
	InternalCode	varchar	10	n/a	n/a	Sourced from VALCODES > VAL.INTERNAL.CODE. This valcodes table has records for CF, CORE, HR, and ST. Therefore there is not any "Cf", "Core", "Hr", or "St" prefixes on the new table name.
	OdsValidationCodeID	varchar	150	n/a	n/a	
	InstitutionID	tinyint	1	3	n/a	
	DateDimensionIDValidationCodeAddDate	int	4	10	n/a	

